

A Complete list of the spiders of British Columbia (2006)

The list of spiders of British Columbia was completed by Robb Bennett, David Blades, Don Buckle, Charles Dondale, and Rick C. West in 2006. It is based upon a spider database initially developed by Blades for use within the Royal British Columbia Museum and revised and updated by Bennett. Locality data were recorded primarily from specimens in the RBCM and the Canadian National Collection (Agriculture & Agri-Food Canada, Ottawa). This list builds upon earlier lists of BC spiders prepared by Erik Thorn (1967) and West, Dondale, and Richard Ring (1984 & 1988) and referenced in "Spiders (Araneae) and Araneology in British Columbia (Bennett. 2001. Journal of the Entomological Society of British Columbia, 98:83-90 [LINK](#)). Nomenclature follows the authoritative spider taxonomy and bibliography website, Norman Platnick's "The World Spider Catalog" (<http://research.amnh.org/entomology/spiders/catalog/index.html>). In a few instances, linyphiid species nomenclature follows Buckle, D.J., Carroll, D., Crawford, D.L., and Roth, V.D. 2001. Linyphiidae and Pimoidae of America north of Mexico: Checklist, synonymy, and literature. Faberies, Supplement 10:89-191.

Note: Taxonomy follows Norm Platnick's "[World Spider Catalog](#)"

Common names follow Breen, R. G. et al. 2003. Common Names of Arachnids. American Arachnological Society Committee on Common Names of Arachnids (<http://www.americanarachnology.org/acn5.pdf>).

Agelenidae

Agelenopsis actuosa (Gertsch & Ivie) 1936 – Grass Spider
Global: Southern ON(?), southwestern BC south to northwest OR
Local: Saanich Inlet, Goldstream Prov. Pk., Sidney

Agelenopsis oklahoma (Gertsch) 1936 – Grass Spider
Global: South central BC south to OK & KS
Local: Oliver, Grand Forks

Agelenopsis oregonensis Chamberlin & Ivie 1935 – Grass Spider
Global: Southwestern BC to northwest OR
Local: Saanich Inlet, Cowichan Lake, Parksville, Summerland

Agelenopsis potteri (Blackwall) 1846 – Grass Spider
Global: BC to NS south to northwest MX
Local: Widespread across southern BC

Agelenopsis utahana (Chamberlin & Ivie) 1933 – Grass Spider
Global: AK to QC south to UT & WY
Local: Wells Gray Prov. Pk., Field, Canoe, Lillooet, Salmon Arm, Creston

Novalena intermedia (Chamberlin & Gertsch) 1930
Global: Southwestern BC to northern CA

Local: Saanich, Goldstream Prov. Pk., S. Pender Is.

Tegenaria agrestis (Walckenaer) 1802 – Hobo Spider

Global: Palearctic species introduced in Pacific Northwest and southern BC

Local: Widespread across southern BC - mostly synanthropic, but also in natural habitats in southwest and south central BC

Tegenaria domestica (Clerck) 1757 – Barn Funnel Weaver

Global: Cosmopolitan

Local: Widespread & mostly synanthropic in BC, in natural habitats on southern Vancouver Island

Tegenaria duellica Simon 1875 – Giant House Spider

Global: Palearctic species introduced in Pacific Northwest and southern BC, scattered records in AB & SK

Local: Widespread and mostly synanthropic across southern BC, in natural habitats in southwest and south central localities

Amaurobiidae

Amaurobius borealis Emerton 1909

Global: Northern BC east to NF and NY

Local: Morley R. Lodge, Tupper

Arctobius agelenoides (Emerton) 1919

Global: Holarctic; in Nearctic - AK to NU south to BC & MB

Local: Manson Ck., Yoho Nat. Pk. (Ross Lk.)

Callobius canada (Chamberlin & Ivie) 1947

Global: Southern BC south to northern OR & western MT

Local: Salmon Arm, Wycliffe, Cawston, Fountain Valley, Yale

Callobius enus (Chamberlin & Ivie) 1947

Global: Southern BC south to ID & western MT

Local: Invermere, Nelson, Wycliffe, Summerland

Callobius nomeus (Chamberlin) 1919

Global: Western NA, also in QC, LB, & NH

Local: Widespread in eastern half of BC

Callobius pictus (Simon) 1884

Global: AK (eastern Aleutian Islands) south to mid-coastal CA

Local: Widespread at coastal localities, Fraser Valley up to Lillooet

Callobius severus (Simon) 1884

Global: Southwestern BC to southwestern CA

Local: Widespread on Vancouver Island & lower mainland

Cybaeopsis euopla (Bishop & Crosby) 1935

Global: Throughout CAN south to WI & ME

Local: Field, Tupper

Cybaeopsis wabritaska (Leech) 1972

Global: AK (eastern Aleutian Islands) to northern WA

Local: Revelstoke, Emerald Lk., Manson Ck., Six Mile Lk., New Hazelton, Burnaby

Zanomys aquilonia Leech 1972

Global: Southwestern BC to southwestern OR

Local: Mudge Is., Gabriola Is., Saturna Is., Saanich, Victoria, Rocky Pt. (Metchosin)

Antrodiaetidae

Antrodiaetus hageni (Chamberlin) 1917

Global: South central BC, east WA & east OR

Local: Merritt, Vernon, Lumby, Summerland, Apex Mountain, Vaseux Lake, Summerland

Antrodiaetus pacificus (Simon) 1884

Global: West coastal NA from BC to northern CA

Local: Widespread at coastal localities on Vancouver Island north to Haida Gwaii (Queen Charlotte Islands)

Antrodiaetus pugnax (Chamberlin) 1917

Global: South central BC south to northern OR and adjacent ID

Local: Pend d'Oreille Valley (Trail), Nelson

Anyphaenidae

Anyphaena aperta (Banks) 1921

Global: Southwestern BC to CA

Local: Kyuquot, Qualicum, Parksville, Errington, Victoria

Anyphaena pacifica (Banks) 1896

Global: BC & southwestern AB south to CA and NM

Local: Terrace, Nanaimo, Carmanah Valley, Hope, Mt. Kobau, Osoyoos, Apex Mtn.

Araneidae

Aculepeira carbonarioides (Keyserling) 1892

Global: Holarctic; in Nearctic - AK to QC south to CO & UT

Local: Mount St. Paul, Pink Mtn., Kamloops

Aculepeira packardi (Thorell) 1875

Global: Holarctic; in Nearctic - YT to LB south to northern MX & PA

Local: Widespread in BC

Araneus corticarius (Emerton) 1884 - Orbweaver

Global: AK to NS south to ND & PA

Local: Vernon

Araneus diadematus Clerck 1757 – Cross Orbweaver

Global: Palaearctic; introduced to NA - southwestern BC to OR and MI to NF

Local: Vancouver Is. & adjacent mainland

Araneus gemma (McCook) 1888 - Orbweaver

Global: Southeastern AK to MT south to CA

Local: Southern Vancouver Is., Lytton, Kaslo, Creston

Araneus gemmoides Chamberlin & Ivie 1935 - Orbweaver

Global: Southern BC to MB south to CA & FL

Local: Widespread in southern BC

Araneus iviei (Archer) 1951 - Orbweaver

Global: BC to NS south to MI & PA

Local: Prince George, Nakusp

Araneus marmoreus Clerck 1757 - Marbled Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to OR & SC

Local: Widespread in BC

Araneus montereyensis (Archer) 1951 - Orbweaver

Global: West coastal NA from southwestern BC to southern CA

Local: Rocky Pt. (Victoria)

Araneus nordmanni (Thorell) 1870 - Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to AZ & SC

Local: Widespread in BC

Araneus saevus (L. Koch) 1872 - Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to OR & NY

Local: Widespread in BC

Araneus trifolium (Hentz) 1847 – Shamrock Orbweaver

Global: AK to NF south to CA & AL

Local: Widespread in BC

Araneus washingtoni Levi 1971 - Orbweaver

Global: Northern BC to NF south to NH

Local: Mt. St. Elias, Golden

Araniella displicata (Hentz) 1847 - Sixspotted Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to CA & NC

Local: Widespread in BC

Araniella proxima (Kulczynski) 1885

Global: Holarctic: in Nearctic - AK to NF south to BC & NB

Local: Johnson Bay (Babine Lk.)

Argiope trifasciata (Forsk.) 1775 – Banded Garden Spider

Global: Nearly cosmopolitan; in Nearctic - southern BC to NS south throughout region

Local: Widespread in southern BC

Cyclosa conica (Pallas) 1772 – Trashline Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to Guatemala & VA

Local: Widespread in BC

Hypsosinga alberta Levi 1972

Global: Holarctic; in Nearctic - northern BC to central SK south to southern AB

Local: Summit Lk. (Alaska Hwy.)

Hypsosinga groenlandica Simon 1889

Global: YT to Greenland south to BC & QC

Local: Apex Mtn.

Hypsosinga pygmaea (Sundevall) 1831

Global: Holarctic; In Nearctic - AK to NF south to CO & Cuba

Local: Haida Gwaii (Queen Charlotte Islands), Kamloops, Enderby, Summerland, Okanagan Falls

Larinioides cornutus (Clerck) 1757 – Furrow Orbweaver

Global: Holarctic; in Nearctic - AK to NF south to Panama

Local: Atlin, Enderby, Creston

Larinioides patagiatus (Clerck) 1757

Global: Holarctic; in Nearctic - AK to NF south to CA & NC

Local: Widespread in BC

Larinioides sclopetarius (Clerck) 1757 – Bridge Orbweaver

Global: Palaearctic; introduced to NA - BC to NF south to UT & NC

Local: Mesachie Lk., Pitt Meadows, Manning Prov. Pk., Okanagan Landing, Nelson

Metepeira foxi Gertsch & Ivie 1936

Global: Southern BC & AB south to CA & northern MX

Local: Widespread in southern interior BC

Metepeira grandiosa Chamberlin & Ivie 1941
Global: Interior BC to SK south to CA
Local: Prince George, Falkland, Vernon, Osoyoos

Metepeira palustris Chamberlin & Ivie 1942
Global: Northern BC to NS south to WI & PA
Local: Atlin, Okanagan Valley

Neoscona arabesca (Walckenaer) 1842 – Arabesque Orbweaver
Global: BC to NS south to Central American & West Indies
Local: Widespread in central & southern BC

Neoscona pratensis (Hentz) 1847 – Spotted Orbweaver
Global: Northern BC to NH south to KS & FL
Local: Terrace

Parazygiella dispar (Kulczynski) 1885
Global: Holarctic; in Nearctic - west coastal NA from southeastern AK to CA
Local: Widespread on coastal BC

Singa keyserlingi Mccook 1894 – Striped Orbweaver
Global: South central BC, east WA & east OR
Local: Merritt, Okanagan Valley (Apex Mountain, Vaseux Lake, Summerland, Vernon, Lumby)

Zygiella atrica (C. L. Koch) 1845
Global: Palaearctic; introduced to coastal NA - southwestern BC, NF to NY
Local: Victoria, Vancouver

Zygiella x-notata (Clerck) 1757
Global: Holarctic & Neotropical; in Nearctic - coastal NA from southwestern BC to CA, MA to VA
Local: Metlakatla, Wellington, Sooke, N. Pender Is., Langford, Victoria, Vancouver

Clubionidae

Clubiona bryantae Gertsch 1941 – Leafcurling Sac Spider
Global: AK to NF south to WY & MA
Local: Pink Mtn.

Clubiona canadensis Emerton 1890 – Leafcurling Sac Spider
Global: BC to NF south to CO & NC
Local: Widespread in BC

Clubiona furcata Emerton 1919 – Leafcurling Sac Spider

Global: AK to NF south to UT and ON
Local: Johnson Bay (Babine Lk.)

Clubiona kastoni Gertsch 1941 – Kaston Sac Spider
Global: AK to NF south to CA & NC
Local: Wellington, Pitt Meadows, Haney, Osoyoos

Clubiona kulczynskii Lessert 1905 – Leafcurling Sac Spider
Global: Holarctic, in Nearctic - AK to NF south to CO & NC
Local: Widespread in northern BC

Clubiona lutescens Westring 1851 – Leafcurling Sac Spider
Global: Palaearctic, introduced (?) to southern BC and WA
Local: Vancouver

Clubiona mimula Chamberlin 1928 – Leafcurling Sac Spider
Global: Southern BC to UT south to CA
Local: Vancouver, Summerland

Clubiona moesta Banks 1896 – Leafcurling Sac Spider
Global: AK to NS south to CA & NY
Local: Lillooet, Salmon Arm, Canoe, Osoyoos

Clubiona mutata Gertsch 1941 – Leafcurling Sac Spider
Global: Southern BC to SK south to AZ and NE
Local: Osoyoos

Clubiona norvegica Strand 1900 – Leafcurling Sac Spider
Global: Holarctic, in Nearctic - AK to NF south to UT & NY
Local: Goldstream Prov. Pk.

Clubiona opeongo Edwards 1958 – Leafcurling Sac Spider
Global: Southern BC to QC
Local: Clearwater Valley, Edgewood

Clubiona pacifica Banks 1896 – Leafcurling Sac Spider
Global: Southwest AK to southwestern AB south to CA
Local: Widespread on coastal BC; Kaslo, Creston

Clubiona pallidula (Clerck) 1757 – Leafcurling Sac Spider
Global: Palaearctic, introduced (?) to southwestern BC, southern ON, & WA
Local: Vancouver

Clubiona praematura Emerton 1909 – Leafcurling Sac Spider
Global: AK to NB south to northern BC & ME
Local: Chilkat Pass, Summit Lk., Pink Mtn.

Clubiona riparia L. Koch 1866 – Leafcurling Sac Spider

Global: AK to NF south to NM & MD

Local: Kamloops, Osoyoos, Creston

Clubiona trivialis C. L. Koch 1843 – Leafcurling Sac Spider

Global: AK to NF south to AZ & NY

Local: Cape Scott, Brooks Peninsula, Carmanah Valley, Hope, Manning Prov. Pk., Yoho Nat. Pk., Lower Post

Corinnidae

Castianeira alteranda Gertsch 1942

Global: Southern BC to southern SK south to CO

Local: Mt. Kobau

Castianeira longipalpa (Hentz) 1847

Global: Southern BC to NS south to UT, OK, & FL

Local: Widespread in southern BC

Castianeira walsinghami (O. P.-cambridge) 1874

Global: Southern BC to OR

Local: Victoria, Salmon Arm, Minnie Lk., Riske Ck., Vernon

Meriola californica (Banks) 1904

Global: Southwestern BC to northwestern MX

Local: Parksville

Meriola decepta Banks 1895

Global: USA south to Peru & Brazil

Local: White Lake (South Okanagan Valley)

Phrurotimpus borealis (Emerton) 1911

Global: Southern BC to NS south to northern MX & NC

Local: Widespread across southern BC

Scotinella pugnata (Emerton) 1890

Global: Southwestern BC to northwestern MX

Local: Parksville

Scotinella sculleni (Gertsch) 1941

Global: Southwestern BC, WA, & OR

Local: Saltspring Is.

Cybaeidae

Cybaeina confusa Chamberlin & Ivie 1942

Global: Haida Gwaii (Queen Charlotte Is.) south to northwest OR

Local: Banks Is., Kunghit Is., Port Renfrew

Cybaeina minuta (Banks) 1906

Global: West & southern Vancouver Is. south to northwestern OR

Local: Victoria, Kyuquot, Tofino

Cybaeota nana Chamberlin & Ivie 1937

Global: Southwest BC south to northern UT and southern CA

Local: Saanich Inlet

Cybaeota shastae Chamberlin & Ivie 1937

Global: AK panhandle south to southern CA

Local: Widespread on coastal BC

Cybaeus bulbosus Exline 1935

Global: South central BC south to north eastern OR and adjacent ID

Local: Vernon (24 km E)

Cybaeus eutypus Chamberlin & Ivie 1932

Global: Mid-coast BC south to northwest OR

Local: Widespread in southwest BC from Rivers Inlet area to southern Vancouver Is.

Cybaeus morosus Simon 1886

Global: Western NA from Adak Island (Aleutians) to west central CA

Local: Widespread from Haida Gwaii (Queen Charlotte Islands) and Vancouver Is. east to the Rocky Mtns.

Cybaeus reticulatus Simon 1886

Global: West coastal NA from Attu Is. (most westerly Aleutians) south to northwestern CA

Local: Widespread on coastal BC

Cybaeus shoshoneus Chamberlin & Ivie 1932

Global: Northern ID and adjacent areas of BC, WA, OR, & MT

Local: Bridle Lake (43 km W of Creston)

Cybaeus signifer Simon 1886

Global: West coastal NA from BC south to central CA

Local: Widespread on Haida Gwaii (Queen Charlotte Is.) and Vancouver Is.

Cybaeus sinuosus Fox 1937

Global: AB and BC in Rocky and East Kootenay Mtns.

Local: Yoho Nat. Pk., Field, Nelson

Dictynidae

Arctella lapponica Holm 1945

Global: Holarctic; in Nearctic - northern BC

Local: Summit Lk. (Alaska Hwy.)

Argenna yakima Chamberlin & Gertsch 1958

Global: Northwestern BC to western WA

Local: St. Elias Mtns (59'27"N 137'54"W)

Blabomma californicum (Simon) 1895

Global: Soutwestern BC to northwestern MX

Local: Victoria area (Sidney, Island View Beach, Trial Island)

Cicurina idahoana Chamberlin 1919

Global: Southern BC to western MT south to OR

Local: Lillooet, Penticton, Haney

Cicurina intermedia Chamberlin & Ivie 1933

Global: Southern interior BC to UT

Local: Vernon, Vaseux Lk.

Cicurina simplex Simon 1886

Global: Southwestern AK south to WA & MT

Local: Cameron Lk., Departure Bay, Sidney, Victoria (Island View Beach, Discovery Is.)

Cicurina tersa Simon 1886

Global: Vancouver Is. south to OR

Local: Campbell R., Parksville, Departure Bay, Sidney, Galiano Is.

Dictyna brevitarsa Emerton 1915

Global: AK to NF south to AZ & PA

Local: Johnson Bay (Babine Lk.)

Dictyna calcarata Banks 1904

Global: Southern interior BC to eastern OK south to MX

Local: Osoyoos

Dictyna coloradensis Chamberlin 1919

Global: Southern BC to QC south to AZ & TX

Local: Vernon, Oliver

Dictyna major Menge 1869

Global: Holarctic; in Nearctic - AK to LB south to central CA & QC

Local: Widespread in BC

Dictyna minuta Emerton 1888

Global: Southern interior BC to NH south to northwestern MX & southern TX

Local: Salmon Arm, Vernon, Kelowna

Dictyna subpinicola Ivie 1947

Global: Southern interior BC to western MT south to OR

Local: Vernon

Dictyna terrestris Emerton 1911

Global: Southern interior BC to NH south to NM & TX

Local: Osoyoos

Dictyna tridentata Bishop & Ruderman 1946

Global: BC to WY south to AZ & NM

Local: Johnson Bay (Babine Lk.), Victoria

Emblyna annulipes (Blackwall) 1846

Global: Holarctic; in Nearctic - AK to NF south to OR & VA

Local: Widespread in BC

Emblyna borealis cavernosa (Jones) 1877

Global: Holarctic species; Nearctic subspecies - southern BC to WY south to CA & UT

Local: Apex Mtn., Cathedral Prov. Pk., Mt. Kobau

Emblyna chitina (Chamberlin & Gertsch) 1958

Global: Southeastern AK & BC

Local: Meadow Mtn. (Kaslo)

Emblyna completa (Chamberlin & Gertsch) 1929

Global: Southern BC to ND south to CA & NM

Local: Kamloops, Apex Mtn., Vaseux Lk., Keremeos, Rock Ck.

Emblyna olympiana (Chamberlin) 1919

Global: Southern BC south to CA

Local: Wellington

Emblyna oregona Gertsch 1946

Global: Southwestern BC south to CA

Local: Island View Beach (Victoria)

Emblyna peragrata (Bishop & Ruderman) 1946

Global: AK to QC south to northern CA & western MT

Local: Widespread in BC

Emblyna phylax (Gertsch & Ivie) 1936

Global: Southern interior BC to NF south to WY & NH

Local: Lillooet, Summerland, Rock Ck.

Emblyna reticulata (Gertsch & Ivie) 1936

Global: Southern interior BC to SD south to northwestern MX and southeastern TX

Local: Walachin, Mt. Kobau, Osoyoos

Emblyna sublata (Hentz) 1850

Global: BC to LB south to eastern MX & FL

Local: Atlin, Kyuquot

Hackmania prominula (Tullgren) 1948

Global: Holarctic; in Nearctic - AK to MB south to NM

Local: St. Elias Mtns. (59°39'N 137°54'W), Liard R. Hotsprings

Mallos niveus O. P.-cambridge 1902

Global: Southern interior BC to CO south to Guatemala

Local: Kelowna, Summerland, Osoyoos

Phantyna terranea (Ivie) 1947

Global: Southern Vancouver Is. to western WY south to OR & CO

Local: Island View Beach (Victoria)

Tricholathys rothi Chamberlin & Gertsch 1958

Global: Southwestern BC south to western OR

Local: Comox, Saanichton

Tricholathys spiralis Chamberlin & Ivie 1935

Global: Southwestern BC to WY south to CA & CO

Local: Kyuquot

Dipluridae

Microhexura idahoana Chamberlin & Ivie 1945

Global: Scattered high elevation localities from southern interior BC to western MT south to central OR & ID

Local: Kootenay Pass

Dysderidae

Dysdera crocata C. L. Koch 1838

Global: Synanthropic, nearly cosmopolitan

Local: Victoria, Vancouver

Gnaphosidae

Callilepis eremella Chamberlin 1928

Global: Southern BC to northern ID south to AZ & northwest MX
Local: Summerland

Callilepis pluto Banks 1896

Global: NU to NS south to WA, CO, & AL

Local: Mount Benson, Wellington, Island View Beach (Victoria), Quadra Island

Drassodes neglectus (Keyserling) 1887

Global: Holarctic; in Nearctic - AK to NS south to AZ & WV

Local: Widespread in BC

Drassodes saccatus (Emerton) 1889

Global: Southern BC to NH south to southern MX

Local: Lillooet, Summerland, Keremeos

Drassyllus depressus (Emerton) 1890

Global: Southern BC to NS south to AZ & VA

Local: Widespread in southern BC

Drassyllus dromeus Chamberlin 1922

Global: Southern BC to MA south to AZ and GA

Local: Summerland, Oliver, Keremeos

Drassyllus insularis (Banks) 1900

Global: Southern BC to western MX

Local: Lillooet, Oliver, Summerland

Drassyllus lamprus (Chamberlin) 1920

Global: Southern BC to southern SK south to central MX

Local: Savona, Summerland

Drassyllus niger (Banks) 1896

Global: Throughout southern CAN south to CA & PA

Local: Lillooet, Summerland, Oliver

Drassyllus saphes Chamberlin 1936

Global: Southern BC to MT south to northwest MX

Local: Osoyoos

Gnaphosa brumalis Thorell 1875

Global: AK to LB south to AZ & NH

Local: Paradise Mine, Summit Lk. (Alaska Hwy.)

Gnaphosa californica Banks 1904

Global: Southern BC south to CA & NM

Local: Keremeos, Summerland, Osoyoos

Gnaphosa microps Holm 1939

Global: Holarctic; in Nearctic - AK to NF south to CO & ME

Local: Sikanni Chief R., Yoho Nat. Pk.

Gnaphosa muscorum (L. Koch) 1866

Global: Holarctic; in Nearctic - AK to LB south to NM & WV

Local: Widespread in BC

Gnaphosa parvula Banks 1896

Global: AK to NF south to CO & WV

Local: Tetsa R., Kamloops

Gnaphosa snohomish Platnick & Shadab 1975

Global: Southwestern BC and adjacent WA

Local: Island View Beach (Victoria), Burnaby, Haney

Haplodrassus bicornis (Emerton) 1909

Global: BC to NS south to AZ & VA

Local: Vernon, Westbank, Keremeos

Haplodrassus eunis Chamberlin 1922

Global: AK to northern ON south to CA & NM

Local: Lillooet, Manning Prov. Pk., Apex Mtn., Nelson

Haplodrassus hiemalis (Emerton) 1909

Global: Holarctic; in Nearctic - AK to NF south to CO & NJ

Local: Clearwater Valley

Haplodrassus signifer (C. L. Koch) 1839

Global: Holarctic; in Nearctic - YT to NS south to MX & FL

Local: Widespread in southern BC

Herpyllus hesperolus Chamberlin 1928

Global: Southern BC to southern SK south to northwest MX & adjacent TX

Local: Summerland

Herpyllus propinquus (Keyserling) 1887

Global: Southern BC to MT south to central MX

Local: Osoyoos

Micaria aenea Thorell 1871

Global: Holarctic; in Nearctic - AK to NF south to UT & ME

Local: Summit Lk., Lillooet, Manning Prov. Pk., Revelstoke, Yoho Nat. Pk.

Micaria alpina L. Koch 1872

Global: Holarctic; in Nearctic - AK to northern ON south to northern BC
Local: Summit Lk. (Alaska Hwy.)

Micaria coloradensis Banks 1896
Global: AK to SK south to CA & SD
Local: Apex Mtn.

Micaria constricta Emerton 1894
Global: Norway; YT to LB south to CA & NH
Local: Widespread in BC

Micaria foxi Gertsch 1933
Global: Southern BC to southern AB south to CA & NM
Local: Summerland

Micaria idana Platnick & Shadab 1988
Global: Southern BC south to CA
Local: Manning Prov. Pk., Apex Mtn.

Micaria laticeps Emerton 1909
Global: Southern BC to eastern ON south to AR & CT
Local: Osoyoos

Micaria longipes Emerton 1890
Global: Southeastern BC to NB south to AZ & MX
Local: Koocanusa Lk.

Micaria pulicaria (Sundevall) 1831
Global: Holarctic; in Nearctic - AK to NF south to CA and TX
Local: Widespread in southern half of BC

Micaria riggsi Gertsch 1942
Global: Southern BC to MA south to AZ & TN
Local: Salmon Arm, Apex Mtn.

Micaria rossica Thorell 1875
Global: Holarctic; in Nearctic - AK to MB south to CA & NM
Local: Widespread in BC

Micaria utahna Gertsch 1933
Global: Southern BC to MT south to CA & UT
Local: Victoria (Island View Beach, Witty's Lagoon), Osoyoos

Nodocion eclecticus Chamberlin 1924
Global: Southern BC south to northwest MX and TX
Local: Summerland

Nodocion rufithoracicus Worley 1928
Global: Southern BC to AB south to CA & NM
Local: Victoria, Summerland

Nodocion voluntarius (Chamberlin) 1919
Global: Southern BC & AB south to MX
Local: Summerland

Orodrossus canadensis Platnick & Shadab 1975
Global: YT to NB south to WA & SD
Local: Atlin, Terrace, Forbidden Plateau

Orodrossus coloradensis (Emerton) 1877
Global: BC to MB south to CA & AZ
Local: Summit Lk., Kamloops, Radium Hotsprings, Kaslo

Parasyrisca orites (Chamberlin & Gertsch) 1940
Global: Southwestern BC & adjacent WA
Local: Manning Prov. Pk.

Scotophaeus blackwalli (Thorell) 1871
Global: Holarctic & Neotropical; in Nearctic - southern BC south to northwest MX & Gulf Coast USA
Local: Victoria, Salmon Arm

Sergiolus columbianus (Emerton) 1917
Global: Southwestern BC to SD south to CA & AZ
Local: Comox, Departure Bay, Wellington, Goldstream Prov. Pk., Langford, Island View Beach (Victoria)

Sergiolus montanus (Emerton) 1890
Global: Southeast AK to NB south to northwest MX & SC
Local: Widespread in BC

Zelotes exiguoides Platnick & Shadab 1983
Global: Northern BC to NH south to CO & PA
Local: Telegraph Ck.

Zelotes fratris Chamberlin 1920
Global: Holarctic; in Nearctic - AK to NF south to CA & NM
Local: Widespread in BC

Zelotes hentzi Barrows 1945
Global: Southern BC to NS south to northern CA & FL
Local: Wellington, Island View Beach (Victoria), Victoria

Zelotes puritanus Chamberlin 1922

Global: Holarctic; in Nearctic - AK to NB south to CA & MA

Local: Widespread in southern BC

Zelotes sula Lowrie & Gertsch 1955

Global: Holarctic; in Nearctic - AK to LB south to UT & northern NY

Local: Manson Ck., Morley R. Lodge, Summit Lk. (Alaska Hwy.), Manning Prov. Pk.

Zelotes tuobus Chamberlin 1919

Global: Southern BC to KY south to CA & TN

Local: Departure Bay, Kamloops, Summerland

Hahniidae

Antistea brunnea (Emerton) 1909

Global: BC to NS south to IL & NJ

Local: Prince Rupert, Enderby

Calymmaria emertoni (Simon) 1897

Global: West coastal NA from southern BC to northern CA

Local: Kyuquot, Tofino, Union Is., Wellington, Departure Bay, Goldstream Prov. Pk., Haney

Calymmaria monicae Chamberlin & Ivie 1937

Global: CA, disjunct BC?

Local: Lillooet

Calymmaria nana (Simon) 1897

Global: Southwestern BC to southern OR

Local: Cabin Pool (Cowichan R.), Saanich Inlet

Calymmaria suprema Chamberlin & Ivie 1937

Global: West coastal NA from southern BC to central CA

Local: Goldstream Prov. Pk.

Cryphoeca exlineae Roth 1988

Global: Southern AK south to western MT & central CA

Local: Widespread in BC

Dirksia cinctipes (Banks) 1896

Global: Western AK to CA

Local: Widespread on coastal BC

Ethobuella tuonops Chamberlin & Ivie 1937

Global: Southwestern BC to OR

Local: Carmanah Prov. Pk., Francis King Reg. Pk (Victoria), Rocky Point (Metchosin), Galiano Island

Hahnia arizonica Chamberlin & Ivie 1942

Global: AK south to AZ & western TX

Local: Carmanah Valley

Hahnia cinerea Emerton 1890

Global: AK to NS south to MX & FL

Local: Prince Rupert, Vancouver, Kamloops

Hahnia glacialis Sorensen 1898

Global: Holarctic; in Nearctic - AK to NH south to CO & NY

Local: Lakelse Lk. (Terrace), St. Elias Mtns. (jct Tatshenshini & O'Connor Rivers)

Hahnia ononidum Simon 1875

Global: Holarctic; in Nearctic - YT to NU south to NM & AR

Local: Atlin

Neoantistea agilis (Keyserling) 1887

Global: Northern BC to NS south to CA & FL

Local: Prince Rupert, Manson R., Fort St. John

Neoantistea gosiuta Gertsch 1934

Global: Northwestern BC south to AZ & NM

Local: St. Elias Mtns. (59°39'N 137°10'W)

Neoantistea magna (Keyserling) 1887

Global: AK to NF south to CA & FL

Local: Mosquito Lk. (Haida Gwaii), Johnson Bay (Babine Lk.), Osoyoos

Linyphiidae

Agnyphantus arboreus (Emerton) 1915

Global: AK south to WA & WY

Local: Glacier Nat. Pk.

Agyneta allosubtilis Loksa 1965

Global: Holarctic; in Nearctic - YT to NF south to BC & MB

Local: Sikanni R (Alaska Hwy.), Liard R. Hotsprings

Agyneta olivacea (Emerton) 1882

Global: Holarctic; in Nearctic - YT to NF south to ND & NH

Local: Mt. Cain (Vancouver Is.), Vernon

Allomengea dentisetis (Grube) 1861

Global: Holarctic; in Nearctic - AK to NF south to CO & NJ
Local: Clearwater Valley

Aphileta microtarsa (Emerton) 1882
Global: BC to NF south to UT & NY
Local: Johnson Bay & Donald Landing (Babine Lk.), Manning Prov. Pk.

Aphileta misera (O. P.- Cambridge) 1882
Global: Holarctic; in Nearctic - AK to QC south to BC & NY
Local: Wap Lk. (Revelstoke)

Arcuphantes arcuatulus (Roewer) 1942
Global: Southwestern BC to OR
Local: Parksville

Arcuphantes sylvaticus Chamberlin & Ivie 1943
Global: BC to CA
Local: 16 km W of Barkerville, Vernon (Campbell Brown Ecol. Reserve), Kootenay Pass summit

Baryphyma kulczynskii (Eskov) 1979
Global: Holarctic; in Nearctic - YT to QC south to northern BC & ME
Local: Johnson Bay (Babine Lk.)

Baryphyma trifrons affine (Schenkel) 1930
Global: Holarctic; in Nearctic - YT to QC south to WA & NY
Local: Atlin

Bathyphantes alameda Ivie 1969
Global: Southwestern BC to CA
Local: Kyuquot

Bathyphantes alascensis (Banks) 1900
Global: AK south to CA
Local: Brooks Peninsula, Kyuquot, Tofino, Wellington

Bathyphantes brevipes (Emerton) 1917
Global: AK to NF south to CA & WY
Local: Widespread in BC

Bathyphantes canadensis (Emerton) 1882
Global: Holarctic; in Nearctic - AK to QC south to BC & NY
Local: Johnson Bay (Babine Lk.)

Bathyphantes diasosnemis Fage 1929
Global: Southwestern BC to CA

Local: Mt. Cain (Vancouver Is.)

Bathyphantes keeni (Emerton) 1917

Global: Holarctic; in Nearctic - AK south to CA

Local: Widespread on coastal BC

Bathyphantes malkini Ivie 1969

Global: Southwestern BC south to CA

Local: Wellington

Bathyphantes orica Ivie 1969

Global: Southwestern BC south to CA

Local: Wellington, Vancouver

Bathyphantes pallidus (Banks) 1892

Global: AK to NF south to AZ & NC

Local: Widespread in BC

Bathyphantes reprobus (Kulczynski) 1916

Global: Holarctic; in Nearctic - AK to QC south to northeastern BC & NY

Local: Fort St. John

Bathyphantes waneta Ivie 1969

Global: BC south to OR & ID

Local: Merritt, Vernon, Summerland, Apex Mountain, Vaseux Lake

Centromerita bicolor (Blackwall) 1833

Global: Palaearctic; introduced in Nearctic - BC to WA, NF to NS

Local: Burnaby

Centromerus longibulbus (Emerton) 1882

Global: BC to NF south to MI & NY

Local: Enderby, Lumby, Cherryville

Ceraticelus atriceps (O. P.- Cambridge) 1874

Global: YT to NF south to WA & NY

Local: Atlin, Comox, Enderby, Mt. Revelstoke, Field

Ceraticelus crassiceps Chamberlin & Ivie 1939

Global: AK to LB south to NM

Local: Osoyoos

Ceraticelus fissiceps (O. P.- Cambridge) 1874

Global: YT to NF south to MT & GA

Local: Hope, Vernon, Mount Revelstoke Nat. Pk.

Ceraticelus rowensis Levi & Levi 1955

Global: AK south to AB & WA

Local: Kingfisher Ck., Enderby

Ceraticelus silus Dondale 1958

Global: AK south to BC

Local: Vancouver

Ceraticelus vesperus Chamberlin & Ivie 1939

Global: AK south to WA

Local: Hope, Lillooet, Wells Gray Prov. Pk., Cream Lk. (Strathcona Prov. Pk.)

Ceratinella acerea Chamberlin & Ivie 1933

Global: BC south to OR & UT

Local: Pinkut Ck., Durrance Lake (Victoria), Goldstream Prov. Pk.

Ceratinella alaska Chamberlin & Ivie 1947

Global: Holarctic; in Nearctic - AK & BC to QC

Local: Pinkut Ck., Durrance Lk (Victoria), Goldstream Prov. Pk.

Ceratinella brunnea Emerton 1882

Global: AK to NF south to NM & VA

Local: Tetsa R. (Alaska Hwy., Mile 378), Liard Hotsprings, Copper R. (Terrace)

Ceratinella ornatula alaskana Chamberlin 1948

Global: AK to YT south to BC

Local: Tetsa River (Alaska Hwy Mi 378), Carmanah Valley

Ceratinella parvula (Fox) 1891

Global: BC to QC south to WA & NY

Local: Little Qualicum R., Delta

Ceratinella tigana Chamberlin 1948

Global: AK south to WA

Local: Pinkut Ck.

Ceratinops inflatus (Emerton) 1923

Global: AK south to WA

Local: Widespread in western BC

Cnephalocotes obscurus (Blackwall) 1834

Global: Holarctic; in Nearctic - YT & northern BC to QC

Local: Copper R. (Terrace)

Collinsia ksenia (Crosby & Bishop) 1928

Global: AK south to WA & MT

Local: Widespread in BC

Collinsia plumosa (Emerton) 1882
Global: BC to NS south to NM & NY
Local: Comox

Collinsia wilburi Levi & Levi 1955
Global: BC south to WA & MT
Local: Manning Prov. Pk.

Coreorgonal bicornis (Emerton) 1923
Global: Known only from Terrace BC area
Local: Terrace, Copper R. (Terrace)

Coreorgonal monoceros (Simon) 1884
Global: BC south to OR
Local: Parksville, Sidney, Island View Beach (Victoria)

Coreorgonal petulcus (Millidge) 1981
Global: South western BC & adjacent WA
Local: Rocky Point (Metchosin)

Diplocentria bidentata (Emerton) 1882
Global: Holarctic; in Nearctic - AK to NF south to UT & NY
Local: Widespread in northwestern BC

Diplocentria perplexa (Chamberlin & Ivie) 1939
Global: YT to QC south to UT
Local: Sikanni Chief R., Manning Prov. Pk.

Diplocentria rectangulata (Emerton) 1915
Global: Holarctic; in Nearctic - YT to NB south to BC & NY
Local: Tetsa R., Sikanni Chief R. Summit Lk. (Alaska Hwy. Mi. 392)

Diplocephalus sphagnicola Eskov 1988
Global: Holarctic; in Nearctic - NT to northern BC
Local: Summit Lake (Alaska Hwy. Mi. 392)

Diplocephalus subrostratus (O. P.- Cambridge) 1873
Global: Holarctic; in Nearctic - AK to NF south to WA & NY
Local: Johnson Bay (Babine Lk.), Liard R. Hotsprings

Diplostyla concolor (Wider) 1834
Global: Holarctic; in Nearctic - southern BC to QC south to OR & NJ
Local: Richmond, Vernon, Summerland

Dismodicus alticeps Chamberlin & Ivie 1947
Global: Holarctic, in Nearctic - AK & BC to NF
Local: Atlin, Liard R. Hotsprings

Dismodicus decemoculatus (Emerton) 1882
Global: BC to NF south to WY & NY
Local: Terrace, Johnson Bay (Babine Lk.)

Drapetisca alteranda Chamberlin 1909
Global: AK to NB south to WA & CT
Local: Cowichan Lk., Vancouver

Entelecara acuminata (Wider) 1834
Global: Holarctic; In Nearctic - southwestern BC & WA
Local: Pitt Meadows

Entelecara sombra (Chamberlin & Ivie) 1947
Global: Holarctic; in Nearctic - AK to QC south to WA
Local: Atlin, Johnson Bay (Babine Lk.), Lillooet, Burnaby

Eperigone holda Chamberlin & Ivie 1939
Global: BC south to WY
Local: Victoria

Eperigone paludosa Millidge 1987
Global: BC
Local: Goldstream Prov. Pk.

Eperigone taibo Chamberlin & Ivie 1933
Global: Southwestern BC to AZ & NM
Local: "Vancouver Is."

Eperigone trilobata (Emerton) 1882
Global: NT to NF south to MX & FL; introduced to western Palaearctic
Local: Terrace, Comox, Yoho Nat. Pk.

Erigone aletris Crosby & Bishop 1928
Global: Holarctic; in Nearctic - AK to NF south to CA & NY
Local: Comox, Victoria, Vancouver, Hope

Erigone alsaida Crosby & Bishop 1928
Global: AK to QC south to WY & OH
Local: Babine Lake

Erigone arctophylacis Crosby & Bishop 1928
Global: Holarctic; in Nearctic - YT to NT south to WA

Local: Summit Lake (Alaska Hwy. Mi 392), Glacier Nat. Pk. (Bald Ridge)

Erigone atra Blackwall 1833

Global: Holarctic; in Nearctic - Ak to NF south to BC & PA

Local: Summit Lk. (Alaska Hwy., Mi. 392)

Erigone blaesa Crosby & Bishop 1928

Global: Holarctic; in Nearctic - AK to NF south to WA & NJ

Local: Kamloops, Osoyoos

Erigone capra Simon 1884

Global: Holarctic; in Nearctic - AK south to WA. Currently = *E. dentigera* but apparently this is in error (but name has not been "officially" resurrected).

Local: Widespread in southwestern BC

Erigone dentigera (O. P.- Cambridge) 1874

Global: NT to NF south to CO & NJ

Local: Copper R. (Terrace), Johnson Bay (Babine Lk.), Vancouver, Burnaby

Erigone dentosa O. P.- Cambridge 1894

Global: BC to WY south to Guatemala

Local: Mt. Kobau

Erigone paradisiicola Crosby & Bishop 1928

Global: BC south to WA

Local: Glacier Nat. Pk.

Erigone psychrophila Thorell 1871

Global: Holarctic; in Nearctic - AK to Greenland south to BC & MB

Local: Wickaninnish, Burnaby, Haney

Erigone zographica Crosby & Bishop 1928

Global: AK to QC south to WA & NY

Local: Cathedral Prov. Pk.

Estrandia grandaeva (Keyserling) 1886

Global: Holarctic; in Nearctic - AK to NF south to BC & NC

Local: Johnson Bay (Babine Lk.), Liard R. Hotsprings, Summit Lk. (Alaska Hwy., Mi. 392)

Eulaira dela Chamberlin & Ivie 1933

Global: BC south to UT

Local: Widespread in southern BC

Eulaira simplex (Chamberlin) 1919

Global: BC south to UT & CO

Local: Terrace

Frontinella communis (Hentz) 1850

Global: Widespread in Nearctic, Caribbean, and Central America

Local: Jackfish Ck., Summit Lk. (Alaska Hwy.), Vernon, Enderby, Creston

Gnathonarium suppositum (Kulczynski) 1885

Global: Holarctic; in Nearctic - AK to YT south to BC & SK

Local: Widespread in BC south to Kamloops

Gonatum crassipalpum Bryant 1933

Global: AK to LB south to CO & TN

Local: Sikanni Chief R., Wells Gray Prov. Pk.

Grammonota angusta Dondale 1959

Global: YT to NF south to BC & NY

Local: Liard R. Hotsprings

Grammonota gigas (Banks) 1896

Global: BC to NF south to WA & NY

Local: Enderby

Grammonota kincaidi (Banks) 1906

Global: BC & WA

Local: Saanich, Burnaby

Grammonota vittata Barrows 1919

Global: BC to NF south to WI & NJ

Local: East of Strathcona Prov. Park

Helophora insignis (Blackwall) 1841

Global: Holarctic; in Nearctic - AK to NF south to UT & NJ

Local: Merritt (Clearwater Valley), Liard R. Hotsprings

Helophora reducta (Keyserling) 1886

Global: AK south to OR

Local: Masset, Terrace, Metlakatla, Vancouver, Vernon, Penticton

Helophora tunagyna Chamberlin & Ivie 1943

Global: Southern interior BC and ID

Local: Vernon, Penticton, Oliver

Hilaira herniosa (Thorell) 1875

Global: Holarctic; in Nearctic - AK to Greenland south to BC & NY

Local: Sikanni Chief R., Tetsa R.

Horcotes quadricristatus (Emerton) 1882

Global: YT to Greenland south to AZ & NY

Local: Summit Lk. (Alaska Hwy.)

Hybauchenidium cymbadentatum (Crosby & Bishop) 1935

Global: BC to QC south to WA & NY

Local: Merritt (Clearwater Valley), Edgewood

Hybauchenidium gibbosum (Sorensen) 1898

Global: Holarctic; in Nearctic - AK to Greenland south to UT

Local: Alaska Hwy (17 km S of Sikanni River, Tetsa River Mi 378, Summit Lake Mi 392), John Hart Hwy (Pine Pass)

Hypomma marxi (Keyserling) 1886

Global: BC to NF south to WA & NY

Local: Summit Lk. (Alaska Hwy.), Nanaimo, Sydney

Hypomma subarcticum Chamberlin & Ivie 1947

Global: AK to NT south to BC

Local: Summit Lk. (Alaska Hwy.)

Hypselistes florens (O. P.- Cambridge) 1875

Global: Holarctic; in Nearctic - AK to NS south to WA & VA

Local: Widespread in northern BC

Incestophantes complicatus (Emerton) 1882

Global: Holarctic; in Nearctic - AK to Greenland south to WA & NY

Local: Terrace

Incestophantes calcaratus (Emerton) 1909

Global: YT to NF south to CO & MI

Local: Babine Lake (Johnson Bay), Liard R. Hotsprings

Incestophantes duplicatus (Emerton) 1913

Global: AK to NF south to BC & ME

Local: Pinkut Ck.

Incestophantes pollicaris Zorsch

Global: BC to AB south to UT & WY

Local: Manning Prov. Pk.

Incestophantes washingtoni (Zorsch) 1937

Global: AK to LB south to CO & NY

Local: Alaska Hwy. (17.5 mi S of Sikanni River, Pink Mountain)

Islandiana falsifica (Keyserling) 1886

Global: Holarctic; in Nearctic - AK to NT south to BC
Local: Summit Lk. (Alaska Hwy.)

Islandiana flaveola (Banks) 1892
Global: BC to QC south to AZ & AR
Local: Terrace

Kaestneria pullata (O. P.- Cambridge) 1863
Global: Holarctic; in Nearctic - AK to NT south to BC & CO
Local: Johnson Bay (Babine Lk.), Clearwater Valley (Merritt)

Kaestneria rufula (Hackman) 1954
Global: BC to NF south to PA & NJ
Local: Babine Lake (Johnson Bay)

Lepthyphantes alpinus (Emerton) 1882
Global: Holarctic; in Nearctic - AK to NF south to CO & NH
Local: Copper R. (Terrace), Babine Lake (Johnson Bay)

Lepthyphantes chamberlini Schenkel 1950
Global: BC & AB
Local: Johnson Bay (Babine Lk.), Pink Mountain (Alaska Hwy.)

Lepthyphantes furcillifer Chamberlin & Ivie 1933
Global: BC to MT south to UT & WY
Local: Victoria, Vernon, Summerland

Lepthyphantes intricatus (Emerton) 1911
Global: AK to NS south to NM & NY
Local: Johnson Bay (Babine Lk.), Pinkut Ck., Revelstoke, Vernon, Cherryville

Lepthyphantes leprosus (Ohlert) 1865
Global: Palaearctic; introduced in Nearctic - BC to NS south to WA & TN
Local: Summerland

Lepthyphantes mercedes Chamberlin & Ivie 1943
Global: Southwestern BC south to CA & NV
Local: Mt. Cain, Manning Prov. Pk.

Lepthyphantes turbatrix (O. P.- Cambridge) 1877
Global: BC to NF south to NM & NY
Local: Summit Lake (Alaska Hwy.)

Lessertia dentichelis (Simon) 1884
Global: Palaearctic; probably introduced in Nearctic - southwestern BC
Local: Victoria

Linyphantes aeronauticus (Petrunkevitch) 1929

Global: Southern BC south to CA & UT

Local: Victoria, Vancouver, Summerland

Linyphantes anacortes Chamberlin & Ivie 1942

Global: Southwestern BC south to CA

Local: Sooke (10 km W), Rocky Pt. (Metchosin)

Linyphantes nehalem Chamberlin & Ivie 1942

Global: Southwestern BC south to OR

Local: Burnaby Mountain, Sumas

Linyphantes nigrescens Chamberlin & Ivie 1942

Global: Southwestern BC south to CA

Local: Cowichan Lk.

Linyphantes orcinus (Emerton) 1917

Global: Southwestern BC south to CA

Local: Inverness, Carmanah Valley

Linyphantes pualla Chamberlin & Ivie 1942

Global: AK south to OR

Local: Carmanah Valley, Sidney, Island View Beach (Victoria)

Linyphantes victoria Chamberlin & Ivie 1942

Global: AK south to WA

Local: Victoria

Maso sundevalli (Westring) 1851

Global: Holarctic; in Nearctic - YT to NF south to MT & TN

Local: Liard R. Hotsprings

Mecynargus monticola (Holm) 1943

Global: Holarctic; in Nearctic - YT to NT south to northern BC

Local: Summit Lake (Alaska Hwy. Mi. 392)

Mecynargus paetulus (O. P.- Cambridge) 1875

Global: Holarctic; in Nearctic - AK to Greenland south to BC & QC

Local: Summit Lake (Alaska Hwy.)

Megalephyphantes nebulosus (Sundevall) 1830

Global: Palaearctic; introduced in Nearctic - BC to NS south to CO & SC

Local: Kamloops

Meioneta emertoni (Roewer) 1942

Global: Southwestern BC to WA
Local: Nanaimo, Vancouver

Meioneta fabra (Keyserling) 1886
Global: BC to NB south to TX & AL
Local: Clearwater Valley, Edgewater

Meioneta ferosa (Chamberlin & Ivie) 1943
Global: Southwestern BC & UT
Local: Strathcona Prov. Pk.

Meioneta fillmorana (Chamberlin) 1943
Global: AK to ND south to OR and WY
Local: Widespread on southern Vancouver Is.

Meioneta ordinaria Chamberlin & Ivie 1947
Global: AK to MT
Local: Vernon (25 km SE)

Meioneta simplex (Emerton) 1926
Global: AK to NS south to NM & MA
Local: Widespread in BC

Metopobactrus pacificus Emerton 1923
Global: AK south to WA
Local: Terrace, Mt. Cain, Victoria

Microlinyphia dana (Chamberlin & Ivie) 1943
Global: AK south to CA
Local: Widespread on coastal BC, Osoyoos

Microlinyphia impigra (O. P.- Cambridge) 1871
Global: Holarctic; in Nearctic - AK to ON south to WA & NY
Local: Johnson Bay (Babine Lk.)

Microlinyphia mandibulata (Emerton) 1882
Global: AK to NF south to UT & GA
Local: Donald Landing (Babine Lk.)

Microlinyphia mandibulata punctata (Chamberlin & Ivie) 1882
Global: BC south to CA & AZ
Local: Widespread in BC

Microlinyphia pusilla (Sundevall) 1830
Global: Holarctic; in Nearctic - AK to QC south to ID & CO
Local: Babine Lk. (Johnson Bay, Donald Landing), "Emerald Lake"

Microneta protrudens Chamberlin & Ivie 1933

Global: Southwestern BC to SK south to UT

Local: Mt. Cain

Microneta viaria (Blackwall) 1841

Global: Holarctic; in Nearctic - AK to QC south to NM & PA

Local: Johnson Bay (Babine Lk.), Victoria, Vancouver

Mythoplastoides erectus (Emerton) 1915

Global: AK south to WA & WY

Local: Copper River (Terrace), Courtenay, Manning Prov. Pk., "Heather Mountain"

Nerienne digna (Keyserling) 1886

Global: AK south to CA

Local: Kyuquot, Union Island, Langford, Victoria, Vancouver, Princeton

Nerienne litigiosa (Keyserling) 1886

Global: Holarctic; in Nearctic - BC to MT south to MX

Local: Cowichan Lk., Departure Bay, Victoria, Saanich, Lillooet, Vernon

Nerienne radiata (Walckenaer) 1842 – Filmy Dome Spider

Global: Holarctic; in Nearctic - AK to NS south to AZ & FL

Local: Island View Beach (Victoria), Lillooet, Paul Lake, Trinity Valley, Salmon Arm, Creston

Oedothorax alascensis (Banks) 1900

Global: AK to NF south to CA & NE

Local: Copper R. (Terrace), Johnson Bay (Babine Lk.), Port Renfrew, Jordan R., Sooke, Vancouver, Clinton

Oreonetides filicatus (Crosby) 1937

Global: AK south to CA

Local: Copper R. (Terrace), Wap Lake, Golden, Revelstoke

Oreonetides rotundus (Emerton) 1913

Global: AK to NF south to BC & NY

Local: Enderby

Oreonetides vaginatus (Thorell) 1872

Global: Holarctic; in Nearctic - AK to Greenland south to AZ & NY

Local: Copper R. (Terrace), Summit Lake, Sikanni River, Pink Mt., Liard R. Hotsprings)

Oreophantes recurvatus (Emerton) 1913

Global: BC to QC south to NY

Local: Ft. Nelson

Pacifiphantes magnificus (Chamberlin & Ivie) 1943

Global: AK south to OR

Local: Terrace, Cameron Lk.

Pelecopsis sculpta (Emerton) 1917

Global: AK south to OR & WY

Local: Metlakatla, Errington, Revelstoke

Phlattothrata parva (Kulczynski) 1926

Global: Holarctic; in Nearctic - AK to MB south to WA

Local: Sikanni Chief R., Tagish Lk., Liard R. Hotsprings, Johnson Bay (Babine Lk.), Burnaby

Pityohyphantes cristatus Chamberlin & Ivie 1942

Global: BC to SK south to WY

Local: "Cottonwood R.", Stoner, Summerland, "Mt. McLean"

Pityohyphantes limitaneus (Emerton) 1915

Global: YT to NS south to BC & ME

Local: Atlin

Pityohyphantes rubrofasciatus (Keyserling) 1886

Global: Southwestern BC south to CA

Local: Cameron Lk.

Pityohyphantes subarcticus Chamberlin & Ivie 1943

Global: AK & BC to NF

Local: "Northern BC"

Pocadicnemis americana Millidge 1976

Global: AK to NF south to UT & NY

Local: Enderby

Pocadicnemis pumila (Blackwall) 1841

Global: Holarctic, in Nearctic - AK to NH south to NM & MA

Local: Frederick Island, Copper R. (Terrace), Cowichan Lk., Honeymoon Bay, Fulford Harbour, Manning Prov. Pk., Summerland

Poeciloneta canionis Chamberlin & Ivie 1943

Global: BC south to UT

Local: Pine Pass (nr. Dawson Creek, 5500'), Hwy 16 100 km E. of Prince George

Poeciloneta fructuosa (Keyserling) 1886

Global: AK south to WA

Local: Mt. Cain, Rocky Point (Victoria)

Poeciloneta lyricus Zorsch 1937

Global: AK south to OR

Local: Terrace, Mesachie Lk., Cowichan Lk., Ucluelet, Saanich, Mt. Revelstoke Nat. Pk.

Porrhomma convexum (Westring) 1851

Global: Holarctic; in Nearctic - AK to Greenland south to WA

Local: Carmanah Valley, North Vancouver

Saaristoa sammamish (Levi & Levi) 1955

Global: AK south to WA & MT

Local: Haida Gwaii (Queen Charlotte Islands)

Satilatlas marxi Keyserling 1886

Global: Holarctic; in Nearctic - southwestern BC to NS south to MO & NY

Local: Carmanah Valley, North Vancouver

Sciastes truncatus (Emerton) 1882

Global: AK to NF south to WY & NY

Local: Sikanni Chief River, Summit Lake (Alaska Hwy.), Copper R. (Terrace)

Scironis sima Chamberlin 1948

Global: Southwestern BC south to OR

Local: Barkley Sd., Cowichan Lk., Mesachie Lk., Goldstream Prov. Pk., Sidney

Scironis tarsalis (Emerton) 1911

Global: AK to NF south to WA & NY

Local: Liard R. Hotsprings

Scotinotylus alpinus (Banks) 1896

Global: Holarctic; in Nearctic - AK to Greenland south to CO & NH

Local: Summit Lake (Alaska Hwy.), Pink Mnt., Chilkat Pass, Copper R. (Terrace)

Scotinotylus ambiguus Millidge 1981

Global: Southern interior BC south to WA & WY

Local: Southern Okanagan Valley

Scotinotylus bicavatus Millidge 1981

Global: Southwestern BC south to OR

Local: Manning Prov. Pk.

Scotinotylus columbia (Chamberlin) 1948

Global: Southwestern BC

Local: Cameron Lk., Saanich Inlet (Victoria)

Scotinotylus eutypus (Chamberlin) 1948

Global: BC south to OR
Local: Parksville, Sidney

Scotinotylus gracilis Millidge 1981
Global: Southwestern BC south to CA
Local: Rocky Point (Victoria)

Scotinotylus patellatus (Emerton) 1917
Global: AK south to CA
Local: Haida Gwaii (Queen Charlotte Islands), Honeymoon Bay, Goldstream Prov. Pk.,
Manning Prov. Pk.

Scotinotylus protervus (L. Koch) 1879
Global: Holarctic; in Nearctic - AK to YT south to northern BC
Local: Summit Lake (Alaska Hwy.)

Scotinotylus sacer (Crosby) 1929
Global: Holarctic; in Nearctic - AK to Greenland south to OR & WY
Local: Sikanni Chief River, Summit Lake (Alaska Hwy.), Manning Prov. Pk.

Scotinotylus sanctus (Crosby) 1929
Global: BC to AB south to AZ
Local: Kamloops, Victoria (Island View Beach)

Semljicola obtusus (Emerton) 1915
Global: AK to Greenland south to CO
Local: Cathedral Prov. Pk.

Silometopoides pampia (Chamberlin) 1948
Global: Holarctic; in Nearctic - AK to NT south to northern BC
Local: Sikanni Chief R.

Sisicottus montanus (Emerton) 1882
Global: AK to NF south to AZ & NY
Local: Summit Lk. (Alaska Hwy.), Liard R. Hotsprings, Sikanni Chief R., Whiskers
Point Prov. Pk., Goldstream Prov. Pk.

Sisicottus nesides (Chamberlin) 1921
Global: AK to YT south to OR
Local: Widespread in BC

Sisicottus orites (Chamberlin) 1919
Global: Southeastern BC to AB south to CA & NM
Local: Banff & Waterton Lks. Nat. Pks.

Sisicottus panopeus Miller 1999

Global: Holarctic; in Nearctic - AK south to WA & WY
Local: Copper R. (Terrace), Strathcona Prov. Pk., Nitinat, Manning Prov. Pk., Yoho Nat. Pk.

Sisicus apertus (Holm) 1939
Global: Holarctic; in Nearctic - AK to QC south to BC & ME
Local: Radium

Sisicus penifusifer Bishop & Crosby 1938
Global: Southern BC to NB south to WI & NY
Local: Goldstream Prov. Pk., Burton

Sisis rotundus (Emerton) 1925
Global: AK to NF south to WA
Local: Summit Lake (Alaska Hwy.), Sikanni Chief R., Copper R. (Terrace)

Soucron arenarium (Emerton) 1925
Global: YT & BC to NS
Local: Springhouse

Sougambus bostoniensis (Emerton) 1882
Global: BC to NF south to WI & NY
Local: Penticton

Spirembolus abnormis Millidge 1980
Global: Southwestern BC south to CA
Local: Wellington

Spirembolus chilkatensis (Chamberlin & Ivie) 1947
Global: AK south to OR
Local: Chemainus

Spirembolus demonologicus (Crosby) 1925
Global: Southwestern BC south to CA
Local: Saanich, Island View Beach (Victoria)

Spirembolus monticolens (Chamberlin) 1919
Global: BC south to CA & UT
Local: Johnson Bay (Babine Lk.), Victoria, Summerland

Spirembolus mundus Chamberlin & Ivie 1933
Global: Southwestern BC south to OR & UT
Local: "Vancouver Island", Galiano Is.

Spirembolus prominens Millidge 1980
Global: Southern BC to AB south to WA

Local: Victoria, Manning Prov. Pk., Summerland

Spirembolus vasingtonus Chamberlin 1948

Global: AK south to OR

Local: Kuyquot, Rocky Pt. (Metchosin), Island View Beach (Victoria)

Styloctetor stativus (Simon) 1881

Global: Holarctic; in Nearctic - YT & northern BC to QC

Local: Tetsa River (Mi 378 Alaska Hwy.)

Symmigma minimum (Emerton) 1923

Global: AK south to WA

Local: Newcombe Harbour, Barkley Sound, Manning Prov. Pk., Silverton, Golden

Tachygyna exilis Millidge 1984

Global: Southern BC & WA

Local: Princeton, Allison Pass (Manning Prov. Pk.)

Tachygyna haydeni Chamberlin & Ivie 1939

Global: BC to AB south to AZ & NM

Local: Summit Lake (Alaska Hwy.), Manning Prov. Pk.

Tachygyna proba Millidge 1984

Global: Southern BC & WA

Local: Allison Pass (Manning Prov. Pk.)

Tachygyna ursina (Bishop & Crosby) 1938

Global: AK to AB south to OR

Local: Goldstream Prov. Pk., Vancouver, Manning Prov. Pk.

Tachygyna vancouverana Chamberlin & Ivie 1939

Global: BC south to CA & ID

Local: Terrace, Brooks Peninsula, Mesachie Lk., Goldstream Prov. Pk., Saanich, Manning Prov. Pk., Princeton, Trinity Valley

Tapinocyba dietrichi Crosby & Bishop 1933

Global: AK south to CA

Local: Copper R. (Terrace), Island View Beach (Victoria)

Tapinocyba idahoana (Chamberlin) 1949

Global: BC to QC south to ID

Local: Oliver

Tapinocyba minuta (Emerton) 1909

Global: YT to NB south to WI & NY

Local: Goldstream Prov. Pk.

Tapinocyba prima Duperre & Paquin 2005

Global: South central BC, east WA & east OR

Local: Merritt, Vernon, Lumby, Summerland, Apex Mountain, Vaseux Lake, Summerland

Tenuiphantes tenuis (Blackwall) 1852

Global: Palaearctic; introduced in Nearctic - BC south to OR. MA

Local: Brooks Peninsula, Comox, Vancouver, Sumas, Vernon, Summerland, Vaseux Lake

Tenuiphantes zebra (Emerton) 1882

Global: AK to NS south to OR & TN

Local: Aleza Lake, Terrace

Tenuiphantes zelatus Zorsch 1937

Global: AK to YT south to OR

Local: Johnson Bay (Babine Lk.), Island View Beach (Victoria)

Tenuiphantes zibus Zorsch 1937

Global: AK south to OR

Local: Widespread on coastal BC

Tiso vagans (Blackwall) 1834

Global: Holarctic; in Nearctic (introduced?) - BC, WA, & NF

Local: Burnaby

Tmeticus ornatus (Emerton) 1914

Global: BC to QC south to WI & NY

Local: Johnson Bay (Babine Lk.), Mount St. Paul (Alaska Hwy. Mi. 392)

Tunagyna debilis (Banks) 1892

Global: Holarctic; in Nearctic - AK to NF south to WA & NY

Local: Summit Lk., Sikanni Chief R., Liard R. Hotsprings (all Alaska Hwy.), Prince George

Typhocrestus pygmaeus (Sorensen) 1898

Global: YT & BC to Greenland

Local: Tatshensini R. (59'44"N 137'18"W) ("nr. pygmaeus")

Vermontia thoracica (Emerton) 1913

Global: Holarctic?; in Nearctic - AK to NB south to northern BC & NY

Local: Liard R. Hotsprings

Wabasso cacuminatus Millidge 1984

Global: Holarctic; in Nearctic - YT to QC south to WA & NH

Local: Copper R. (Terrace), Sikanni Chief R. (Alaska Hwy.)

Walckenaeria atrotibialis O. P.- Cambridge 1878

Global: Holarctic; in Nearctic - AK to NS south to WA & NY

Local: Terrace, Liard R. Hotsprings, Mesachie Lk., Honeymoon Bay, Burnaby, Clinton

Walckenaeria auranticeps (Emerton) 1882

Global: Holarctic; in Nearctic - YT to NB south to OR & VA

Local: "Vancouver Island"

Walckenaeria castanea (Emerton) 1882

Global: AK to Greenland south to UT & NJ

Local: 100 km E Prince George, Liard R. Hotsprings

Walckenaeria columbia Millidge 1983

Global: Southwestern BC to WA

Local: Sidney, Rocky Pt. (Metchosin), Manning Prov. Pk.

Walckenaeria communis (Emerton) 1882

Global: AK to QC south to CA & NC

Local: Sikanni Chief R., Tetsa R., Summit Lk. (all Alaska Hwy.), Johnson Bay (Babine Lk.), Enderby, Yoho Nat. Pk.

Walckenaeria cornuella (Chamberlin & Ivie) 1939

Global: AK south to OR

Local: Haney, Queen Charlotte City, Dawson Inlet, Copper R. (Terrace), Johnson Bay (Babine Lk.), Pine Pass, Cherryville, Revelstoke

Walckenaeria cuspidata brevicula (Crosby & Bishop) 1833

Global: AK to NF south to CO & VT

Local: 49 km S of Cassiar Jct. on Cassiar Hwy.

Walckenaeria directa (O. P.- Cambridge) 1874

Global: AK to NS south to WA & GA

Local: Terrace, Manning Prov. Pk.

Walckenaeria exigua Millidge 1983

Global: YT to NS south to WA & TN

Local: Terrace, Mt. St. Paul, Manning Prov. Pk.

Walckenaeria fusciceps Millidge 1983

Global: BC to QC south to ON

Local: Fletcher Lk.

Walckenaeria karpinskii (O. P.- Cambridge) 1873

Global: Holarctic, in Nearctic - AK to Greenland south to WA & NY

Local: Sikanni Chief R., Tetsa R., Summit Lk. (all Alaska Hwy.)

Walckenaeria lepida (Kulczynski) 1885

Global: Holarctic, in Nearctic - AK to NS south to MT & ME

Local: Liard R. Hotsprings

Walckenaeria monoceras (Chamberlin & Ivie) 1947

Global: Southern BC to OR

Local: nr. Cherryville

Walckenaeria pallax Millidge 1983

Global: AK south to WA

Local: Manning Prov. Pk.

Walckenaeria subspiralis Millidge 1983

Global: AK to NS south to CA & NY

Local: nr. Prince Rupert, nr. Tete Jaune Cache, southern Vancouver Is., Osoyoos

Walckenaeria tricornis (Emerton) 1882

Global: AK to QC south to northern BC & NY

Local: Sikanni Chief R., Tetsa R., Liard R. Hotsprings, Summit Lk. (all Alaska Hwy.), Johnson Bay (Babine Lk.)

Walckenaeria vigilax (Blackwall) 1853

Global: Holarctic; in Nearctic - AK south to WA

Local: Meadow Mtn. (Kaslo)

Wubana atypica Chamberlin & Ivie 1936

Global: AK south to WA

Local: Cameron Lk.

Wubana ornata Chamberlin & Ivie 1936

Global: Southern BC south to CA

Local: Goldstream Prov. Pk., Vernon

Wubana pacifica (Banks) 1896

Global: BC to QC south to WA & NY

Local: Goldstream Prov. Pk., Cameron Lk.

Zornella armata (Banks) 1906

Global: BC to AB south to WA & UT

Local: Copper R. (Terrace)

Zornella cultrigera (L. Koch) 1879

Global: Holarctic; in Nearctic - AK to NF south to MT & NY

Local: Sikanni Chief R., Tetsa R., Summit Lk. (all Alaska Hwy.)

Zygottus corvallis (Chamberlin) 1948

Global: Southwestern BC south to OR

Local: Cape Cook Lagoon, Mesachie Lk., Goldstream Prov. Pk., Island View Beach (Victoria), Burnaby

Liocranidae

Agroeca ornata Banks 1892

Global: AK to NS south to CA and NJ

Local: Widespread in BC

Agroeca pratensis Emerton 1890

Global: Southern BC to NS south to UT & GA

Local: Summerland

Lycosidae

Alopecosa aculeata (Clerck) 1757

Global: Holarctic; in Nearctic - AK to NF south to AZ & CT

Local: Widespread in BC

Alopecosa kochi (Keyserling) 1877

Global: Southern BC to MA south to northwestern MX & TX

Local: Widespread in southern BC

Alopecosa pictilis (Emerton) 1885

Global: Holarctic; in Nearctic - AK to LB south to northern BC & NH

Local: Summit Lk. (Alaska Hwy.)

Arctosa alpigena (Doleschall) 1852

Global: Holarctic; in Nearctic - AK to Greenland south to AZ & NH

Local: Widespread in BC

Arctosa emertoni Gertsch 1934

Global: Interior BC to NS south to UT & NC

Local: Kamloops, south Okanagan Valley

Arctosa littoralis (Hentz) 1844

Global: Interior BC to NS south to Panama

Local: South Okanagan Valley

Arctosa perita (Latreille) 1799

Global: Palaearctic; introduced to NA - southwestern BC

Local: Burnaby, Island View Beach (Victoria)

Arctosa raptor (Kulczynski) 1885
Global: Holarctic; in Nearctic - AK to NF south to BC & ME
Local: Enderby

Arctosa rubicunda (Keyserling) 1877
Global: NU to NS south to CO & PA
Local: Enderby, Yoho Nat. Pk.

Hogna frondicola (Emerton) 1885
Global: YT to NF south to CA & AL
Local: Widespread in interior BC (especially southern)

Melocosa fumosa (Emerton) 1894
Global: Southeastern AK south to MT
Local: Yoho Nat. Pk., Paradise Mine

Pardosa albomaculata Emerton 1885 – Thinlegged Wolf Spider
Global: AK to Greenland south to northern BC & NH
Local: Mount St. Paul, Summit Lk. (Alaska Hwy.)

Pardosa altamontis Chamberlin & Ivie 1946 – Thinlegged Wolf Spider
Global: Southern BC & AB south to CA & UT
Local: Vancouver, Okanagan Falls, Oliver

Pardosa anomala Gertsch 1933 – Thinlegged Wolf Spider
Global: Southern BC & AB south to UT
Local: Vancouver, Okanagan Valley, Golden

Pardosa bucklei Kronstedt 1975 – Thinlegged Wolf Spider
Global: Southern BC to SK south to CA & NM
Local: Clinton

Pardosa coloradensis Banks 1894 – Thinlegged Wolf Spider
Global: Southern interior BC south to CA & NM
Local: Vernon, Kelowna, Summerland, Osoyoos, Orofino Mtn.

Pardosa concinna (Thorell) 1877 – Thinlegged Wolf Spider
Global: AK to NF south to NM & ME
Local: Widespread in BC

Pardosa distincta (Blackwall) 1846 – Thinlegged Wolf Spider
Global: BC to NS south to AZ & CT
Local: Goldstream Prov. Pk., Island View Beach (Victoria), Sparwood

Pardosa diuturna Fox 1937 – Thinlegged Wolf Spider
Global: Southeastern AK to southwestern BC

Local: Terrace, Jutland Mtn., Mt. Arrowsmith, Garibaldi Prov. Pk.

Pardosa dorsalis Banks 1894 – Thinlegged Wolf Spider

Global: Southern BC & AB south to AZ

Local: Widespread in southern interior BC

Pardosa dorsuncata Lowrie & Dondale 1981 – Thinlegged Wolf Spider

Global: Southern AK to AB south to CA & AZ

Local: Widespread in BC

Pardosa furcifera (Thorell) 1875 – Thinlegged Wolf Spider

Global: AK to Greenland south to northern BC & QC

Local: Atlin, Sikanni Chief R., Summit Lk. (Alaska Hwy.)

Pardosa fuscula (Thorell) 1875 – Thinlegged Wolf Spider

Global: AK to NF south to NM & ME

Local: Widespread in BC

Pardosa groenlandica (Thorell) 1872 – Thinlegged Wolf Spider

Global: Holarctic: in Nearctic - AK to Greenland south to BC & ME

Local: Widespread in BC

Pardosa hyperborea (Thorell) 1872 – Thinlegged Wolf Spider

Global: Holarctic; in Nearctic - AK to NF south to BC & NH

Local: Atlin, Sikanni Chief R., Summit Lk. (Alaska Hwy.), Mi. 150 Alaska Hwy., northern Vancouver Is.

Pardosa lapponica (Thorell) 1872 – Thinlegged Wolf Spider

Global: Holarctic; in Nearctic - AK to northern ON south to northern BC

Local: Summit Lk. (Alaska Hwy.)

Pardosa lowriei Kronestedt 1975 – Thinlegged Wolf Spider

Global: Southeastern AK to WA

Local: Widespread in BC

Pardosa mackenziana (Keyserling) 1877 – Thinlegged Wolf Spider

Global: AK to NF south to CA & CO

Local: Widespread in BC

Pardosa metlakatla Emerton 1917 – Thinlegged Wolf Spider

Global: Coastal NA from southeastern AK to OR

Local: Widespread on coastal BC

Pardosa moesta Banks 1892 – Thinlegged Wolf Spider

Global: AK to NF south to UT & TN

Local: Widespread in BC

Pardosa palustris (Linnaeus) 1758 – Thinlegged Wolf Spider
Global: Holarctic; in Nearctic - AK & YT south to northern BC
Local: Chilkat Pass

Pardosa podhorskii (Kulczynski) 1907 – Thinlegged Wolf Spider
Global: Holarctic; in Nearctic - AK to northern ON south to northern BC
Local: Pink Mtn.

Pardosa rainieriana Lowrie & Dondale 1981 – Thinlegged Wolf Spider
Global: Southern interior BC south to OR
Local: Lillooet

Pardosa sinistra (Thorell) 1877 – Thinlegged Wolf Spider
Global: Southern BC & AB south to CO
Local: Manning Prov. Pk.

Pardosa tesquorum (Odenwall) 1901 – Thinlegged Wolf Spider
Global: Holarctic; in Nearctic - AK to northern QC south to UT & northern NM
Local: Widespread in eastern BC

Pardosa tristis (Thorell) 1877 – Thinlegged Wolf Spider
Global: BC to MT south to CA & NM
Local: Widespread in interior BC

Pardosa uintana Gertsch 1933 – Thinlegged Wolf Spider
Global: AK to NF south to UT & ME
Local: Widespread in BC, especially montane regions

Pardosa vancouveri Emerton 1917 – Thinlegged Wolf Spider
Global: Southwestern BC to OR
Local: Widespread from Vancouver Is inland to Lytton

Pardosa wyuta Gertsch 1934 – Thinlegged Wolf Spider
Global: BC south to CA & CO
Local: Haida Gwaii (Queen Charlotte Islands), Terrace, widespread in southern BC

Pardosa xerampelina (Keyserling) 1877 – Thinlegged Wolf Spider
Global: AK to NF south to NM & WV
Local: Widespread in BC

Pirata bryantae Kurata 1944
Global: AK to NF south to northern BC & QC
Local: Johnson Bay (Babine Lk.), Tetsa R., Sikanni Chief R.

Pirata canadensis Dondale & Redner 1981

Global: BC to NS
Local: Vancouver, Enderby

Pirata insularis Emerton 1885
Global: Southeastern AK to NF south to AZ & FL
Local: Liard R. Hotsprings, Burnaby, Enderby

Pirata piraticus (Clerck) 1757
Global: Holarctic; in Nearctic - AK to NF south to CA & WV
Local: Widespread in BC

Schizocosa mccooki (Montgomery) 1904
Global: YT to ON south to MX
Local: Vancouver, Lillooet, Kamloops, Vernon, Summerland, Oliver, Apex Mtn.,
Keremeos, Osoyoos

Schizocosa minnesotensis (Gertsch) 1934
Global: YT to SK south to NM & MI
Local: Cache Ck., Summerland, Oliver, Osoyoos

Trochosa terricola Thorell 1856
Global: AK to NF south to CA & TX
Local: Widespread in BC

Mecicobothriidae

Hexura picea Simon 1884
Global: Southwestern Vancouver Is. to OR
Local: Carmanah Prov. Pk., Walbran Valley, Bamfield

Mimetidae

Ero canionis Chamberlin & Ivie 1935
Global: Southern BC to NF south to UT and NC
Local: Burnaby

Mimetus hesperus Chamberlin 1923
Global: Southern BC south to CA & TX
Local: Walhachin

Miturgidae

Cheiracanthium inclusum (Hentz) 1847 – Agrarian Sac Spider
Global: Southern BC to MA south to West Indies & South America
Local: Chase, Oliver, Vaseux Lk., McIntyre Ck.

Mysmenidae

Trogloneta paradoxa Gertsch 1960

Global: Southern Vancouver Is. south to CA & UT

Local: Victoria

Nesticidae

Nesticus silvestrii Fage 1929

Global: Southern Vancouver Is. south to CA

Local: Sidney

Oonopidae

Tapinesthis inermis (Simon) 1882

Global: Palaearctic; introduced to NA - BC & MA

Local: Victoria (Haultain/King area 'hydro lands')

Oxyopidae

Oxyopes scalaris Hentz 1845 – Western Lynx Spider

Global: Southern BC to NS south to northern MX

Local: Widespread in southern BC

Philodromidae

Apollophanes margareta Lowrie & Gertsch 1955

Global: Southern YT south to CA & NM

Local: Sidney, Fountain Valley, Quesnel, Summerland, Creston

Ebo parabolis Schick 1965

Global: Southern BC south to CA & AZ

Local: Osoyoos

Ebo pepinensis Gertsch 1933

Global: Southern BC to NS south to CA & TX

Local: Wellington

Philodromus alascensis Keyserling 1884

Global: Holarctic; widespread in Nearctic, AK to NF south to AZ & NW

Local: Widespread in BC

Philodromus californicus Keyserling 1884

Global: Southern BC to CO south to northern MX

Local: Summerland, Vaseux Ck., Oliver, Osoyoos

Philodromus cespitum (Walckenaer) 1802

Global: Holarctic; in Nearctic - AK to NS south to CA & NJ

Local: Widespread in BC

Philodromus dispar Walckenaer 1826

Global: Palaearctic, introduced (?) to southwestern BC & adjacent WA

Local: Wellington, Cowichan Lk., Langford, Victoria, Vancouver

Philodromus histrio (Latreille) 1819

Global: Holarctic; in Nearctic - southern BC to NS south to MX

Local: Widespread in southern interior BC

Philodromus insperatus Schick 1965

Global: Southern BC south to CA & UT

Local: Lytton, Vernon, Summerland, Okanagan Falls, Keremeos

Philodromus josemitensis Gertsch 1934

Global: Southwestern BC south to CA

Local: Comox, Cowichan Lk., Victoria

Philodromus mysticus Dondale & Redner 1975

Global: NU to NS south to CO & UT

Local: Terrace, Johnson Bay (Babine Lk.)

Philodromus oneida Levi 1951

Global: Southern BC to NS south to OR & IL

Local: Duncan, Manning Prov. Pk., Lillooet, Vernon

Philodromus pernix Blackwall 1846

Global: Southern BC to NS south to AZ & PA

Local: Kamloops, Vernon, Cawston

Philodromus placidus Banks 1892

Global: AK to NF south to MX & FL

Local: Liard Hotsprings, Fountain Valley, Cache Ck., Rock Ck.

Philodromus praelustris Keyserling 1880

Global: Southern BC to NS south to NV & VA

Local: Lillooet, Penticton, Elko

Philodromus rodecki Gertsch & Jellison 1939

Global: Southern BC to MT south to CA & NM

Local: Lytton, Cache Ck., Creston

Philodromus rufus pacificus Banks 1826

Global: Holarctic species; subspecies - BC south to CA

Local: Widespread in BC west of Rocky Mtns.

Philodromus rufus quartus Dondale & Redner 1826

Global: Holarctic species; subspecies - AK to NF south to MX and ON

Local: Liard Hotsprings, Prophet R., Johnson Bay (Babine Lk.)

Philodromus speciosus Gertsch 1934

Global: Southern BC to WY south to CA & CO

Local: Okanagan Falls

Philodromus spectabilis Keyserling 1880

Global: BC to MT south to CA & NM

Local: Widespread on coastal & in southern BC

Thanatus altimontis Gertsch 1933

Global: Southern BC to NE south to CA & OK

Local: Osoyoos, Mt. Kobau

Thanatus arcticus Thorell 1872

Global: AK to Greenland south to northern BC

Local: Summit Lk. (Alaska Hwy.)

Thanatus bungei (Kulczynski) 1908

Global: Holarctic; in Nearctic - southwestern BC to MT south to CO

Local: Manning Prov. Pk.

Thanatus coloradensis Keyserling 1880

Global: Holarctic; in Nearctic, AK to MB south to CA & OK

Local: Terrace, Kamloops, Pritchard, Osoyoos

Thanatus formicinus (Clerck) 1757

Global: Holarctic; in Nearctic - AK to NS south to CA & VA

Local: Widespread in southern BC

Thanatus striatus C. L. Koch 1845

Global: Holarctic; in Nearctic - AK to NS south to CA & CT

Local: Comox, Okanagan Falls, Oliver, Creston

Thanatus vulgaris Simon 1870

Global: Holarctic; in Nearctic - southern BC to MA south to MX & GA

Local: Victoria

Tibellus asiaticus Kulczynski 1908 – Slender Crab Spider

Global: Holarctic; in Nearctic - AK to ON south to UT

Local: Yale, Princeton, Cawston

Tibellus chamberlini Gertsch 1933 – Slender Crab Spider
Global: Southern BC south to CA & AZ
Local: Summerland, Oliver

Tibellus maritimus (Menge) 1875 – Slender Crab Spider
Global: Holarctic; in Nearctic - AK to NF south to UT & NH
Local: Widespread in eastern half of BC

Tibellus oblongus (Walckenaer) 1802 – Slender Crab Spider
Global: Holarctic; in Nearctic - AK to NS south to MX
Local: Widespread in western & southern BC

Pholcidae

Pholcophora americana Banks 1896
Global: Southern interior BC to MT south to CA & NM
Local: Kamloops, Lillooet, Salmon Arm, Chopaka (nr. Osoyoos), Trail

Pholcus phalangioides (Fuesslin) 1775
Global: Cosmopolitan
Local: Courtenay, Victoria, Gibson's Landing, Summerland

Psilochorus hesperus Gertsch & Ivie 1936
Global: Southern interior BC to northern CA
Local: Hedley, Osoyoos

Pimoidae

Pimoida altiocolata (Keyserling) 1886
Global: AK south to CA and UT
Local: Widespread on Vancouver Is. & adjacent mainland

Pimoida haden Chamberlin & Ivie 1943
Global: Southern interior BC south to northeastern ID & northwestern MT
Local: Merritt, Apex Mountain, Vaseux Lake, Summerland, Vernon, Kootenay Pass, Kimberly

Pisauridae

Dolomedes triton (Walckenaer) 1837 – Sixspotted Fishing Spider
Global: Southeastern AK to ME south to MX & Cuba
Local: Widespread in BC

Salticidae

Dendryphantus nigromaculatus (Keyserling) 1885

Global: BC to QC south to UT & KS

Local: Atlin, Summit Lk. (Alaska Hwy.), Apex Mtn., Bridle Lk. (Kootenay Pass)

Eris militaris (Hentz) 1845 – Bronze Jumper

Global: AK to NS south to CA & FL

Local: Widespread in BC

Euophrys monadnock Emerton 1891

Global: BC to NS south to CA & NY?

Local: Yalicum R. (45 km W Lillooet)

Evarcha hoyi (Peckham & Peckham) 1883

Global: YT to QC south to CA & GA

Local: Widespread in BC

Evarcha proszynskii Marusik & Lugonov 1998

Global: Holarctic; in Nearctic - YT? to NT? south to CA? & TX?

Local: Are BC *E. hoyi* actually *E. proszynskii*??

Habronattus americanus (Keyserling) 1884

Global: Southwestern BC to northern ON south to CA & MN

Local: Victoria (Island View Beach), Clinton, Apex Mtn.

Habronattus captiosus (Gertsch) 1934

Global: YT to MN south to southern AB

Local: Trout R. (Mi 789 Alaska Hwy.)

Habronattus decorus (Blackwall) 1846

Global: Southern BC to NS south to OR & FL

Local: Creston

Habronattus hirsutus (Peckham & Peckham) 1888

Global: Southern BC to western MT south to northwestern MX & western TX

Local: Carmanah Valley, Vernon, Summerland, Green Mtn. (Keremeos)

Habronattus jucundus (Peckham & Peckham) 1909

Global: Southeastern BC south to northern CA & western WY

Local: Clearwater, Glacier Nat. Pk.

Habronattus ophrys Griswold 1987

Global: West coastal NA from southwestern BC to northern CA

Local: Island View Beach (Victoria), Haney (UBC Research Forest), Port Alberni, Rocky Point (Victoria)

Habronattus oregonensis (Peckham & Peckham) 1888

Global: Southwestern BC to western MT south to CA & AZ

Local: Kyuquot

Habronattus sansoni (Emerton) 1915

Global: Southern BC south to central CA & CO

Local: Lillooet, Vernon, White Lake, Kilpoola Lake, Osoyoos

Metaphidippus manni (Peckham & Peckham) 1901

Global: Southwestern BC to ID south to northwest MX & AZ

Local: Mt. Benson, Wellington, Savary Is., Saltspring Is., Vancouver

Neon nelli Peckham & Peckham 1888

Global: BC to NF south to TX & GA

Local: Goldstream Prov. Pk., Durrance Lake (Victoria)

Neon pixii Gertsch & Ivie 1955

Global: Southern BC south to CA & UT

Local: Hedley, Oliver

Neon reticulatus (Blackwall) 1853

Global: Holarctic; in Nearctic - AK south to OR & AZ

Local: Terrace, Wellington, Lk. Cowichan

Pelegrina aeneola (Curtis) 1892

Global: Northwestern BC to southern AB south to northwestern MX & NM

Local: Masset, Alice Lk. Prov. Pk., Wellington, Qualicum, Victoria, Spences Bridge, Summerland, Osoyoos, Creston, Furry Ck.

Pelegrina clemata (Levi) 1951

Global: Southeastern BC to SK south to CA & NM

Local: Bull R. (49°5'N 115°5'W), Cranbrook

Pelegrina flavipes (Peckham & Peckham) 1888

Global: NU to NF south to NM & NC

Local: Kettle R., Christina Lk., Field

Pelegrina helenae (Banks) 1921

Global: Southern interior BC to WY south to southern CA & UT

Local: Monte Ck.

Pelegrina montana (Emerton) 1891

Global: AK to NF south to NM & VA

Local: Pink Mtn., Little Prairie, Prophet R. (57°68'N 122°47'W), Tetsa R., Johnson Bay (Babine Lk.), Summerland, Osoyoos

Pelegrina proterva (Walckenaer) 1837

Global: Southern BC to NS south to eastern TX & FL

Local: Enderby, Vernon, Summerland, Creston

Pellenes ignifrons (Grube) 1861

Global: Holarctic; in Nearctic - BC to ON south to MT

Local: Copper R. (Terrace), Victoria, Glacier Nat. Pk.

Pellenes montanus (Emerton) 1894

Global: Southern BC to AB

Local: Apex Mtn.

Pellenes shoshonensis Gertsch 1934

Global: Southern BC to ID

Local: Osoyoos

Phanias albeolus (Chamberlin & Ivie) 1941

Global: Southwestern BC to west central CA

Local: Comox, East Sooke, Victoria

Phanias watonus (Chamberlin & Ivie) 1941

Global: Southern BC to CA

Local: Summerland

Phidippus borealis Banks 1895

Global: AK to QC south to CO & MA

Local: Terrace, Tetsa R., Ft. Nelson

Phidippus johnsoni (Peckham & Peckham) 1883 – Johnson Jumper

Global: NU to SK south to northwest MX & CO

Local: Haida Gwaii (Queen Charlotte Islands), widespread in southern BC

Phidippus purpuratus Keyserling 1885

Global: BC to NS south to WY & FL

Local: Nation Mtns., Vernon, Vaseux Lk., Osoyoos, Creston

Platycryptus californicus (Peckham & Peckham) 1888

Global: Southern BC & western MT south to Costa Rica & Galapagos

Local: Widespread in southern BC

Salticus scenicus (Clerck) 1757

Global: Holarctic; widespread in Nearctic

Local: Widespread in southern BC

Sassacus papenhoei Peckham & Peckham 1895

Global: Widespread in Nearctic

Local: Spences Bridge, Walhachin, Summerland

Sassacus vitis (Cockerell) 1894
Global: Southern BC to AB south to MX
Local: Carmanah Valley, Summerland, Osoyoos

Sitticus dorsatus (Banks) 1895
Global: Western Nearctic (southern BC to TX & ?)
Local: Summerland

Sitticus fasciger (Simon) 1880
Global: Palaearctic; apparently introduced in Nearctic - BC to QC south to WI & NJ
Local: Johnson Bay (Babine Lk.)

Sitticus finschi (L. Koch) 1879
Global: Holarctic; in Nearctic - AK to NF south to WY & MN
Local: Terrace, Creston

Sitticus floricola palustris (Peckham & Peckham) 1883
Global: BC to New England south to CA
Local: Goldstream Prov. Pk., Yoho Nat. Pk.

Sitticus ranieri (Peckham & Peckham) 1909
Global: Holarctic; in Nearctic - AK to NF south to OR & CO
Local: White Pass, Summit Lk (Alaska Hwy), Bridal Lk. (Kootenay Pass), Yoho Nat. Pk., Glacier Nat. Pk.

Synageles canadensis Cutler 1988
Global: BC to NS south to MI
Local: Prince George

Synageles leechi Cutler 1988
Global: BC
Local: Oliver

Synageles occidentalis Cutler 1988
Global: Southern interior BC to MB south to CA & MI
Local: Christina Lk.

Talavera minuta (Banks) 1895
Global: Holarctic; in Nearctic - YT to NS south to CA & NY
Local: Apex Mtn.

Terralonus californicus (Peckham & Peckham) 1888
Global: Southwestern BC southern CA
Local: Kyuquot, Victoria

Tutelina similis (Banks) 1895

Global: BC to QC south to CA & FL(?)
Local: Vernon

Segestriidae

Segestria pacifica Banks 1891

Global: West coastal NA from southwestern BC south at least to southern CA
Local: Kyuquot, Departure Bay (Nanaimo), Victoria, Spences Bridge

Telemidae

Usofila pacifica (Banks) 1894

Global: Southern AK to OR(?)

Local: Bramham Island, Burnaby, Kyuquot, Victoria, Galiano Is., Anarchist Mtn.,
Summerland, Haida Gwaii (Queen Charlotte Islands)

Tetragnathidae

Metellina curtisi (McCook) 1894

Global: Southeastern AK to CA; isolated records from Great Lakes area
Local: Widespread on coastal BC

Metellina mimetoides Chamberlin & Ivie 1941

Global: Southeastern AK to MT south to CA & TX
Local: Victoria, Vernon

Metellina segmentata (Clerck) 1757

Global: Palaearctic; introduced to southwestern BC
Local: Vancouver

Pachygnatha clercki Sundevall 1823 – Thickjawed Orbweaver

Global: Holarctic; in Nearctic - AK to northern ON south to BC & VA
Local: Springhouse

Pachygnatha dorothea McCook 1894 – Thickjawed Orbweaver

Global: Southwestern BC to MA south to NM & NY
Local: Victoria

Tetragnatha caudata Emerton 1884 – Longjawed Orbweaver

Global: Southern BC to PEI south to Central America & Cuba
Local: Port Alberni, Chilcotin, Creston, Windermere

Tetragnatha dearmata Thorell 1873 – Longjawed Orbweaver

Global: NT to PEI south to ID & OK
Local: Summit Lk. (Alaska Hwy)

Tetragnatha elongata Walckenaer 1842 – Longjawed Orbweaver
Global: Southwestern BC to NF south to MX & West Indies
Local: Wellington, Salmon Arm

Tetragnatha extensa (Linnaeus) 1758 – Longjawed Orbweaver
Global: Holarctic; in Nearctic - AK to Greenland south to CO & PA
Local: Widespread in BC

Tetragnatha laboriosa Hentz 1850 – Silver Longjawed Orbweaver
Global: AK to NF south to Panama & FL
Local: Widespread in BC

Tetragnatha shoshone Levi 1981 – Longjawed Orbweaver
Global: Holarctic; in Nearctic - NT to ON south to northern CA & IL
Local: Victoria

Tetragnatha versicolor Walckenaer 1842 – Longjawed Orbweaver
Global: AK to NF south to Nicaragua & Cuba
Local: Widespread in BC

Theridiidae

Achaearanea acoreensis (Berland) 1932
Global: BC south to CA
Local: Victoria

Achaearanea canionis (Chamberlin & Gertsch) 1929
Global: Southeastern BC south to CA & UT
Local: Nelson (above Grohman Narrows)

Achaearanea ohlerti (Thorell) 1870
Global: Holarctic; in Nearctic - AK to QC south to central CA & NM
Local: Summit Lk. (Alaska Hwy.), Hyland R., Vancouver, Manning Prov. Pk., Lillooet, Field

Achaearanea tepidariorum (C. L. Koch) 1841 – Common House Spider
Global: Cosmopolitan
Local: Brentwood Bay, Victoria, Vancouver, Kelowna, Osoyoos

Crustulina sticta (O. P.- Cambridge) 1861
Global: Holarctic; in Nearctic - AK to NF south to CA & south TX (probably introduced to Palearctic)
Local: Widespread in BC

Dipoena malkini Levi 1953
Global: Southwestern BC south to CA & NM

Local: Mt. Cain (northern Vancouver Is.)

Dipoena nigra (Emerton) 1882

Global: Southern BC to QC south to CA & FL

Local: Widespread in southern BC

Dipoena washougalia Levi 1953

Global: Southwestern BC & adjacent WA

Local: Francis King Reg. Pk. (Victoria)

Enoplognatha intrepida (Sorensen) 1898

Global: Southern AK to Greenland south to AZ & CT

Local: Apex Mountain

Enoplognatha latimana Hippa & Oksala 1982

Global: Holarctic; in Nearctic - southern BC to QC south to LA & FL

Local: Peachland

Enoplognatha marmorata (Hentz) 1850 – Marbled Cobweb Spider

Global: Southern BC to NS south to CA & FL

Local: Vancouver Island (Departure Bay), Canim Lake, Summerland, Apex Mountain (Keremeos), Osoyoos

Enoplognatha ovata (Clerck) 1757

Global: Holarctic; in Nearctic - (introduced?) west & east coasts of NA, southern BC to northern CA, QC to ME south to NY

Local: Widespread in southern BC

Enoplognatha thoracica (Hahn) 1833

Global: Holarctic; probably introduced in Nearctic - southwestern BC to OR, also QC

Local: Victoria

Enoplognatha wyuta Chamberlin & Ivie 1942

Global: Southern interior BC to SD south to UT

Local: Peachland

Euryopsis formosa Banks 1908

Global: Southern BC to western WY south to CA

Local: Langford, Lillooet, Vernon, Apex Mountain (Keremeos), Kaslo, Kootenay Lk.

Euryopsis funebris (Hentz) 1850

Global: Southern BC to QC south to LA & FL

Local: Peachland

Euryopsis scriptipes Banks 1908

Global: Southern BC to AB south to north central MX

Local: Vernon

Keijia tincta (Walckenaer) 1802

Global: Holarctic; probably introduced to Nearctic - southwestern BC, adjacent WA & northern OR

Local: Victoria, Vancouver

Latrodectus hesperus Chamberlin & Ivie 1935 – Western Black Widow

Global: Southern BC to SK south to northern MX

Local: Widespread in southern BC

Neottiura bimaculata (Linnaeus) 1767

Global: Holarctic; introduced in Nearctic - BC to QC south to ?

Local: Widespread in BC, particularly in southern half

Robertus borealis (Kaston) 1946

Global: BC to ME south to MI & NY

Local: Falkland

Robertus fuscus (Emerton) 1894

Global: Northern BC to LB south to WY & CT

Local: Babine Lake (Johnson Bay), Pinkut Creek, Alaska Hwy. (Mile 419, Racing River)

Robertus vigerens (Chamberlin & Ivie) 1933

Global: AK to MT south to CA & UT

Local: Widespread in BC

Romphaea fictilium (Hentz) 1850

Global: BC, MB to NS, south to Argentina

Local: Nanaimo, Wellington, Pender Harbour

Rugathodes aurantius (Emerton) 1915

Global: AK to NF south to WY & NH

Local: Liard Hotsprings, Terrace, Victoria

Rugathodes sexpunctatus (Emerton) 1882

Global: Southern AK to NF south to CA & NC

Local: Widespread in BC

Simitidion simile (C. L. Koch) 1836

Global: Holarctic but probably introduced to Nearctic - southwestern BC & adjacent WA

Local: Comox, Goldstream Prov. Pk., Vancouver

Steatoda albomaculata (De Geer) 1778

Global: Holarctic; in Nearctic - NT to NH south to central MX & IL

Local: Widespread in BC

Steatoda americana (Emerton) 1882 – Twospotted Cobweb Spider

Global: Southern BC to ME south to Panama & West Indies

Local: Victoria, Vernon

Steatoda borealis (Hentz) 1850

Global: AK to QC south to TX & GA

Local: Prince George, Fort St. John, Kamloops, Salmon Arm, Balfour

Steatoda grossa (C. L. Koch) 1838 – False Black Widow

Global: Cosmopolitan

Local: Widespread in BC

Steatoda hespera Chamberlin & Ivie 1933

Global: BC to MT south to CA & CO

Local: Prince George, Manning Prov. Pk., Nicola, Kamloops, Salmon Arm, Vernon, Summerland, Penticton

Theridion agrifoliae Levi 1957

Global: West coastal NA from Vancouver Is. to central CA

Local: Brooks Peninsula, Tofino, Wellington

Theridion californicum Banks 1904

Global: West coastal NA from southwestern BC to southern CA

Local: Tofino, Wellington, Parksville, Sidney, Savary Island, Vancouver

Theridion differens Emerton 1882

Global: BC to NS south to central CA & FL

Local: Widespread in BC

Theridion frondeum Hentz 1850

Global: Southern BC to NS south to CA & LA

Local: Salmon Arm

Theridion hemerobium Simon 1914

Global: Holarctic; in Nearctic - southern interior BC to MA south to CA & NJ

Local: Creston

Theridion impressum L. Koch 1881

Global: Holarctic; in Nearctic - AK to NU south to northern BC & AB

Local: Atlin, Mt. St. Paul, Summit Lake (Alaska Hwy.), Fort Nelson, Lemoray, Sparwood

Theridion lawrencei Gertsch & Archer 1942

Global: Southwestern BC to ID south to southern CA

Local: Rocky Pt. (Metchosin)

Theridion leechi Gertsch & Archer 1942

Global: Southern BC south to CA & CO

Local: Salmon Arm, Vernon, Trinity Valley (nr. Lumby), Kaslo, Ainsworth Hot Springs

Theridion melanurum Hahn 1831

Global: Holarctic; in Nearctic - southwestern BC south to CA & UT

Local: Kyuquot, Wellington, Victoria

Theridion montanum Emerton 1882

Global: Southeastern AK to NF south to NM & VA

Local: Atlin, Terrace, Nitinat, Manning Prov. Pk., Kettle R., Monashee Mtns.

Theridion murarium Emerton 1882

Global: Southern BC to NS south to southern MX & FL

Local: Masset, Terrace, Wellington, Salmon Arm, Kamloops, Revelstoke

Theridion neomexicanum Banks 1901

Global: Southern BC to MT south to CA & NM

Local: Widespread in southern BC

Theridion petraeum L. Koch 1872

Global: Holarctic; in Nearctic - southern interior BC to ME south to central CA & CO

Local: Cache Ck., Kamloops, Summerland, Haynes Pt. (Osoyoos)

Theridion pictum (Walckenaer) 1802

Global: Holarctic; in Nearctic - NU to NS south to UT & CT

Local: Jackfish Ck.

Theridion rabuni Chamberlin & Ivie 1944

Global: Southern interior BC to NJ south to CA & Bahamas

Local: Mount Kobau, Osoyoos

Theridion saanichum Chamberlin & Ivie 1947

Global: West coastal NA from southeastern AK to CA

Local: Alert Bay, Wellington, Sidney, Saanich Inlet, Witty's & Metchosin Lagoons (Victoria), Vancouver

Theridion varians Hahn 1833

Global: Holarctic; probably introduced to Nearctic - southwestern BC & adjacent WA

Local: Mesachie Lk., Victoria, Vancouver, Pitt Meadows, Haney

Theridula emertoni Levi 1954

Global: BC to NF south to WI & TN

Local: Prince George, Lumby, Upper Shuswap River Ecol. Reserve

Thymoites camano (Levi) 1957

Global: Southwestern BC south to CA & UT

Local: Francis King Reg. Pk. (Victoria)

Thymoites minnesota Levi 1964

Global: BC to QC south to MN & MI

Local: Yoho Nat. Pk.

Thomisidae

Bassaniana utahensis (Gertsch) 1932

Global: AK to NS south to MX & FL

Local: Widespread in BC

Coriarachne brunneipes Banks 1893

Global: Southeastern AK to northern ON south to CA & AZ

Local: Terrace, Nanoose Bay, Errington, Wellington, Langford, William Head, Victoria

Misumena vatia (Clerck) 1757 – Goldenrod Crab Spider

Global: Holarctic; in Nearctic - AK to NF south to MX & FL

Local: Widespread in BC

Misumenops asperatus (Hentz) 1847 – Northern Crab Spider

Global: Southern BC to MA south to NM & FL

Local: Lillooet, Vernon, Kelowna, Summerland, Vaseux Lk., Oliver,

Misumenops celer (Hentz) 1847 – Celer Crab Spider

Global: Southern BC to MA south to Central America & FL

Local: Cowichan Lk., Victoria, Fairview, Vernon, Oliver, Osoyoos

Misumenops sierrensis Schick 1965

Global: Southern BC to CA

Local: Errington, Hope, Osoyoos, Creston

Ozyptila arctica Kulczynski 1908 – Leafhopper Crab Spider

Global: Holarctic; in Nearctic, AK to NU south to northern BC

Local: Summit Lk. (Alaska Hwy.)

Ozyptila pacifica (Banks) 1895 – Leafhopper Crab Spider

Global: Coastal BC to OR

Local: Masset, Metlakatla, Terrace, Yellow Point, Errington, Mission

Tmarus angulatus (Walckenaer) 1837

Global: Southern BC to NS south to CA & FL

Local: Quesnel

Xysticus benefactor Keyserling 1880 – Ground Crab Spider
Global: Southern BC & AB south to CA & NM
Local: Widespread across southern BC

Xysticus californicus Keyserling 1880 – Ground Crab Spider
Global: Southwestern BC to northwestern MX
Local: BC record(s)??

Xysticus canadensis Gertsch 1934 – Ground Crab Spider
Global: YT to NB south to northern BC & NH
Local: Talka Landing, Johnson Bay (Babine Lk.)

Xysticus cristatus (Clerck) 1757 – Ground Crab Spider
Global: Palaearctic; introduced in Nearctic - southwestern BC
Local: Sooke, Rocky Pt. (Metchosin), Island View Beach (Victoria), southern Gulf Islands, Burnaby

Xysticus cunctator Thorell 1877 – Ground Crab Spider
Global: Southern BC to SK south to AZ
Local: Widespread in southern BC

Xysticus discursans Keyserling 1880 – Ground Crab Spider
Global: Southern BC to NF south to northwestern MX & FL
Local: Kamloops, Hedley, Cawston, Okanagan Falls, Yoho Nat. Pk.

Xysticus durus (Sorensen) 1898 – Ground Crab Spider
Global: NT to Greenland south to northern BC & northern QC
Local: Summit Lk. (Alaska Hwy.)

Xysticus elegans Keyserling 1880 – Elegant Crab Spider
Global: Southern BC to NF south to NM & GA
Local: Seton Ck., Fountain Valley, Salmon Arm

Xysticus ellipticus Turnbull, Dondale, & Redner 1965 – Ground Crab Spider
Global: NT to NB south to CO & TX
Local: Enderby

Xysticus emertoni Keyserling 1880 – Ground Crab Spider
Global: AK to NF south to NM & TX
Local: Summit Lk. (Alaska Hwy.), Liard R. Hotsprings, Pouce Coupe, Okanagan Falls, Sparwood

Xysticus ferox (Hentz) 1847 – Ground Crab Spider
Global: AK to NS south to TX & GA
Local: Summit Lk. (Alaska Hwy.), Wells Gray Prov. Pk., Langford, Sparwood

Xysticus gertschi Schick 1965 – Ground Crab Spider

Global: Southern BC & AB south to CA & NM

Local: Departure Bay, Spences Bridge, Cache Ck., Lytton, Kamloops, Keremeos, Cawston

Xysticus gosiutus Gertsch 1932 – Ground Crab Spider

Global: Southwestern BC south to CA & UT

Local: Wellington, Departure Bay, Langford

Xysticus gulosus Keyserling 1880 – Ground Crab Spider

Global: Southern BC to QC south to northern MX & GA

Local: Widespread in southern BC

Xysticus keyserlingi Bryant 1930 – Ground Crab Spider

Global: YT to MB south to NM & NH

Local: Mt. St. Paul

Xysticus locuples Keyserling 1880 – Ground Crab Spider

Global: Southern BC & CO south to northern MX

Local: Widespread in southwestern and south central BC

Xysticus luctuosus (Blackwall) 1836 – Ground Crab Spider

Global: Holarctic; in Nearctic - NT to NB south to UT & WI

Local: Widespread in BC

Xysticus montanensis Keyserling 1887 – Ground Crab Spider

Global: AK to northern ON south to CA & NM

Local: Widespread in southwestern BC

Xysticus obscurus Collett 1877 – Ground Crab Spider

Global: Holarctic; in Nearctic - NT to LB south to northern BC & NH

Local: Summit Lk. (Alaska Hwy.), Sikanni Chief R., Liard R. Hotsprings

Xysticus pretiosus Gertsch 1934 – Ground Crab Spider

Global: Western BC to CA

Local: Terrace, widespread in southwestern BC

Xysticus punctatus Keyserling 1880 – Ground Crab Spider

Global: BC to NS south to CA & NC

Local: Widespread in BC

Xysticus triangulosus Emerton 1894 – Ground Crab Spider

Global: AK to LB south to CO & eastern ON

Local: Widespread in BC

Xysticus triguttatus Keyserling 1880 – Threebanded Crab Spider

Global: Eastern BC to NF south to CO & FL
Local: Summit Lk. (Alaska Hwy.), Field

Titanoecidae

Titanoeca nigrella (Chamberlin) 1919

Global: Southern BC to AB south to northern MX & LA

Local: Summerland, Osoyoos, Clinton, Vaseux Lk., Vernon, Keremeos

Titanoeca nivalis Simon 1874

Global: Holarctic; in Nearctic - AK to northern AB south to CA & NM

Local: Masset, Oliver, Summerland, Peace R Bridge, Summit Lk.

Uloboridae

Hyptiotes gertschi Chamberlin & Ivie 1935

Global: Southeastern AK to NF south to CA & PA

Local: Widespread in western & southern BC

Zoridae

Zora hespera Corey & Mott 1991

Global: Southern BC to CA & NM

Local: Koksilah R., Mesachie Lk., Highlands (Victoria), Saanichton, Osoyoos
