

DISTRIBUTIONAL NOTES OF ARSEURINAE INCLUDING THE
FIRST RECORD OF *ARSENURA SYLLA NIEPELTI* IN ECUADOR
(Lepidoptera, Saturniidae)

HORST KÄCH (*) and LUIGI RACHELI (**)

INTRODUCTION

In the recent checklist of Ecuadorian Saturniidae (Racheli & Racheli, 2006b), a total of 35 taxa of Arsenurinae were recorded for this country. In that checklist, all the provincial records for these taxa were summarized including notes for some uncommon and rare species. In this paper, additional records for some species are reported including the first record of *Arsenura sylla niepelti* (Schüssler, 1936) in Ecuador. Furthermore, *Paradaemonia platydesmia* (Rothschild, 1907) is reported for the first time for western Ecuador. It is suggested to read the present article as a supplement to the checklist compiled by Racheli & Racheli (2006b).

All the specimens listed below were collected and they are in the collection of the senior author.

LIST OF SPECIES

Arsenura sylla niepelti (Schüssler, 1936) (fig. 1)

REMARKS. Since its original description, this subspecies was known to occur only in western Colombia (Lemaire, 1980) but more recently it was discovered also in Costa Rica. The presence of this species in Ecuador is reported here for the first time on the basis of the following specimens: 1 ♂, Esmeraldas, Lita, 780 m, 28 March 2006; 1 ♂, Esmeraldas, Durango, 350 m, 12 October 2007.

(*) Ceramica s/n, Tumbaco, Pichincha, Ecuador.

(**) Research Associate, Staatliches Museum für Naturkunde, Stuttgart, Germany. To whom correspondence should be addressed Via Piero Carnabuci, 29 - 00139 Rome, Italy. E-mail: luigi.gi.racheli@alice.it



Fig. 1 – *Arsenura sylla niepelti*: ♂, Ecuador, Esmeraldas, Lita, 780 m, 28 March 2006.



Fig. 2 – *Arsenura thomsoni lemairei*: ♂, Ecuador, Napo, Cando, 600 m, 15 July 2004.



Fig. 3 – *Parademonia platydesmia*: ♂, Ecuador, Esmeraldas, Lita, 780 m, 28 March 2006.



Fig. 4 – *Parademonia platydesmia*: ♀, Ecuador, Esmeraldas, Durango, 350 m, 21 January 2007.

Arsenura thomsoni lemairei Racheli & Racheli, 1998 (fig. 2)

REMARKS. Racheli & Racheli (2006b) recorded this species for the provinces of Sucumbíos and Orellana. Two additional specimens, 1 ♂ from Sucumbíos, road Lumbaquí-La Bonita km. 28, 450 m, 21 Febr. 2007 and 1 ♂ Napo, Cando, 600 m, 15 July 2004, were examined. The first record confirms the presence of this species in Sucumbíos while the second record is the first for the province of Napo. This latter record is a noteworthy addition according to the recent review by Racheli & Racheli (2006a) of the Saturniid fauna of the province of Napo.

Caio championi (Druce, 1886)

REMARKS. Although it was already listed for the province of Esmeraldas and Cañar by Racheli & Racheli (2006b), the presence of this species in Esmeraldas is confirmed with the following records: 1 ♂, Lita, 780 m, 1 February 2006; 1 ♂, idem, 28 March 2006; 1 ♂, idem, 16 Febr. 2007; 1 ♂, Durango, 350 m, 15 May 2007; 1 ♂, Esmeraldas, Durango, 350 m, 12 October 2007.

Parademonia platydesmia (Rothschild, 1907) (figs 3-4)

REMARKS. Racheli & Racheli (2006b) recorded this species for various provinces in eastern Ecuador (Sucumbíos, Orellana, Napo, Pastaza, Morona-Santiago). It is here reported for the first time for western Ecuador on the basis of the following specimens: 1 ♂, Esmeraldas, Lita, 780 m, 28 March 2006; 1 ♂, 1 ♀, Esmeraldas, Durango, 350 m, 21 January 2007; 2 ♂♂, Esmeraldas, Durango, 350 m, 12 October 2007.

Parademonia samba (Schaus, 1906)

REMARKS. This species was reported for the provinces of Sucumbíos, Orellana, Napo and Morona-Santiago. Racheli & Racheli (2006b) had some doubts about the provenience of the single speci-

men examined from Sucumbíos. In any case, a further record from this province is reported here on the basis of 1 ♂ from Lumbaquí, 829 m, 20 November 2004.

Copiopteryx semiramis andensis (Lemaire, 1974)

REMARKS. Although it is a widespread taxon reported for the provinces of Pichincha, Manabí, Cañar, Los Ríos and El Oro in western Ecuador, no official record for the province of Esmeraldas was known. It is here reported for this latter province on the basis of the following records: 1 ♂, 1 ♀, Durango, 350 m, 21 January 2007; 1 ♀, idem, 16 June 2007; 2 ♂♂, idem, 12 October 2007; 1 ♂, 1 ♀, Mompiche, 120 m, 15 August 2007.

RIASSUNTO

Note sulla distribuzione degli Arsenurinae inclusa la prima segnalazione di Arsenura sylla niepelti in Ecuador (Lepidoptera, Saturniidae).

Vengono riportati alcuni dati di raccolta su sei species di Arsenurinae in Ecuador. *Arsenura sylla niepelti* (Schüssler, 1936) viene segnalata per la prima volta per questo paese mentre *Paradaemonia platydesmia* (Rothschild, 1907) è riportata per la prima volta per il versante occidentale delle Ande in Ecuador.

SUMMARY

Some noteworthy records for six species of Arsenurinae in Ecuador are given. *Arsenura sylla niepelti* (Schüssler, 1936) is reported for the first time for Ecuador while *Paradaemonia platydesmia* (Rothschild, 1907) is recorded for the first time for western Ecuador.

REFERENCES

- LEMAIRE, C. 1980. Les Attacidae americains. The Attacidae of America (= Saturniidae). Arsenurinae: 199 pp, 76 pls. Lemaire ed., Neuilly-sur-Seine.
- RACHELI, L. & T. RACHELI. 2006a. The Saturniid fauna of Napo Province, Ecuador: an overview (Lepidoptera: Saturniidae). SHILAP Revta lepid., 34 (134): 125-139.
- RACHELI, L. & T. RACHELI. 2006b. An update checklist of the Saturniidae of Ecuador. Part II: Arsenurinae, Ceratocampinae, Saturniinae (Lepidoptera: Saturniidae). SHILAP Revta lepid., 34 (135): 197-211.

GUIDELINES TO CONTRIBUTORS

Fragmenta entomologica is published biannually (usually in June and December). Monographs are occasionally published as supplements. All scientific papers dealing with Arthropoda, with particular reference to terrestrial and freshwater ones, are eligible for publication. Manuscripts should be sent to the Editor in Chief, Dipartimento di Biologia Animale e dell'Uomo (Zoologia), Università "La Sapienza", Viale dell'Università, 32 - 00185 Roma, Italy - Tel. (06)4457120/44702813/49914742 - Fax (06)4958259. Accepted papers are published free of charge (except when including colour photographs or elaborate tables): authors will receive 50 reprints free of charge. Page proofs are sent to authors after manuscripts are typeset; all changes, except for printer's and editorial errors, will be charged to authors. Additional reprints can be ordered when page proofs are returned, using the enclosed reprint order form. Proofs and reprint order form must be returned within 15 days from reception. A contribute to cover postal charges can be requested by the editor in some cases.

MANUSCRIPTS

Manuscripts, written in concise and clear English, Italian, French, German or Spanish, must be sent in triplicate (text and figures). They must be typed double spaced on one side of UNI-A4 paper, with at least 2.5 cm margins. Pages must be numbered consecutively (including those with references, tables and legends), beginning with title page. Papers should be arranged as follows: title, text, acknowledgements, two summaries (see below), references cited, legends, artwork. Underline only the scientific names for taxa of the genus - and species-groups.

Manuscripts that do not conform to the guidelines will be returned to the authors before consideration.

All papers will be examined by reviewers. The Editor will notify acceptance, rejection, or need for revision within 4 months.

A 3½" floppy disk, as well as two printed copies, should be sent once the paper is accepted; avoid italic, bold, small caps and other typeface. Symbols "\$" or "@" and "£" or "#" should be used for male and female respectively.

STYLE

Authors should refer to C.B.E. Style Manual (last Edition), The American Institute of Biological Sciences, Arlington, Virginia (U.S.A.). Please, refer also to recent issues of the journal for more details.

The title should be informative but concise and mention family and higher taxon where appropriate. Numbered series, institution/s and address/es will be published as a footnote.

Authors must comply with the requirements of the International Code of Zoological Nomenclature (last Edition) and with the published opinions of the International Commission. Names of all taxa must be followed by unabbreviated name of the author and year, e.g.: *Poecilus (Poecilus) cupreus* (Linné, 1758), at least when used for the first time. Descriptions must include a concise diagnosis, and complete data (locality, date, collector, type depository) for type material. Major headings are aligned to the left margin, followed by a point and by the text on the same line. Irrespective of the language in which the manuscript is written, it must include an Italian summary (arranged by the assistant editor when requested by foreign authors) and an English summary. English translation of the title and of legends must be provided when the paper is written in another language.

ILLUSTRATIONS

Graphs, line drawings and photographs will be referred to as figures in both text and legends (e.g.: fig. 8; figs 8, 9; figs 8-11): pencil the preferred locations of figures in the text. Colour illustrations and elaborate tables may be accepted by arrangement with the editor. Figures, grouped and numbered consecutively, should be attached by "magic" tape to white thin pasteboard: dimension must not exceed a length/width ratio of 3/2; sheet size should not exceed A3 format. Number figures in pencil. Scale bars must be included with measure of length (e.g.: 0.5 mm). Pencil author name, title and figures numbers on reverse of pasteboard, as well as the suggested reduction (approximately 66%, and in any case not less than 25% when printed). The original and two copies should be submitted.

REFERENCES

References should be cited in the text as follows: Brignoli (1980); (Brignoli 1980); (Brignoli 1980a, 1980b; Capra 1926); (Brignoli 1980:25). Names of co-authors are linked by an ampersand "&", where more than three co-authors are cited using the name of first author followed by "et al."

Use the following forms in reference list:

- Vigna Taglianti, A., L. Genest & R. Sciaky. 1980. A new *Trechus* from Greece (Coleoptera, Carabidae). *Fragmenta entomologica*, 15(2): 295-303.
- Demange, J.M. 1981. *Le Mille-Pattes*. Boubée, Paris, 284 pp.
- Spornraft, K. 1967. Nitidulidae, pp. 20-77. In: H. Freude, K. W. Harde & G. A. Lohse (eds.). *Die Käfer Mitteleuropas*, 7(50), Goecke & Evers, Krefeld.

Refer to the "List of Serials, Biosciences Information Service of Biological Abstracts, Philadelphia" for abbreviations of periodicals. Otherwise indicate the titles of periodicals in full. Titles of publications originally written in cyrillic or arabic characters, or ideograms must be transliterated, or (better) translated into English with indication of original language.

