

**ORGANIZATION FOR TROPICAL STUDIES
LIBRARY
LAS CRUCES BIOLOGICAL STATION BIBLIOGRAPHY
(Up Date May 17, 2006)**

1. Adamski, D. 2005. Review of Glyphidocera Walsingham of Costa Rica (Lepidoptera: Gelechioidea: Glyphidoceridae). *Zootaxa*, no. 858: 1-205.
2. Affolter, J. 1988. A sister garden in the tropics. *Botanical Garden Newsletter* 13: 1-2.
3. Aguila S., Y. 1992. Systematic catalogue of the Caddisflies of Panama (Trichoptera). In *Insects of Panama and Mesoamerica*. (eds) D. Quintero, and A. Aiello, 532-48. Oxford Univ. Press.
4. Aldrich, P. R. 1997. Dispersal and the scale of fragmentation in tropical tree populations. Ph.D. Dissertation. University of Georgia.
5. Aldrich, P. R., and J. L. Hamrick. 1998. Reproductive dominance of pasture trees in a fragmented tropical forest mosaic. *Science* 281, no. July 3: 103-5.
6. Aldrich, P. R., J. L. Hamrick, P. Chavarriaga, and G. Kochert. 1998. Microsatellite analysis of demographic genetic structure in fragmented populations of the tropical tree Symphonia globulifera. *Molecular Ecology* 7: 933-44.
7. Almeda, F. 2004. Novelties and nomenclatural adjustments in the neotropical genus Clidemia (Melastomataceae: Miconieae). *Proceedings of the California Academy of Sciences* 55, no. 4: 89-124.
8. Almeda, F. 2001. The octandrous and dodecandrous species of Topobea (Melastomataceae) in Mexico and Central America. *Proceedings of the California Academy of Sciences* 52, no. 22: 511-48.
9. Almeda, F. 2000. A synopsis of the genus Blakea (Melastomataceae) in Mexico and Central America. *Novon* 10: 299-319.
10. Alverson, W. S. 1989. Quararibea (Bombacaceae): five new species from moist and wet forest of Costa Rica and Panama. *Brittonia* 41, no. 1: 61-74.
11. Anchukaitis, K. J., and S. P. Horn. 2005. A 2000-year reconstruction of forest disturbance from southern Pacific Costa Rica. *Palaeogeography, Palaeoclimatology, Palaeoecology*, no. 221: 35-54.
12. Anderson, R. S. 2003. Neotropical Dryophthoridae: Redescription of the genus Melchus Lacordaire with description of Daisya Anderson, new genus, and seven new species (Coleoptera: Curculionioidea). *The Coleopterists Bulletin* 57, no. 4: 413-31.

13. Anderson, R. S., and L. D. Gómez Pignataro. 1997. Systemotelus, a remarkable new genus of weevil (Coleoptera: Curculionidae) associated with Carludovica (Cyclanthaceae) in Costa Rica and Panamá. *Revista de Biología Tropical* 45, no. 2: 887-904.
14. Andrews, R. M., and A. S. Rand. 1974. Reproductive effort in anoline lizards. *Ecology* 55, no. 6: 1317-27.
15. Armstrong, D. M. 1969. Noteworthy records of bats from Costa Rica. *Journal of Mammalogy* 50, no. 4: 808-10.
16. Arnaud, P. H. Jr. 1963. Types of the Tachinidae (Diptera) in the American Museum of Natural History. *Bulletin of the American Museum of Natural History* 125, no. 2: 101-38.
17. Arriagada, J. E. 2003. Revision of the genus Clibadium (Asteraceae, Heliantheae). *Brittonia* 55, no. 3: 245-301.
18. Austin, G. T., and A. D. Warren. 2002. Taxonomic notes on some neotropical skippers (Lepidoptera: HesperIIDae): Pyrrhopyginae and Pyrginae . *Dugesiana* 9, no. 2: 15-49.
19. Azevedo, C. O. 1999. Revision of the Neotropical Dissomphalus Ashmead, 1893 (Hymenoptera, BethyIidae) with median tergal processes . *Arquivos De Zoologia Museu de Zoologia da Universidade de São Paulo* 35, no. 4: 301-94.
20. Balick, M. J. 1975. Las Cruces Tropical Botanical Garden . *Bulletin of the American Association of Botanical Gardens and Arboreta* 9, no. 3: 62-66.
21. ———. 1976. My life among the bromeliads. *Horticulture Magazine* Feb.: 31-39.
22. ———. 1976. The palm heart as a new commercial crop from tropical America. *Principes* 20: 24-28.
23. Baroni, T. J., and R. E. Halling. 2000. Some Entolomataceae (Agaricales) from Costa Rica. *Brittonia* 52, no. 2: 121-35.
24. Barrantes, R. 1988. Patrones ecológicos y genéticos de adaptación en los amerindios Guaymi de Costa Rica y Panamá. *Revista de Biología Tropical* 36: 227-33.
25. Barrie, F. R. 2005. Thirty-five new species of Eugenia (Myrtaceae) from Mesoamerica. *Novon*, no. 15: 4-49.
26. Barth, F. G. 1986. Vibrationssinn and vibratorische Umwelt von Spinnen. *Naturwissenschaften* 73: 519-30.

27. Barth, F. G. , J. A. C. Humphrey, J. Halbritter, and W. Brittinger. 1995. Dynamics of arthropod filiform hairs. III. Flow patterns related to air movement detection in a spider (Cupiennius salei Keys.). *Philosophical Transactions: Biological Sciences* 347, no. 1322: 397-412.
28. Bates, D. M. 1987. The Robert and Catherine Wilson Botanical Garden at Las Cruces, Costa Rica. *Botanic Gardens Conservation News* 1: 22-28.
29. Beier, M. 1963. Tettigoniidae: subfam. Pseudophyllinae. *Orthopterorum Catalogus* 5: 1-246.
30. Bentley, B. L. 1977. Extrafloral nectaries and protection by pugnacious bodyguards. *Annual Review of Ecology & Systematics* 8: 407-27.
31. Benzecry, A. 2005. Canastos: Ethnobotany and the economic importance. *Economic Botany* 59, no. 3: 290-294.
32. ———. 1993. Ethnobotany, anatomy and taxonomy of five tropical lianas of the Coto Brus region of Costa Rica . Ph.D. Dissertation. City University of New York.
33. Berg, C. C., R. W. A. P. Akkermans, and E. C. H. van Heusden. 1990. *Cecropiaceae: Coussapoa and Pourouma, with an introduction to the family*. Flora Neotropica. Monograph 51. New York: The New York Botanical Garden.
34. Berger, L., R. Speare, P. Daszak, D. E. Green, A. A. Cunningham, C. L. Goggin, R. Slocombe, M. A. Regan, A. D. Hyatt, K. R. McDonald, H. B. Hines, K. R. Lips, G. Marantelli, and H. Parkes. 1998. Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and Central America . *Proceedings of the National Academy of Sciences of the United States of America* 95, no. 15: 9031-36.
35. Bernecker-Lücking, A. 1998. The genus Cyclolejeunea A. Evans (Hepaticae, Lejeuneaceae) in Costa Rica. *Phyton* 38, no. 1: 175-93.
36. Berry, F., and W. J. Kress. 1991. Heliconia: an Identification Guide. Washington, DC: Smithsonian Inst.
37. Beyer, C. 1994. Biologie der hemiparasitisches Gaiadendron und Nuytsia. Vergleich. Morphologie. Ph. D. Dissertation. Universität Marburg.
38. Beyer, C. 1994. Biologie der hemiparasitisches Gaiadendron und Sinsihre Verkettungen Morphologie v. Nutsya. *Deutsche Bibliothek*.
39. Bierzychudek, P. 1981. Asclepias, Lantana, and Epidendrum: a floral mimicry complex? *Biotropica* 16 Supl.: 54-58.

40. Birnbaum, K. D. 1993. Gardens in the margins: how small export farmers in Costa Rica use non-traditional homegardens to buffer the economic hardships of coffee price declines. M.Sc. Thesis. University of Wisconsin.
41. Bishop, L. E. 1982. Zygophlebia, a new genus of Grammitidaceae. *American Fern Journal* 79, no. 3: 103-18.
42. Blahnik, R. J. 2002. Systematics of Otarra, a new Neotropical subgenus of Chimarra (Trichoptera:Philopotamidae). *Systematic Entomology* 27, no. 1: 65-130.
43. Blahnik, R. J., and R. M. Gottschalk. 1997. New species of Atopsyche from Costa Rica (Trichoptera: Hydrobiosidae). *Entomological News* 108, no. 3: 161-74.
44. Blanco-Coto, M. A., and G. Barboza. 2005. Pseudocopulatory pollination in Lepanthes (Orchidaceae: Pleurothallidinae) by fungus gnats. *Annals of Botany* 95, no. 5: 763-72.
45. Bolaños, F., and J. Ehmcke. 1996. Anfibios y reptiles de la Reserva Biológica San Ramón, Costa Rica. *Revista Pensamiento Actual* 2: 107-12.
46. Bolaños-Herrera, R. 1984. *Serpientes, venenos y ofidismo en Centroamérica*. San José: Editorial Universidad de Costa Rica.
47. Bond, J. E., and F. A. Coyle. 1995. Observations on the natural history of an Ummidia trapdoor spider from Costa Rica (Araneae, Ctenizidae). *Journal of Arachnology* 23: 157-64.
48. Bonta, M. 1990. A sister garden. *American Horticulturist* 69: 787.
49. Borgella, R. 1995. Population size, survivorship, and movement rates of resident birds in Costa Rican forest fragments. M.Sc. Thesis. Cornell University.
50. Borgella, R. , A. A. Snow, and T. A. Gavin. 2001. Species richness and pollen loads of hummingbirds using forest fragments in southern Costa Rica . *Biotropica* 33, no. 1: 90-109.
51. Borowiec, L. 2002. New records of neotropical Cassidinae, with description of three new species (Coleoptera: Chrysomelidae). *Genus* 13, no. 1: 43-138.
52. Boucher, D. H., M. Hansen, S. Rich, and J. H. Vandermeer. 1983. Agriculture. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 66-73. Univ. Chicago Press.
53. Braet, Y., and C. van Achterberg. 2001. Notes on the genera Exasticolus van Achterberg (Homolobinae) and Orgilus Haliday (Orgilinae) (Hymenoptera: Braconidae), with the description of three new species from French Guiana . *Biotropica* 75, no. 1/15: 89-102.

54. Brako, L. 1991. *Phyllopsora* (Bacidiaceae). Flora Neotropica. Monograph 55. New York: The New York Botanical Garden.
55. Briceño-G., R. A. 2003. Taxonomic revision of the Genus *Sesioctonus* Viereck (Hymenoptera: Braconidae: Agathidinae) . *Journal of Hymenoptera Research* 12, no. 2: 238-71.
56. Brosi, B. J., A. Smith-Pardo, and V. H. González. 2006. A new wood-nesting *Neocorynura* (Hymenoptera: Halictidae: Augochlorini) from Costa Rica, with notes on its biology. *Zootaxa*, no. 1189: 55-68.
57. Brown, B. V. 2000. Revision of the *Apocephalus miricauda* - Group of ant-parasitizing flies (Diptera: Phoridae). *Contributions in Science , Los Angeles County Museum of Natural History* 482: 1-62.
58. ———. 2002. Revision of the *Apocephalus pergandei*-group of ant-decapitating flies (Diptera: Phoridae) . *Contributions in Science (Los Angeles)*, no. 496: 1-58.
59. Brown, B. V. 2005. Revision of the *Melaloncha* (M.) *furcata*-group of bee-killing flies (Diptera: Phoridae). *Insect Systematics and Evolution* 36: 241-58.
60. ———. 2001. Taxonomic revision of *Neodohrniphora*, subgenus *Eibesfeldtphora* (Diptera: Phoridae). *Insect Systematics and Evolution* 32, no. 4: 394-409.
61. ———. 1993. Taxonomy and preliminary phylogeny of the parasitic genus *Apocephalus*, subgenus *Mesophora* (Diptera: Phoridae) . *Systematic Entomology* 18, no. 3: 191-230.
62. Brown, J. W. 2003. An illustrated guide to the *Orthocomotis* Dognin (Tortricidae) of Costa Rica, with summaries of their spatial and temporal distribution . *Journal of the Lepidopterists' Society* 57, no. 4: 253-69.
63. ———. 2000. Revision of *Lobogenesis* Razowski and *Odonthalitus* Razowski (Lepidoptera:Tortricidae: Tortricinae), with comments on their monophyly. *Proceedings of the Entomological Society of Washington* 102, no. 1: 21-49.
64. Brown, L. M. 2000. Population genetic structure of understory birds in a fragmented tropical rainforest . Ph.D.Dissertation. Cornell University.
65. Brown, L. M. , R. R. Ramey, B. Tamburini, and T. A. Gavin. 2004. Population structure and mitochondrial DNA variation in sedentary neotropical birds isolated by forest fragmentation . *Conservation Genetics* 5, no. 743-757.
66. Brüggemann, J. 1990. Incentives or restrictions for tropical forest conservation?. Ph.D. Dissertation. University of Sussex.

67. Buchmann, L., and C. E. Jones. 1980. Observations on the nesting biology of Melissodes persimilis Ckll.(Hymenoptera; Anthophoridae) . *The Pan-Pacific Entomologist* 56, no. 3: 200-206.
68. Bull, R. S. 2005. What's a prairie girl like you doing in a rainforest like this? [Las Cruces report]. *Tribal College Journal* 16, no. 4: 60-62.
69. Burbidge, B. 1998. Costa Rica. *Garden News*, no. July: 10-11.
70. Burger, W. C. 1971. Family #41 Piperaceae. *Flora Costaricensis. Fieldiana: Botany*. (ed.) W. C. Burger Vol. 35 . Chicago: Field Museum.
71. ———. 1990. Family #81 Hernandiaceae. In: *Flora Costaricensis. Fieldiana (Bot.) N.S.* (ed) W. C. Burger, 129-35. Vol. 23. Chicago: Field Museum.
72. Burger, W. C., and C. M. Taylor. 1993. Family #202 Rubiaceae. In: *Flora Costaricensis. Fieldiana (Bot.) N.S.* (ed) W. C. Burger, 1-333. Vol. 33. Chicago: Field Museum.
73. Burger, W. C., and H. van der Werff. 1990. Family #80 Lauraceae. In: *Flora Costaricensis. Fieldiana (Bot.) N.S.* (ed) W. C. Burger, 1-129. Vol. 23. Chicago: Field Museum.
74. Calonge, F. D., M. Mata, and J. Carranza-Velázquez. 2005. Contribución al catálogo de los Gasteromycetes (Basidiomycotina, Fungi) de Costa Rica. *Anales Del Jardín Botánico De Madrid* 62, no. 1: 23-45.
75. Cardelús, C. L., and R. L. Chazdon. 2005. Inner-crown microenvironments of two emergent tree species in a lowland wet forest. *Biotropica* 37, no. 2: 238-44.
76. Carranza Velázquez, J. 1993. Pore fungi of Costa Rica. III . *Mycotaxon* 48: 45-57.
77. Carvalho, J. C. M, and L. A. A Costa. 1994. The genus Fulvius from the Americas (Hemiptera: Miridae) . *Anales Del Instituto De Biología. Serie Zoología* 65, no. 1: 63-135.
78. Casari, S. A. 1999. Three new species of Chalcolepis Candèze 1857 (Col.: Elateridae: Agrypninae:Hemirhipini) . *Annales de la Société Entomologique de France* 35, no. 2: 203-15.
79. Cassola, F. 1997. Studies on tiger beetles. XC. Revision of the neotropical genus Pseudoxycheila Guérin, 1839 (Coleoptera, Cicindelidae). *Fragmenta Entomologica* 29, no. 1: 1-121.
80. Castillo-Centeno, V. E. 1986. Factores ecológicos y de mercado de la reproducción de Rhinoclemmys pulcherrima y Kinosternon scorpioides (Testudines: Emydidae y Kinosternidae) en Costa Rica . Tesis de Licenciatura. Universidad de Costa Rica.

81. Castillo-Ugalde, M. 2005. Caracterización y valoración de la comunidad herbácea en los bosques secundarios de la Región Huetar Norte de Costa Rica. *Kurú: Revista Forestal* 2, no. 4: afiche.
82. Castro Jiménez, A., and A. Solano Obando. 1995. El Jardín Botánico Robert y Catherine Wilson como polo de atracción para el desarrollo turístico en la zona de San Vito. Tesis de Bachillerato. Universidad Panamericana.
83. Castro L., J. 1977. Evaluación agroeconómica del cultivo del cafeto en Coto Brus. Tesis de Licenciatura. Universidad de Costa Rica.
84. Caterino, M. S. 1999. Taxonomy and phylogeny of the Hister servus group (Coleoptera: Histeridae): a Neotropical radiation . *Systematic Entomology* 24, no. 351-376.
85. Chaboo, C. S. 2002. First report of immatures, genitalia and maternal care in Eugenysa columbiana (Boheman) (Coleoptera: Chrysomelidae: Cassidinae: Eugenysini) . *The Coleopterists Bulletin* 56, no. 1: 50-67.
86. Chacón Gamboa, I. A. 1993. Historia natural de Morpho theseus aquarius Butler (Lepidoptera: Nymphalidae: Morphinae) en Costa Rica. *Brenesia* 39-40: 185-87.
87. Chandler, D. S. 1992. Catalogue of the short-winged mould beetles of Panama (Coleoptera: Pselaphidae). In: *Insects of Panama and Mesoamerica*. (eds) D. Quintero, and A. Aiello, 345-55. Oxford Univ. Press.
88. Chaves, E., E. González Jiménez, and J. Rodríguez. 1991. Fruta dorada (Virola koschnyi Warb), una especie promisorio para la reforestación en el bosque húmedo y muy húmedo tropical. *Brenesia* 34: 41-50.
89. Chazdon, R. L., and R. K. Colwell. 1990. The Organization for Tropical Studies. In: *1990 Science Year.*, 172-85. Chicago: World Book.
90. Chazdon, R. L., A. Redondo-Brenes, and B. Vilchez-Alvarado. 2005. Effects of climate and stand age on annual tree dynamics in tropical second-growth rain forests. *Ecology* 86, no. 7: 1808-15.
91. Chuprine, A., and M. Guevara. 1989. Reflexiones en torno a la participación de las comunidades indígenas en un proyecto de desarrollo integral. *Revista de Ciencias Sociales (UCR)* 45/46: 33-55.
92. Clark, W. E. 1994. The Anthonomus gibbicrus species group (Coleoptera: Curculionidae). *Proceedings of the Entomological Society of Washington* 96, no. 2: 193-98.

93. Clarke, J. F. G. 1971. Neotropical Microlepidoptera XIX: Notes on new species of Oecophoridae (Lepidoptera) . *Smithsonian Contributions to Zoology* 95: 1-39.
94. Clement, R. M. 1999. 3000 Years of human-vegetation interaction near the Las Cruces Biological Station in Southwestern Costa Rica: paleoecological evidence from Laguna Zoncho. M.Sc. Thesis. University of Tennessee.
95. Clement, R. M., and S. P. Horn. 2001. Pre-Columbian land-use history in Costa Rica: a 3000-year record of forest clearance, agriculture and fires from Laguna Zoncho. *The Holocene* 11, no. 4: 419-26.
96. Corona, E. M., and B. V. Brown. 2005. The Central American species of Diplonevra Lioy (Diptera: Phoridae). *Zootaxa* , no. 1050: 21-38.
97. Corrales-Mayorga, J. F. 2003. Revision of the Natada fusca complex and description of six new Neotropical species (Lepidoptera: Limacodidae) . *Revista de Biología Tropical* 51, no. 2: 445-62.
98. Corrales Mayorga, J. F., and M. E. Epstein. 1997. Revisión de Venadicodia costarricense, con descripciones de dos nuevas especies y localidades para V. ruthea (Lepidoptera: Limacodidae). *Revista de Biología Tropical* 45, no. 3: 1093-105.
99. Cory, C. S. 1994. The effects of plant neighborhoods on the reproduction of a hummingbird pollinated Costa Rican native plant, Columnnea raymondii Morton (Gesneriaceae). Ph.D. Dissertation. University of California.
100. Crawford, A. J. 2000. The evolution and maintenance of a color pattern polymorphism in neotropical frogs. Ph.D. Dissertation. University of Chicago.
101. ———. 2003. Huge populations and old species of Costa Rican and Panamanian dirt frogs inferred from mitochondrial and nuclear gene sequences. *Molecular Ecology*.
102. Crawford, A. J., and E. N. Smith. 2005. Cenozoic biogeography and evolution in direct-developing frogs of Central America (Leptodactylidae: Eleutherodactylus) as inferred from a phylogenetic analysis of nuclear and mitochondrial genes. *Molecular Phylogenetics and Evolution* 35, no. 3: 536-55.
103. Croat, T. B. 2004. Revision of Dieffenbachia (Araceae) of Mexico, Central America, and the West Indies. *Annals of the Missouri Botanical Garden* 91, no. 4: 668-772.
104. ———. 1981. A revision of Syngonium (Araceae). *Annals of the Missouri Botanical Garden* 68: 565-651.

105. Croat, T. B. 1983. A revision of the genus Anthurium (Araceae) of Mexico and Central America. Part I: Mexico and Middle America. *Annals of the Missouri Botanical Garden* 70: 211-420.
106. Croat, T. B. 1976. Studies in Araceae I. Section Leptanthurium Schott: the Anthurium gracile-friedrichsthali complex of Central and South America. *Selbyana* 1: 357-64.
107. Croat, T. B., and R. Baker. 1979. The genus Anthurium (Araceae). *Brenesia* 16 (Supl. 1): 1-174.
108. Crow, G. E. 1992. The genus Utricularia (Lentibulariaceae) in Costa Rica. *Brenesia* 38: 1-18.
109. Daily, G. C., G. Ceballos, J. Pacheco, G. Suzan, and G. A. Sánchez-Azofeifa. 2003. Countryside biogeography of neotropical mammals: Conservation opportunities in agricultural landscapes of Costa Rica . *Conservation Biology* 17, no. 6: 1814-26.
110. Daily, G. C., and P. R. Ehrlich. 1994. Butterflies used as a rapid assessment tool. *Amigos Newsletter*, no. 40: 12-14.
111. ———. 1994. Influence of social status on individual foraging and community structure in a bird guild. *Oecologia* 100, no. 1/2: 153-65.
112. ———. 1996. Nocturnality and species survival. *Proc. Natl. Acad. Sci. USA* 93, no. Oct: 11709-12.
113. ———. 1995. Preservation of biodiversity in small rainforest patches: rapid evaluations using butterfly trapping. *Biodiversity and Conservation* 4, no. 1: 35-55.
114. Daily, G. C., P. R. Ehrlich, and G. A. Sánchez Azofeifa. 2001. Countryside biogeography: use of human-dominated habitats by the avifauna of southern Costa Rica. *Ecological Applications* 11, no. 1: 1-13.
115. Daniels, G. S., and F. G. Stiles. 1979. The Heliconia taxa of Costa Rica, keys and descriptions. *Brenesia* 15 (Supl. 1): 1-149.
116. Davidse, G. , and R. W. Pohl. 1978. Chromosome numbers of tropical American grasses (Gramineae): 5. *Annals of the Missouri Botanical Garden* 65, no. 2: 637-49.
117. Delvare, G., and J. LaSalle. 1993. A new genus of Tetrastichinae (Hymenoptera: Eulophidae) from the neotropical region, with the description of a new species parasitic on key pests of oil palm. *Journal of Natural History* 27: 435-44.

118. Descamps, M., and C. H. F. Rowell. 1978. Acridiens des clairières de Costa Rica: diagnoses, signalisations, notes biologiques, polymorphisme (Acridomorpha, Acrididae). *Annales de la Société Entomologique de France* 14, no. 3: 351-67.
119. ———. 1984. Diagnoses d'Acridoidea des forests de Costa Rica. *Annales de la Société Entomologique de France* 20, no. 2: 143-61.
120. DeVries, P. J. 1990. Attraction of pyrrolizidine alkaloid seeking Lepidoptera to Epidendrum paniculatum orchids. *Biotropica* 22, no. 3: 290-297.
121. DeVries, P. J. 1987. *The Butterflies of Costa Rica and Their Natural History: Papilionidae, Pieridae, Nymphalidae*. Princeton Univ. Press.
122. ———. 1997. *The butterflies of Costa Rica and their natural history. Vol.II. Riodinidae*. Princeton: Princeton University Press.
123. ———. 1983. Checklist of butterflies. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 654-78. Univ. Chicago Press.
124. ———. 1979. Occurrence of fly maggots in adult Morpho theseus females (Morphinae) from Costa Rica. *Brenesia* 16: 223.
125. DeVries, P. J., and B. C. Cabral. 2004. The early stages of Apodemia paucipuncta (Riodinidae): myrmecophily, a new caterpillar ant-organ and consequences for classification . *Milwaukee Public Museum Contributions in Biology and Geology*, no. 102.
126. DeVries, P. J., I. A. Chacón Gamboa, and D. Murray. 1992. Toward a better understanding of host use and biodiversity in riodinid butterflies (Lepidoptera). *Journal of Research on the Lepidoptera* 31, no. 1-2: 103-26.
127. Diller, E., and K. Schoenitzer. 1997. Eine neue Gattung und Art der Subtribus Dicaelodontina aus Mittelamerika: Hintelmannia elisabethae (Insecta: Hymenoptera: Ichneumonidae: Ichneumoninae: Phaeogenini) [A new genus and species of the subtribe Dicaelodontina from Middle America: Hintelmannia elisabethae (Insecta: Hymenoptera: Ichneumonidae: Ichneumoninae: Phaeogenini)] . *Spixiana* 20, no. 3: 317-22.
128. Dillon, P. M., S. Lowrie, and D. McKey. 1983. Disarming the 'Evil Woman': petiole construction by a sphingilid larva circumvents mechanical defenses of its host plant, Cnidoscolus urens (Euphorbiaceae). *Biotropica* 15: 112-16.
129. Disney, R. H. L., and D. H. Kistner. 1998. New species and new records of myrmecophilous Phoridae (Diptera). *Sociobiology* 31, no. 3: 291-349.
130. Dolph, G. E. 1979. Variation in leaf margin with respect to climate in Costa Rica. *Bulletin of the Torrey Botanical Club* 106, no. 2: 104-9.

131. Dolph, G. E., and D. L. Dilcher. 1980. Variation in leaf size with respect to climate in Costa Rica. *Biotropica* 12, no. 2: 91-99.
132. Dortort, F. 1981. Aroids in Costa Rican gardens. *Aroideana* 4, no. 1: 3-19.
133. ———. 1982. Garden in the jungle [Las Cruces Tropical Botanical Garden, Costa Rica]. *Pacific Horticulture* 43, no. 3: 43-46.
134. Dressler, R. L. 1978. New species of Euglossa from Mexico and Central America. *Revista de Biología Tropical* 26: 167-85.
135. ———. 1968. Observation on orchids and euglossine bees in Panama and Costa Rica. *Revista de Biología Tropical* 15, no. 1: 143-83.
136. Dressler, S. 1996. Two new species in Marcgravia (Macgraviaceae) from Central and adjacent South America. *Novon* 6, no. 3: 256-61.
137. Duellman, W. E. 1988. Patterns of species diversity in anuran amphibians in the American tropics. *Annals of the Missouri Botanical Garden* 75: 79-104.
138. Dunn, R. R. , and T. S. Romdal. 2005. Mean latitudinal range sizes of bird assemblages in six Neotropical forest chronosequences . *Global Ecology and Biogeography* 14, no. 4: 359-66.
139. Durkee, L. H. 1986. Family #200 Acanthaceae. In: *Flora Costarricensis. Fieldiana (Botany n.s.)*. (ed) W. C. Burger, 1-87. Vol. 18.
140. Eberhard, W. G. 1989. Use of host aggregations as mating sites by Chrysagria alticophaga (Diptera: Sarcophagidae). *Psyche* 96, no. 1/2: 45-47.
141. Edmonds, W. D. 2000. Revision of the Neotropical dung beetle genus Sulcophanaeus (Coleoptera: Scarabaeidae: Scarabaeinae). *Folia Heyrovskyana* 6: 1-60.
142. Ehrlich, P. R. 1994. A Costa Rican Paradise. *Birder's World* 8: 62-64.
143. Ehrlich, P. R., H. R. Sparrow, T. D. Sisk, and G. C. Daily. 1994. Notes on butterfly distributions in southern Costa Rica (Lepidoptera: Papilionoidea). *Tropical Lepidoptera* 5, no. 1: 21-23.
144. Emmel, T. C. 1972. Mate selection and balanced polymorphism in the Nymphalid butterfly, Anartia fatima. *Evolution* 26, no. 1: 96-107.
145. Endrödy-Younga, S. 1998. Acalyptomerus Crowson: the circumtropical genus of the family Clambidae (Coleoptera: Clambidae). *Koleopterologische Rundschau* 68: 199-203.

146. Epstein, M. E., and J. F. Corrales-Mayorga. 2004. Twenty-five new species of Costa Rican Limacodidae (Lepidoptera: Zygaenoidea). *Zootaxa* 701: 1-86.
147. Erwin, T. L. 1994. Arboreal beetles tropical forests: the Xystosomi group, subtribe Xystosomina (Coleoptera:Carabidae:Bembidiini). Part I. Character analysis, taxonomy, and distribution. *Canadian Entomologist* 126, no. May-June: 549-666.
148. Espinoza, B., and J. M. González. 2005. Description of a new species of Imara Houlbert, 1918 (Lepidoptera: Castniidae). *Zootaxa* , no. 849: 1-8.
149. Eya, B. K., and J. A. Chemsak. 2003. Review of the genus Amphelictus Bates, part 1. (Coleoptera, Cerambycidae). *Cahiers Magellanes* 21: 1-24.
150. ———. 2005. Review of the genus Coleoxestia Aurivillius of Mexico and Central America, Part II. (continued) (Coleoptera, Cerambycidae). *Les Cahiers Magellanes*, no. 45: 1-17.
151. Faden, R. B. 2001. A new species of Tradescantia (Commelinaceae) from Costa Rica . *Novon* 11, no. 1: 31-35.
152. Fauth, J. E., B. I. Crother, and J. B. Slowinski. 1989. Elevational patterns of species richness, evenness, and abundance of the Costa Rican leaf-litter herpetofauna. *Biotropica* 21, no. 2: 178-85.
153. Fernández-C., F., and W. P. Mackay. 2003. The myrmicine ants of the Adelomyrmex laevigatus species complex (Hymenoptera: Formicidae). *Sociobiology* 41, no. 3: 593-604.
154. Fernández, F. A., and S. M. Huhndorf. 2005. New species of Chaetosphaeria, Melanopsammella and Tainosphaeria gen. nov. from the Americas. *Fungal Diversity* 18: 15-57.
155. Ferraro, L. I., R. Lücking, and E. Serusiaux. 2001. A world monograph of the lichen genus Gyalectidium (Gomphillaceae). *Botanical Journal of the Linnean Society* 137, no. 3: 311-45.
156. Ferrufino-Acosta, L., and J. Gómez Laurito. 2004. Estudio morfológico de Smilax L. (Smilacaceae) en Costa Rica, con implicaciones sistemáticas. *Lankesteriana* 4, no. 1: 5-36.
157. Fierros-López, H. E. 2005. Revisión del Género Scaphidium Olivier, 1790 (Coleoptera: Staphylinidae) de México y Centroamérica. *Dugesiana* 12, no. 2: 1-152.

158. Finley, D. S. 1999. Patterns of calcium oxalate crystals in young tropical leaves: a possible role as an anti-herbivory defense. *Revista de Biología Tropical* 47, no. 1-2: 27-31.
159. Fish, D. 1977. An aquatic spittle bug (Homoptera: Cercopidae) from a Heliconia flower bract in southern Costa Rica. *Entomological News* 88: 10-13.
160. Fisk, F. W., and C. Schal. 1981. Notes on new species of epilamprine cockroaches from Costa Rica and Panama (Blattaria: Blaberidae). *Proceedings of the Entomological Society of Washington* 83, no. 4: 694-706.
161. Fitch, H. S. 1975. Sympatry and interrelationships in Costa Rica anoles. *Occasional Paper Mus. Nat. Hist. Univ. Kansas* 40: 1-60.
162. Fitch, H. S., A. F. Echelle, and A. A. Echelle. 1976. Field observations on rare or little known mainland anoles. *University of Kansas Science Bulletin* 51, no. 3: 91-128.
163. Flair, M. N. 1995. Biodiversity and ecology. *Mushroom the Journal* 49, no. 13: 9-17.
164. Flint, O. S. 1992. A review of the genus Chloronia in Costa Rica, with the description of two new species (Neuroptera: Megaloptera:Corydalidae). *Proceedings of the Biological Society of Washington* 105, no. 4: 801-9.
165. ———. 1998. Studies of neotropical caddisflies, LIII: A taxonomic revision of the subgenus Curgia of the genus Chimarra (Trichoptera: Philopotamidae). *Smithsonian Contributions to Zoology* 594: 1-131.
166. Flint, O. S., and D. G. Denning. 1989. Studies of neotropical caddisflies, XL: new species of Smicridea (Smicridea) from Middle America and the West Indies (Trichoptera: Hydropsychidae). *Proceedings of the Biological Society of Washington* 102, no. 2: 418-33.
167. ———. 1989. Studies of neotropical caddisflies, XLI: New species and records of Austrotinodes (Trichoptera: Psychomyiidae). *The Pan-Pacific Entomologist* 65, no. 2: 108-22.
168. Flowers, R. W. 2001. Seed feeding by a multispecies swarm of flea beetles (Coleoptera: Chrysomelidae: Galerucinae: Alticini). *Proceedings of the Entomological Society of Washington* 103, no. 1: 257-59.
169. Fogden, M., and P. Fogden. 2001. *Vida silvestre de los parques nacionales y reservas de Costa Rica*. San José: Fundación Neotrópica.
170. Forero, E. 1987. 80,000 plants in South America: the case for creating more botanic gardens. In: (eds) D. Bramwell, O. Hamann, V. H. Heywood, and H. Syngé, 227-37. London: Academic Press.

171. Fotheringham, J. R. 1995. Differences in singing behavior between rofous-collared sparrows in Costa Rica and Northwestern Argentina. *The Condor* 97: 821-26.
172. Frances, A. 2003. A study of guaymí and tico homegardens in Southern Costa Rica. M.Sc.Thesis. Florida International University.
173. Franz, N. M. 2001. Description and phylogeny of Staminodeus, a new genus of Derelomini (Coleoptera: Curculionidae) associated with Cyclanthaceae. *The Coleopterists Bulletin* 55, no. 4: 411-32.
174. ———. 2003. Systematics of Cyclanthura gen.n., a new genus of Derelomini (Coleoptera: Curculionidae). *Insect Systematics and Evolution* 34: 2-46.
175. Franz, N. M., and C. W. O'Brien. 2001. Revision and phylogeny of Perelleschus (Coleoptera: Curculionidae) with notes on its association with Carludovica (Cyclanthaceae). *Transactions of the American Entomological Society* 127, no. 2: 255-87.
176. Franz, N. M., and R. M. Valente. 2005. Evolutionary trends in derelomine flower weevils (Coleoptera: Curculionidae): from associations to homology . *Invertebrate Systematics* 19: 499-530.
177. Fregeau, L. A. 1991. Perspectives of rural Costa Rican women on nonformal development education: an ethnographic case study of Coto Brus, Costa Rica. Ph.D. Dissertation. Pennsylvania State Univ.
178. Frieders, E. M. 1997. An integrated approach to understanding the moss parasites and their role in Basidiomycete evolution. Ph.D. Dissertation. University of Minnesota .
179. Frieders, E. M., and D. J. McLaughlin. 2001. The heterobasidiomycete moss parasites Jola and Eocronartium in culture: cytology, ultrastructure, and anamorph . *Mycological Research* 105, no. 6: 734-44.
180. Galileo, M. H M., and U. R. Martins de Souza. 2005. Novos táxons de Hemilophini (Coleoptera, Cerambycidae, Lamiinae) sem carenas nos élitros da Região Neotropical . *Revista Brasileira De Entomologia* 49, no. 1: 63-68.
181. García, J. M., and R. A Zahawi. 2006. Predation by a Blue-crowned Motmot (Momotus momota) on a Hummingbird. *The Wilson Journal of Ornithology* 118, no. 2: 261-63.
182. García París, M., and D. B. Wake. 2000. Molecular phylogenetic analysis of relationships of the tropical salamander genera Oedipina and Nototriton, with descriptions of a new genus and three new species. *Copeia* 1: 42-70.

183. Gardner, A. L., R. K. LaVal, and D. E. Wilson. 1970. The distributional status of some Costa Rican bats. *Journal of Mammalogy* 51, no. 4: 712-28.
184. Gaston, K. J., I. D. Gauld, and P. E. Hanson. 1996. The size and composition of the hymenopteran fauna of Costa Rica. *Journal of Biogeography* 23: 105-13.
185. Gauld, I. D. . 1991. The Ichneumonidae of Costa Rica. 1: Introduction, keys to subfamilies, and keys to the species of the lower pimpliform subfamilies Rhyssinae, Pimplinae, Poemeniinae, Acaenitiinae and Cyllocerinae. *Memoirs of the American Entomological Institute*, no. 47: 1-589.
186. Gauld, I. D., R. Sithole, J. Ugalde Gómez, and C. Godoy Cabrera. 2002. The Ichneumonidae of Costa Rica, 4: Introduction and keys to species of the subfamilies Metopiinae; Banchinae (Atrophini, Banchini, Glyptini). *Memoirs of the American Entomological Institute*, no. 66: 1-768.
187. Gauld, I. D., D. Wahl, K. Bradshaw, P. Hanson-Snortum , and S. Ward. 1997. The Ichneumonidae of Costa Rica. 2: Introduction and keys to species of the smaller subfamilies, Anomalinae, Ctenopelmatinae, Diplazontinae, Lycorininae, Phrudinae, Tryphoninae (excluding Netelia) and Xoridinae, with an appendix on the Rhyssinae . *Memoirs of the American Entomological Institute* , no. 57: 1-485.
188. Gauld, I. D., S. Ward, and V. Mallet. 2000. The Ichneumonidae of Costa Rica. 3: Introduction and keys to species of the subfamilies Brachycyrtinae, Cremastinae, Labeninae, and Oxytorinae, and with an appendix on the Anomaloninae . *Memoirs of the American Entomological Institute*, no. 63: 1-453.
189. Genereux, D. P., M. T. Jordan, and D. Carbonell. 2005. A paired-watershed budget study to quantify interbasin groundwater flow in a lowland rain forest, Costa Rica. *Water Resources Research* 41, no. 4.
190. Génier, F., and H. F. Howden. 1999. Two new Central American Onthophagus Latreille of the mirabilis species group (Coleoptera: Scarabaeidae, Scarabaeinae). *The Coleopterists Bulletin* 53, no. 2: 130-144.
191. Génier, F., and B. Kohlmann. 2003. Revision of the neotropical dung beetle genera Scatimus Erichson and Scatrichus gen. nov. (Coleoptera: Scarabaeidae, Scarabaeinae). *Faberies* 28, no. 2: 57-111.
192. Getty, R. M., and F. A. Coyle. 1996. Observations on prey capture and anti-predator behaviors of ogre-faced spiders (Deinopis) in Southern Costa Rica (Araneae, Deinopidae). *Journal of Arachnology* 24: 93-100.
193. Gliessman, S. R. 1983. Allelopathic interactions in crop-weed mixtures: applications for weed management. *Journal of Chemical Ecology* 9: 991-99.

194. Gliessman, S. R. 1988. Local resource use systems in the tropics: taking pressure off the forests. In: *Tropical Rainforests: Diversity and Conservation*. (eds) F. Almeda, and C. M. Pringle, 53-70. San Francisco: California Academy Press and Pacific Div. AAAS.
195. Gnaspini, P., and S. B. Peck. 1996. The Adelopsis of Costa Rica and Panama (Coleoptera, Leiodidae, Cholevinae, Ptomaphagini). *Papéis Avulsos De Zoologia (BR)* 39, no. 22: 405-41.
196. Goehring, D. M., G. C. Daily, and C. H. Sekercioglu. 2002. Distribution of ground-dwelling arthropods in tropical countryside habitats. *Journal of Insect Conservation* 6: 83-91.
197. González Jiménez, E., and G. Quirós H. 1992. Notas sobre la viabilidad de semillas de Terminalia amazonia (J.F. Gmel) excell. *Brenesia* 37: 137-39.
198. González Ball, R. 2000. Lista preliminar de royas (Uredinales, Fungi) de Costa Rica, depositadas en los herbarios USJ y CR. *Brenesia* 53: 29-40.
199. Gradwohl, J., and R. Greenberg, (eds). 1988. *Saving the Tropical Forests*. London: Earthscan Publications.
200. Grant, J. R. 2000. New Mesoamerican species of Dichorisandra and Tradescantia sect. Mandonia (Commelinaceae) . *Novon* 10, no. 2: 117-23.
201. Grantham, M. 1990. Sister garden exchange strengthens tropical bond. *Botanical Garden Newsletter* 15: 1-3.
202. Grayum, M. H., and G. de Nevers. 1988. New and rare understory palms from the Península de Osa, Costa Rica, and adjacent regions. *Principes* 32, no. 3: 101-14.
203. Gunther, B. 1992. Chamaedorea minima. *Principes* 36: 39-40.
204. Gómez Pignataro, L. D. 1996. Basidiomicetes de Costa Rica: Xerocomus, Chalciporus, Pulveroboletus , Boletellus, Xanthoconium (Agaricales: Boletaceae). *Revista de Biología Tropical* 44, no. Supl. 4: 59-89.
205. ———. 1993. Birds as short-range seed dispersors of Zamia fairchildiana in SW Costa Rica. *Revista de Biología Tropical* 41, no. 3: 905-6.
206. ———. 1982. Contribuciones a la pteridología costarricense. VIII. El género Paltonium. *Revista de Biología Tropical* 21: 282-85.
207. ———. 1983. Cyatheaceae and Dicksoniaceae (Rabos de Mico, Tree Ferns). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 225-28. Univ. Chicago Press.

208. ———. 1994. El desarrollo sostenible visto desde un jardín costarricense. In: *Desarrollo Sostenible: la visión desde los países menos industrializados. Documentos Cátedra Franklin Chang*. (ed) J. Monge N., 59-61. San José: EUNED.
209. ———. 1988. Horticulture in Costa Rica. *Heliconia Society International Bulletin* 3: 8-9.
210. ———. 1992. Los Basidiomicetes de Costa Rica. IV. Revisión del género Strobilomyces Berk. (Agaricales, Boletaceae). *Brenesia* 38: 95-103.
211. ———. 1988. Tropical botanic gardens and arboreta in conservation. *Botanical Garden Newsletter* 13: 4-5.
212. ———. 1994. Una nueva especie neotropical de Termitomyces Helm (Agaricales: Termitomycetaceae). *Revista de Biología Tropical* 42, no. 3: 439-41.
213. ———. 1986. *Vegetación de Costa Rica*. San José: EUNED.
214. ———. 1995. Weinmannia spp. (Cunoniaceae): Fitoquímica básica. *Revista de Biología Tropical* 43, no. 1-3: -.
215. Gómez Pignataro, L. D., and R. M. Alfaro. 1996. Basidiomicetes de Costa Rica. De Russulae novae. *Revista de Biología Tropical* 44, no. Supl. 4: 25-37.
216. Gómez Pignataro, L. D., and J. C. Godoy. 1995. Middle America. In: *Centers of Plant Diversity: A guide and strategy for their conservation*. (eds) V. H. Heywood, S. D. Davis, and O. MacBride. Vol. 3. The Americas. Washington, DC: WWF for Nature & I.U.C.N.
217. Gómez Pignataro, L. D., and L. Kisimova-Horovitz. 1997. Basidiomicetos de Costa Rica: Exobasidiales, Cryptobasidiales. Notas históricas, taxonómicas y fitogeográficas. *Revista de Biología Tropical* 45, no. 4: 1293-310.
218. Gómez Pignataro, L. D., and L. Kisimova Horovitz. 2001. A new species of Septobasidium from Costa Rica. *Mycotaxon* 80: 255-59.
219. Haber, W. A. 1983. Checklist of Sphingidae. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 645-50. Univ. Chicago Press.
220. Haber, W. A. 1978. Evolutionary ecology of tropical mimetic butterflies (Lepidoptera: Ithomiinae). Ph.D. Dissertation. University of Minnesota.
221. Haber, W. A. 1983. Solanum siparunoides (Tomatillo araña; Spider wild tomato). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 326-28. Univ. Chicago Press.

222. Haberyan, K. A., and S. P. Horn. 2005. Diatom paleoecology of Laguna Zoncho, Costa Rica. *Journal of Paleolimnology* 33, no. 3: 361-69.
223. Halling, R. E., and G. M. Mueller. 1999. A new species and a new record for the genus Xerula (Agaricales) from Costa Rica. *Mycotaxon* 71: 105-10.
224. Hamilton, C. W. 1989. A revision of Mesoamerican Psychotria subgenus Psychotria (Rubiaceae, Part II: species 17-47). *Annals of the Missouri Botanical Garden* 76, no. 2: 386-429.
225. Hamilton, J. M. 1990. *Entangling alliances: how the third world shapes our lives*. Washington, DC: Seven Locks.
226. Hammel, B. E. 1986. Cyclanthaceae. In: *The vascular flora of La Selva Biological Station. Selbyana*. (ed) R. L. Wilbur, 196-202. Vol. 9.
227. Hammel, B. E. 1986. Elevation in Pleiostachya (Marantaceae). *Phytologia* 60: 16.
228. Hammel, B. E. 1986. Marantaceae. *The vascular flora of La Selva Biological Station. Selbyana*. (ed) R. L. Wilbur, 234-42. Vol. 9.
229. Hammel, B. E. 1999. Synopsis of Chrysochlamys (Clusiaceae: Clusioideae: Clusieae) in Mesoamerica. *Novon* 9, no. 3: 360-374.
230. Hammel, B. E. ed. et al. 2003. Manual de plantas de Costa Rica: Gimnospermas y monocotiledóneas (Agavaceae-Musaceae) . *Monographs in Systematic Botany From the Missouri Botanical Garden* 92, no. 2: 1-694.
231. Hanson, P. E., and I. D. Gauld, (eds). 1995. *The Hymenoptera of Costa Rica*. New York: Oxford University Press.
232. Hansson, C. 2002. *Eulophidae of Costa Rica (Hymenoptera: Chalcidoidea), 1*. Gainesville, FL : The American Entomological Institute.
233. ———. 2004. *Eulophidae of Costa Rica (Hymenoptera: Chalcidoidea), 2* . Gainesville, FL : The American Entomological Institute.
234. Hansson, C., and J. LaSalle. 2003. Revision of the Neotropical species of the tribe Euderomphalini (Hymenoptera: Eulophidae). *Journal of Natural History* 37: 697-778.
235. Harris, S. C., and R. W. Holzenthal. 1994. Hydroptilidae (Trichoptera) of Costa Rica and the neotropics: systematics of the genus Byrsopteryx Flint (Stactobiini). *Journal of New York Entomological Society* 102, no. 2: 154-92.
236. Hartshorn, G. S. 1983. Plants. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 118-57. Univ. Chicago Press.

237. Hartshorn, G. S., and L. J. Poveda. 1983. Checklist of trees. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 158-83. Univ. Chicago Press.
238. Harvey, D. J. 1983. Actinote leucomelas (Mariposa, Actinote). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 679-80. Univ. Chicago Press.
239. Hayes, Marc P., and D. C. F. Rentz. 1986. Observations on the biology of the neotropical katydid Haemodiasma tesselata (Orthoptera: Tettigoniidae). *Entomological News* 97, no. 5: 222-24.
240. Hazlett, D. L. 1986. Ethnobotanical observations from Cabecar and Guayami settlements in Central America. *Economic Botany* 40, no. 3: 339-52.
241. Hedström, I., and G. Sahlén. 2001. A key to the adult Costa Rican helicopter damselflies (Odonata:Pseudostigmatidae) with notes on their phenology and life zone preferences. *Revista de Biología Tropical* 49, no. 3-4: 1037-56.
242. Heinemann, S. J., and J. N. Belkin. 1977. Collection records of the project 'Mosquitoes of Middle America.' 7. Costa Rica (CR). *Mosquito Systematics* 9, no. 2: 237-87.
243. Helms, J. A. 1971. Education and research in tropical forestry. *Journal of Forestry* 69: 414-17.
244. Henderson, A., and G. de Nevers. 1988. Prestoea (Palmae) in Central America. *Annals of the Missouri Botanical Garden* 75: 203-17.
245. Henderson, A., and G. Galeano. 1996. Euterpe, Prestoea, and Neonicholsonia (Palmae). New York: The New York Botanical Garden .
246. Henk, D. A. 2005. New species of Septobasidium from southern Costa Rica and the southeastern United States. *Mycologia* 97, no. 4: 908-13.
247. Hernández Ortiz, V. 1999. Revision of the Colombiana species group of the genus Hexachaeta Loew (Diptera: Tephritidae). *Proceedings of the Entomological Society of Washington* 101, no. 3: 631-39.
248. Herrera, W. 1985. *Clima de Costa Rica*. San José: EUNED.
249. Hespenheide, H. A. 2002. A review of North and Central American Paragrilus Saunders, 1871 (Coleoptera: Buprestidae: Agrilinae) . *Zootaxa* 43: 1-28.
250. Hewson, G. 1988. New grant supports Costa Rica connection. *Botanical Garden Newsletter, Univ. California, Berkeley* 13: 3.
251. Hewson, G., and D. F. Austin. 1994. Fairchild's Zamia. *Fairchild Tropical Garden, Garden News*, no. Summer: 13-14.

252. Hobbs, H. O. 1984. Palm adventures in Costa Rica. *Principes* 28: 127-31.
253. Hodel, D. R. 1990. Chamaedorea amabilis: an ornamental species from Central America. *Principes* 34, no. 1: 4-10.
254. ———. 1992. Chamaedorea palms: the species and their cultivation. Lawrence, Kans.: Allen Press.
255. ———. 1991. The cultivated species of Chamaedorea with cespitose habit and pinnate leaves. *Principes* 35, no. 4: 184-98.
256. ———. 1990. New species and notes on related taxa in Chamaedorea subgenus Stephanostachys. *Principes* 34, no. 4: 160-176.
257. ———. 1990. A new species and synopsis of a distinctive natural subgroup of Chamaedorea. *Principes* 34, no. 3: 108-19.
258. ———. 1991. New species of Chamaedorea from Central America. *Principes* 35, no. 2: 72-82.
259. ———. 1996. Two new species of Chamaedorea from Costa Rica. *Principes* 40, no. 4: 212-16.
260. Hodel, D. R., and M. P. Binder. 1996. From inches to yards: Costa Rica's simple-leaved palms and more. *Principes* 40, no. 4: 184-93.
261. Hodel, D. R., and N. W. Uhl. 1990. New species of Chamaedorea from Costa Rica and Panama. *Principes* 34, no. 3: 120-133.
262. Hodel, D. R., and N. W. Uhl. 1990. Two new species of Chamaedorea from Mexico. *Principes* 34, no. 2: 58-63.
263. Hodge, W. H. 1981. Finca Las Cruces, a Costa Rican Garden. *Principes* 25: 47-53.
264. Hoebek, E. R. 1993. A new species of Aleodorus (Coleoptera: Staphylinidae) from Costa Rica, and generic reassignment of Falagria costaricensis to Aleodorus. *Entomological News* 104, no. 2: 61-67.
265. Hoffman, K. M., M. Meinander, V. J. Monserrat, N. D. Penny, and L. A. Stange. 2002. A guide to the lacewings (Neuroptera) of Costa Rica. *Proceedings of the California Academy of Sciences* 53, no. 12: 161-457.
266. Hogue, C. L. 1979. The family Blephariceridae in Costa Rica (Diptera). *Contributions in Science (Los Angeles)* 311: 1-22.
267. Hogue, C. L. 1993. *Latin American insects and entomology*. Berkeley: University of California.

268. Hogue, C. L. 1973. A taxonomic review of the genus Maruina (Diptera: Psychodidae). *Natural History Museum of Los Angeles County, Science Bulletin* 17: 1-69.
269. Hogue, C. L., and G. B. Fairchild. 1974. A revised checklist of the Tabanidae (Diptera) of Costa Rica. *Revista de Biología Tropical* 22, no. 1: 11-27.
270. Holmgren, N. H. 1978. Castilleja (Scrophulariaceae) of Costa Rica and Panama . *Brittonia* 30, no. 2: 182-94.
271. Holzenthal, R. W. 1988. Studies in neotropical Leptoceridae (Trichoptera), VIII: the genera Atanatolica Mosely and Grumichelia Müller (Triplectidinae: Grumichellini). *Transactions of the American Entomological Society* 114: 71-128.
272. Holzenthal, R. W., and T. Andersen. 2004. The caddisfly genus Triaenodes in the Neotropics (Trichoptera: Leptoceridae). *Zootaxa*, no. 511: 1-80.
273. Holzenthal, R. W., and O. S. Flint. 1995. Studies of neotropical caddisflies, LI: systematics of the neotropical caddisfly genus Contulma (Trichoptera: Anomalopsychidae). *Smithsonian Contributions to Zoology*, no. 75: 1-59.
274. Horn, H. S. 1971. The adaptive geometry of trees. In: *Monographs in Population Biology*. (ed) R. H. MacArthur Princeton Univ. Press, New Jersey.
275. Horner-Devine, M. C. 2004. Patterns of diversity and community composition . Ph.D. Dissertation. Stanford University.
276. Horner-Devine, M. C., G. C. Daily, P. R. Ehrlich, and C. L. Boggs. 2003. Countryside biogeography of tropical butterflies. *Conservation Biology* 17, no. 1: 168-77.
277. Howden, H. F. 2003. Two new genera of New World Rhyparini (Coleoptera: Scarabaeidae: Aphodiinae). *Sociobiology* 42, no. 2: 391-402.
278. Howden, H. F., and B. D. Gill. 2003. The Mexican and Central American species of Astaenomoechus (Coleoptera, Scarabaeidae, Ceratocanthinae). *Sociobiology* 42, no. 2: 201-42.
279. ———. 1987. New species and new records of Panamanian and Costa Rican Scarabaeinae (Coleoptera: Scarabaeidae). *Coleopterists Bulletin* 4, no. 3: 201-24.
280. ———. 1984. Two new species of Nepathyreus Howden and Martínez from Costa Rica with distribution notes on other Athyreini from Mexico and Central America. *Canadian Entomology* 116: 1637-41.

281. Howell, D. J. 1983. Glosophaga soricina (Murciélago lengualarga, Nectar bat). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 472-74. Univ. Chicago Press.
282. Howell, D. J., and D. Burch. 1973. Food habits of some Costa Rican bats. *Revista de Biología Tropical* 21, no. 2: 281-94.
283. Hsiao, Sh-Ch., J. Mauseth, and L. D. Gómez Pignataro. 1993. Growth and anatomy of the vegetative body of the parasitic angiosperm Helosis cayennensis (Balanophoraceae). *Bulletin of Torrey Botanical Club* 120: 295-309.
284. ———. 1993. Growth and anatomy of the vegetative body of the parasitic angiosperm Langsdorffia hypogea (Balanophoraceae). *Bulletin of Torrey Botanical Club* 121: 24-39.
285. Huber, B. A. 1998. Notes on the neotropical spider genus Modisimus (Pholcidae: Araneae), with descriptions of thirteen new species from Costa Rica and neighboring countries. *The Journal of Arachnology* 26, no. 1: 19-60.
286. Huber, B. A. 1997. The pholcid spiders of Costa Rica (Araneae: Pholcidae) . *Revista de Biología Tropical* 45, no. 4: 1583-634.
287. Huber, R. L., and D. W. Brzoska. 2000. A new species of Oxycheila Dejean from Costa Rica and Panama (Coleoptera: Cicindelidae) . *Cicindela* 32, no. 1/2: 1-8.
288. Hughes, J. B., G. C. Daily, and P. R. Ehrlich. 2002. Conservation of tropical forest birds in countryside habitats . *Ecology Letters* 5, no. 1: 121-29.
289. Hughes, J. B., G. C. Daily, and P. R. Ehrlich. 1998. Use of fruit bait traps for monitoring of butterflies (Lepidoptera:Nymphalidae). *Revista de Biología Tropical* 46, no. 3: 697-704.
290. Huhndorf, S. M., and F. A. Fernández. 2005. Teleomorph-anamorph connections: Chaetosphaeria raiborskii and related species, and their Craspedodidymum like anamorphs. *Fungal Diversity* 19: 19-49.
291. Husband, R. W. 1995. A new species of Eutarsopolipus (Acari: Podapolipidae) from Costa Rican Pasimachus spp. (Coleoptera: Carabidae). *Entomol. Mitt. Zool. Mus. Hamburg* 11, no. 151: 157-65.
292. Imhof, S. 1997. Root anatomy and mycotrophy of the achlorophyllous Voyria tenella Hook. (Gentianaceae). *Botanica Acta* 110: 298-305.
293. Imhof, S. 1994. Zur Biologie von Voyria truncata (Standley) Standley & Steyermark und Voyria tenella Hooker (Gentianaceae). [M.Sc. Thesis]. Universität Marburg.

294. Imhof, S., and H. Chr. Weber. 1997. Root anatomy and mycotrophy (AM) of the Achlorophyllous Voyria truncata (Standley) Standley & Steyermark (Gentianaceae). *Botanica Acta* 110, no. 2: 127-34.
295. Irmiler, U. 2000. Lectotype designation of Lispinus granadensis Fauvel, 1865 and Lispinus insularis Chevrolat & Fauvel 1863 with description and distribution of the related species (Coleoptera: Staphylinidae: Osoriinae). *Bulletin De L'Institut Royal Des Sciences Naturelles De Belgique. Entomologie* 70: 81-88.
296. ———. 2003. Taxonomy and distribution of the Neotropical species of the genera Tannea Blackwelder, 1952 and Nacaeus Blackwelder, 1942 with remarks on the genus Lispinus (Coleoptera: Staphylinidae). *Bulletin De L'Institut Royal Des Sciences Naturelles De Belgique. Entomologie* 73: 85-134.
297. Isman, M. B. 1979. Cardenolide content of hygaeid bugs on Asclepias curassavica in Costa Rica. *Biotropica* 11, no. 1: 78-79.
298. IUCN Threatened Plants Monitoring Unit. 1988. Costa Rica: a plant conservation overview. *IUCN Conservation Monitoring Centre*.
299. Jacobson, H. R., and D. H. Kistner. 1991. Cladistic study, taxonomic restructuring, and revision of the myrmecophilous tribe Leptanillophilini with comments on its evolution and host relationships (Coleoptera: Staphylinidae; Hymenoptera: Formicidae). *Sociobiology* 18, no. 1: 1-150.
300. Jago, N. D. 1980. A new species Phaeoparia phrygana (Acridoidea, Romaleidae, Phaeopariini) of Costa Rica and Panama with discussion of its generic position in the Phaeopariini. *Acrida* 9, no. 4: 217-26.
301. Jago, N. D., and C. H. F. Rowell. 1981. Rhachicreagra (Acrididae, Ommatolampinae): forest grasshoppers from Central America with unique aedeagal assymetry. *Systematic Entomology*, no. 6: 179-219.
302. Jantzi, T. L. 1995. Factors influencing forest patch conservation and conservation orientations among small landholders in Costa Rica. M.Sc. Thesis. Cornell University.
303. Janzen, D. H., (ed). 1983. *Costa Rican Natural History*. Univ. Chicago Press.
304. Janzen, D. H. 1976. The depression of reptile biomass by large herbivores. *American Naturalist* 110, no. 973: 371-400.
305. ———. 1971. The ecological significance of an arboreal nest of Bombus pullatus in Costa Rica. *Journal of Kansas Entomol. Soc.* 44, no. 2: 210-216.

306. ———. 1982. Guía para la identificación de mariposas nocturnas de la familia Saturniidae del Parque Nacional Santa Rosa, Guanacaste, Costa Rica. *Brenesia* 19/20: 255-81.
307. ———. 1983. Insects. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 619-45. Univ. Chicago Press.
308. ———. 1968. Notes on nesting and foraging behavior of Megalopta (Hymenoptera: Halictidae) in Costa Rica. *Journal of Kansas Entomol. Soc.* 41: 342-50.
309. ———. 1983. Pelidnota punctulata (Comecornizuelo, Ant-Acacia Beetle). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 753-54. Univ. Chicago Press.
310. Janzen, D. H. 1973. Sweep samples of tropical foliage insects: description of study sites, with data on species abundances and sex distributions. *Ecology* 54, no. 3: 659-64.
311. ———. 1973. Sweep samples of tropical foliage insects: effects of seasons, vegetation types, elevation, time of day, and insularity. *Ecology* 54, no. 3: 687-700.
312. Jiménez Madrigal, Q., and S. Knapp. 2000. A new species of Heisteria (Olacaceae) from Mesoamerica. *Bulletin of the Natural History Museum* 30, no. 1: 1-5.
313. Jin, V. L., L. T. West, B. L. Haines, and C. J. Peterson. 2000. Pretention in tropical pre-montane soils across forest-pasture interfaces. *Soil Science* 165, no. 11: 881-88.
314. Jirón, L. F., and I. Hedström. 1988. Occurrence of fruit flies of the genera Anastrepha and Ceratitis (Diptera: Tephritidae), and their host plant availability in Costa Rica. *Florida Entomologist* 71: 62-73.
315. Jones, C. E., and P. V. Rich. 1972. Ornithophily and extrafloral color patterns in Columnea florida Morton (Gesneriaceae). *Bulletin of Southern California Acad. Sci.* 71, no. 3: 113-16.
316. Jones, F. A., C. J. Peterson, and B. L. Haines. 2003. Seed predation in neotropical pre-montane pastures: site, distance, and species effects. *Biotropica* 35, no. 2: 219-25.
317. Jones, T. H., P. J. DeVries, and P. Escoubas. 1991. Chemistry of venom alkaloids in the ant Megalomyrmex foreli (Myrmicinae) from Costa Rica. *Journal of Chemical Ecology* 17, no. 12: 2507-18.
318. Jordal, B. H. 1998. New species of Scolytodes (Coleoptera: Scolytidae) from Costa Rica and Panama. *Revista de Biología Tropical* 46, no. 2.

319. Jordal, B. H. 1998. A review of Scolytodes Ferrari (Coleoptera: Scolytidae) associated with Cecropia (Cecropiaceae) in the northern neotropics. *Journal of Natural History* 32: 31-84.
320. Jordal, B. H., and L. R. Kirkendall. 1998. Ecological relationships of a guild of tropical beetles breeding in Cecropia petioles in Costa Rica. *Journal of Tropical Ecology* 14: 153-76.
321. Judd, W. S., R. W. Sanders, and M. J. Donoghue. 1994. Angiosperm family pairs: preliminary phylogenetic analyses. *Harvard Papers in Botany*, no. 5, January: 1-51.
322. Jungfer, K.-H. 1996. Reproduction and parental care of the coronated treefrog, Anotheca spinosa (Steindachner, 1864) (Anura:Hylidae). *Herpetologica* 52, no. 1: 25-32.
323. Kalb, K., and J. A. Elix. 1998. The chemistry of some species of Buellia sensu lato (Lecanorales, Lichenized Ascomycotina). *Mycotaxon* 68: 465-82.
324. Kameneva, E. P. 2003. New records of picture-winged flies (Diptera: Ulidiidae) of Central America, including the description of new taxa. *Studia Dipterologica* 10, no. 2: 609-52.
325. Kappelle, M., and L. D. Gómez Pignataro. 1992. Distribution and diversity of montane pteridophytes. *Brenesia* 37: 67-77.
326. Karr, J. R., M. F. Willson, and D. J. Moriarty. 1978. Weights of some Central American birds. *Brenesia* 14/15: 249-57.
327. Kaspari, M., and S. O'Donnell. 2003. High rates of army ant raids in the neotropics and implications for ant colony and community structure. *Evolutionary Ecology Research* 5: 933-39.
328. Kay, K. M., P. A. Reeves, G. O. Olmstead, and D. W. Schemske. 2005. Rapid speciation and the evolution of hummingbird pollination in neotropical Costus subgenus Costus (Costaceae): evidence from nrDNA ITS and ETS sequences. *American Journal of Botany* 92, no. 11.
329. Kennedy, H. 1983. Calathea insignis (Hoja Negra, Hoja de Sal, Bijagua, Rattlesnake Plant). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 204-6. Univ. Chicago Press.
330. Kennedy, H. 1977. New species of Calathea from Panama and Costa Rica. *Botaniska Notiser* 129, no. 4: 349-57.
331. Kennedy, H. 1997. New species of Calathea (Marantaceae) endemic to Costa Rica. *Canadian Journal of Botany* 75: 1356-62.

332. ———. 1973. Notes on Central American Marantaceae I. New species and records from Panamá and Costa Rica. *Annals of the Missouri Botanical Garden* 60, no. 2: 413-26.
333. ———. 1978. Systematics and pollination of the 'closed-flowered' species of Calathea (Marantaceae). *University of California Publications in Botany* 71: 1-90.
334. Kettler, J. S. 1995. A sustainable strategy for fragile lands: fallow enrichment of a traditional slash-mulch system in Coto Brus, Costa Rica. Ph.D. Dissertation. University of Georgia.
335. Kimsey, L. S. 1993. New neotropical amisegine wasps (Hymenoptera: Chrysididae). *The Pan-Pacific Entomologist* 69, no. 3: 205-12.
336. ———. 1982. Systematics of bees of the genus Eufriesea (Hymenoptera, Apidae). *University of California Publications in Entomology* 95, no. 1-125.
337. Kimsey, L. S., and R. L. Dressler. 1986. Synonymic species list of Euglossini. *The Pan-Pacific Entomologist* 62, no. 3: 229-36.
338. Kimsey, L. S., and M. S. Wasbauer. 2004. Revision of New World species of the cleptoparasitic pompilid genus Irenangelus Schulz (Hymenoptera: Pompilidae). *Journal of the Kansas Entomological Society* 77, no. 4: 650-668.
339. Kisimova-Horovitz, L., and F. Oberwinkler. 1997. Basidiomicetos resupinados de Costa Rica: Litschauerella, Subulicystidium y Tubulicium (Corticaceae s.l.). *Revista de Biología Tropical* 45, no. 4: 1311-24.
340. Kisimova-Horovitz, L., F. Oberwinkler, and L. D. Gómez-Pignataro. 2000. Basidiomicetos resupinados de Costa Rica. Especies nuevas o raras de Atractiellales (Auriculariales s.l.), Exidiaceae, Sirobasidiaceae y Tremellaceae. *Revista de Biología Tropical* 48, no. 2/3: 539-54.
341. Kisimova-Horovitz, L., F. Oberwinkler, and L. D. Gómez Pignataro. 2000. Basidiomicetos resupinados de Costa Rica. Myxariaceae s. Jülich, Sebacinaceae Wells & Oberw., y Tremellodendropsidaceae Jülich. *Revista de Biología Tropical* 48, no. 2/3 : 519-38.
342. Kohlmann, B., and A. Solís Blanco. 2001. El género Onthophagus (Coleoptera: Scarabaeidae) en Costa Rica. *Giornale Italiano di Entomologia* 9: 159-261.
343. Kosztarab, M. 1979. Observations on the spittlebug, Tomaspis insignita Fowler (Homoptera: Cercopidae). *Florida Entomologist* 62, no. 4: 396-401.
344. Kress, S. W. 1978. *A checklist of the birds of Costa Rica*. Ithaca, N.Y: Cornell Laboratory of Ornithology.

345. Kress, W. J. 1983. Crossability barriers in neotropical Heliconia. *Annals of Botany* 52: 131-47.
346. Kress, W. J. 1986. Exineless pollen structure and pollination systems of tropical Heliconia (Heliconiaceae). In: *Pollen and Spores: Form and Function*. (eds) S. Blackmore, and I. K. Ferguson, 329-45. London: Linnean Soc.
347. Kress, W. J. 1981. New Central Americana taxa of Heliconia (Heliconiaceae). *Journal of the Arnold Arboretum* 62: 243-60.
348. ———. 1982. A new species of Heliconia (Heliconiaceae) from Costa Rica. *Brenesia* 19/20: 201-8.
349. Kress, W. J. 1985. Pollination and reproductive biology of Heliconia (Heliconiaceae). In: *The Botany and Natural History of Panama*. (eds) W. G. D'Arcy, and M. D. Correa, 267-71. St. Louis: Missouri Bot. Gard.
350. ———. 1981. Reproductive biology and systematics of Central American Heliconia (Heliconiaceae). Ph.D. Dissertation. Duke University.
351. Kress, W. J. 1983. Self-compatibility systems in Central American Heliconia. *Evolution* 37, no. 4: 735-44.
352. ———. 1984. Systematics of Central American Heliconia (Heliconiaceae) with pendent inflorescences. *Journal of Arnold Arbor.* 65, no. 4: 429-532.
353. Kress, W. J., and D. E. Stone. 1983. Morphology and phylogenetic significance of exineless pollen of Heliconia (Heliconiaceae). *Systematic Botany* 8, no. 2: 149-67.
354. Kriebel, R. , and A. Rodríguez. 2005. Revisión del género Dichapetalum (Dichapetalaceae) en Costa Rica. *Lankesteriana* 5, no. 2: 121-36.
355. Krings, A. 1999. An annotated preliminary checklist of the dicotyledonous lianas and vines from the Las Cruces Biological Station, Costa Rica. *SIDA; Contributions to Botany* 18, no. 4: 1247-58.
356. Krings, A. 1997. An illustrated guide to the Tendrillate lianas and vines from the mountains of Costa Rica. M.Sc. Thesis. North Carolina State University.
357. Krings, A. 2002. A new species of Gonolobus (Apocynaceae: Asclepiadeae, Gonolobinae) from southern Costa Rica . *SIDA Contributions to Botany* 20 , no. 1: 105-8.
358. Krings, A., and R. R Braham. 2004. *Guide to tendrillate climbers of Costa Rican mountains* . Ames, IA: Blackwell Publishing.

359. Krombein, K. V., and H. E. Evans. 1976. Three new neotropical Pterombrus with description of the diapausing larva (Hymenoptera: Tiphidae) . *Proceedings of the Entomological Society of Washington* 78, no. 3: 361-68.
360. Kuijt, J., and D. Mulder. 1985. Mistletoes parasitic on orchids. *American Orchid Society Bulletin* 54: 976-79.
361. Lane, C. S. , S. P. Horn, and C. I. Mora. 2004. Stable carbon isotope ratios in lake and swamp sediments as a proxy for prehistoric forest clearance and crop cultivation in the Neotropics. *Journal of Paleolimnology* 32, no. 4: 375-81.
362. Lattke, J. E. 1995. Revision of the ant genus Gnamptogenys in the New World (Hymenoptera:Formicidae). *Journal of Hymenoptera Research* 4: 137-93.
363. Laurent-Sanabria, R. 1992. Interacción sistema natural-asentamiento humano: en caso de Coto Brus. Tesis de Licenciatura. Universidad de Costa Rica.
364. Le Corff, J., J. Lgren, and D. W. Schemske. 1998. Floral display, pollinator discrimination, and female reproductive success in two monoecious Begonia species. *Ecology* 79, no. 5: 1610-1619.
365. Leclercq, J. 2002. Hyménoptères Crabronides Crabroniens des Amériques du genre Rhopalum Stephens, 1829. *Notes Fauniques De Gembloux* 48: 3-115.
366. Leger, D. W. 2005. First documentation of combinatorial song syntax in a suboscine Passerine species. *The Condor* 107: 765-74.
367. Leger, D. W., and D. J. Mountjoy. 2003. Geographic variation in song of the bright-rumped attila (Tyrannidae: Attila spadiceus): Implications for species status . *The Auk* 120, no. 1: 69-74.
368. Leier, R. D. 1991. Perspectives on the educational programs and policies underlying natural resources development in the canton of Coto Brus: a case study of a rural Costa Rican community. Ph. D. Dissertation . Pennsylvania State University.
369. Lellinger, D. B. 1985. Nomenclatural and taxonomic notes on the Pteridophytes of Costa Rica, Panama and Colombia, II. *Proceedings of the Entomological Society of Washington* 98, no. 2: 366-90.
370. Levi, H. W. 1991. The Neotropical orb-weaver genera Edricus and Wagneriana (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* 152, no. 6: 363-415.
371. ———. 1989. The Neotropical orb weaver genera Epeiroides, Bertrana and Amazonpeira (Araneae: Araneidae). *Psyche* 96, no. 1-2: 75-99.

372. Levi, H. W. 2005. The orb-weaver genus Mangora of Mexico, Central America, and the West Indies (Araneae: Araneidae). *Bulletin of the Museum of Comparative Zoology* 158, no. 4: 139-81.
373. ———. 1985. The spiny orb-weaver genera Micrathena and Chaetacis (Araneae: Araneidae) . *Bulletin of the Museum of Comparative Zoology* 150, no. 8: 429-618.
374. Lichtwardt, R. W. 1994. Trichomycete fungi living in the guts of Costa Rican phytotelm larvae and other lentic dipterans. *Revista de Biología Tropical* 42, no. 1-2: 31-48.
375. Lindblad, P. 1985. The cyanobacterium-Zamia symbiosis. *New Phytologist* 101: 707-16.
376. Lindell, C. A., W. H. Chomentowski, and J. R. Zook. 2004. Characteristics of bird species using forest and agricultural land covers in southern Costa Rica. *Biodiversity and Conservation* 13, no. 13: 2419-41.
377. Lindell, C. A., T. A. Gavin, R. D. Price, and A. L. Sanders. 2002. Chewing louse distributions on two neotropical thrush species. *Comparative Parasitology* 69, no. 2: 212-17.
378. Lips, K. R. 1995. The population biology of Hyla calypsa, a stream-breeding tree frog from lower Central America. Ph.D. Dissertation. University of Miami.
379. Lips, K. R. 2001. Reproductive trade-offs and bet-hedging in Hyla calypsa, a neotropical treefrog. *Oecologia* 128, no. 4: 509-18.
380. Lips, K. R., F. Brem, R. Brenes, J. D. Reeve, R. A. Alford, J. Voyles, C. Carey, L. Livo, A. P. Pessier, and J. P. Collins. 2006. Emerging infectious disease and the loss of biodiversity in a neotropical amphibian community. *Proceedings of the National Academy of Sciences of the United States of America* 103, no. 9: 3165-70.
381. Lips, K. R., D. E. Green, and R. Papendick. 2003. Chytridiomycosis in wild frogs from Southern Costa Rica . *Journal of Herpetology* 37, no. 1: 215-18.
382. Lobo-Cabezas, S. 2004. Tipos de orquídeas brenesianas descritas por R. Schlechter, en el Herbario Nacional de Costa Rica / (Museo Nacional de Costa Rica. *Lankesteriana* 4, no. 1: 37-45.
383. Longino, J. T. 2006. A taxonomic review of the genus Myrmelachista (Hymenoptera: Formicidae) in Costa Rica. *Zootaxa*, no. 1141: 1-54.

384. Longino, J. T., and R. R. Snelling. 2002. A taxonomic revision of the Procryptocerus (Hymenoptera: Formiciade) of Central America. *Contributions in Science. Natural History Museum of Los Angeles County*, no. 495: 1-30.
385. Loomis, H. F. 1974. Millipeds from southern Costa Rican highlands . *The Florida Entomologist* 57, no. 2: 169-87.
386. Lovelock, C. E., and J. J. Ewel. 2005. Links between tree species, symbiotic fungal diversity and ecosystem functioning in simplified tropical ecosystems. *New Phytologist*: 1-10.
387. Luck, G. W. , and G. C. Daily. 2003. Tropical countryside bird assemblages: Richness, composition, and foraging differ by landscape context . *Ecological Applications* 13, no. 1: 235-47.
388. Lücking, R. 1999. Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The family Asterothyriaceae and the genus Chroodiscus (Thelotremataceae), with a phylogenetic analysis. *Cryptogamie-Mycologie* 20, no. 3: 193-224.
389. ———. 1998. Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus Trichothelium (lichenized Ascomycetes: Trichotheliaceae). *Nova Hedwigia* 66, no. 3-4: 375-417.
390. ———. 1992. *Follicolous lichens: a contribution to the knowledge of the lichen flora of Costa Rica, Central America*. Berlin: J. Cramer.
391. ———. 1995. Lista preliminar de líquenes foliícolas de las principales áreas protegidas de Costa Rica. *Brenesia* 43-44: 39-46.
392. ———. 1991. Neue Arten foliikoler Flechten aus Costa Rica, Zentralamerika. *Nova Hedwigia* 52, no. 3-4: 267-304.
393. Luer, C. A. 1979. Icones pleurothallidarum (Orchidaceae): miscellaneous new species in the Pleurothallidinae. *Selbyana* 5, no. 2: 145-96.
394. Lugo Ortiz, C. R., and W. P. McCafferty. 1993. Genera of Baetidae (Ephemeroptera) from Central America. *Entomological News* 104, no. 4: 1193-197.
395. ———. 1995. New species, stage description, and records of Baetodes (Ephemeroptera: Baetidae) from Mexico and Central America . *Entomological News* 106, no. 2: 81-86.
396. Luteyn, J. L. 1983. *Ericaceae. Part I. Cavendishia*. Flora Neotropica. Monograph 35. New York: New York Botanical Garden.

397. Lücking, R, and A. Bernecker-Lücking. 2005. Drip-tips do not impair the development of epiphyllous rain-forest lichen communities. *Journal of Tropical Ecology* 21, no. 2: 171-77.
398. MacDougal, J. M. 1983. Revision of Passiflora L. section Pseudodysosmia (Harms) killip emend. J.MacDougal, the hooked trichome group (Passifloraceae) . Ph.D. Dissertation. Duke University.
399. ———. 1994. Revision of Passiflora subgenus Decaloba section Pseudodysosmia (Passifloraceae). *Systematic Botany Monographs* 41: 1-146.
400. Madison, M. 1977. A revision of Monstera (Araceae). *Contributions of the Gray Herbarium* 207: 3-100.
401. Maes, J. M. 2002. El género Cantharolethrus Thomson (Coleoptera: Lucanidae) en Centroamérica. *Dugesiana* 9, no. 2: 1-6.
402. Manger, W. F. 1992. Colonization on the southern frontier of Costa Rica: a historical-cultural landscape. M.Sc. Thesis. Memphis State University.
403. Mares, M. A., and D. E. Wilson. 1971. Bat reproduction during the Costa Rican dry season. *BioScience* 21, no. 2: 471-77.
404. Masing, U. 1964. Foreign agricultural colonists in Costa Rica: an analysis of foreign colonization in a tropical environment. Ph.D. Dissertation. University of Florida.
405. Masner, L. 1976. A revision of the Ismarinae of the Wew World (Hymenoptera: Proctotrupoidae: Diapriidae) . *The Canadian Entomologist* 108, no. 11: 1243-66.
406. Mason, C. R. 1976. Cape May warblers in Middle America. *The Auk* 93, no. 1: 167-69.
407. Mata-Greenwood, J. L., R. E. Halling, K. W. Hughes, and R. H. Petersen. 2004. Rhodocollybia in neotropical montane forests . *Mycological Progress* 3, no. 4: 337-51.
408. Mata, J. L. 2002. Taxonomy and systematics of Lentinula, Gymnopus, and Rhodocollybia (Agaricales, Fungi) with emphasis on oak forests of Southern Costa Rica. Ph.D. Dissertation. University of Tennessee.
409. Mathias, M. E. 1977. Costa Rica: a horticultural experience. *Pacific Horticulture* (Summer): 27-31.
410. May, M. L. 1976. Physiological color change in New World damselflies (Zygoptera). *Odonatologica* 5: 165-71.

411. Mayfield, M. M. 2005. Of forests and farms: Species and functional diversity patterns of herbaceous and shrubby plant communities in neotropical countryside landscapes (Costa Rica). Ph.D. Dissertation. Stanford University.
412. Mayfield, M. M., D. Ackerly, and G. C. Daily. 2006. The diversity and conservation of plant reproductive and dispersal functional traits in human-dominated tropical landscapes. *Journal of Ecology* 94, no. 3: 522-36.
413. Mayfield, M. M., M. E. Boni, G. C. Daily, and D. Ackerly . 2005. Species and functional diversity of native and human-dominated plant communities. *Ecology* 86, no. 9: 2365-72.
414. Mayfield, M. M, and G. C. Daily. 2005. Countryside biogeography of neotropical herbaceous and shrubby plants. *Ecological Applications* 15, no. 2: 423-39.
415. McCormick, K. 1992. Rain Forest Reserve. *Garden Design*: 14-16.
416. McDade, L. A. 1985. Breeding systems of Central American Aphelandra (Acanthaceae). *American Journal of Botany* 72, no. 10: 1515-21.
417. McDade, L. A. 1984. Systematics and reproductive biology of the Aphelandra pulcherrima complex (Acanthaceae) in Central America. *Annals of the Missouri Botanical Garden* 71: 104-65.
418. ———. 1980. Systematics and reproductive biology of the Central American species of the Aphelandra pulcherrima complex (Acanthaceae). Ph. D. Dissertation. Duke University.
419. ———. 1982. Three new species of Aphelandra (Acanthaceae) from Central America. *Annals of the Missouri Botanical Garden* 69: 402-11.
420. McDade, L. A., S. E. Masta, M. L. Moody, and E. Waters. 2000. Phylogenetic relationships among Acanthaceae: evidence from two genomes. *Systematic Botany* 25, no. 1: 106-21.
421. McDade, L. A., and J. A. Weeks. 2004. Nectar in hummingbird-pollinated neotropical plants I: patterns of production and variability in 12 species . *Biotropica* 36, no. 2: 196-215.
422. Mehlen, R. H. 1969. Tardigrada: taxonomy and distribution in Costa Rica. *Transactions of the American Microscopical Society* 88, no. 4: 498-505.
423. Merchán-Fornelino, M., and J. M. Mora-Benavides. 2002. La serpiente terciopelo en Costa Rica (parte II): problemática de ofidismo. *Reptilia (Barcelona)* 31: 57-61.

424. Meyer, E. 1996. Ökologie und Biogeographie des zentralamerikanischen Pfeilgiftfrösches Dendrobates granuliferus Taylor: unter Berücksichtigung morphologischer, populationsbiologischer, akustischer und ethologischer Gesichtspunkte. [Ph.D. Dissertation]. Universität Ulm.
425. Mickel, J. T. 1967. An advanced course in pteridophyte biology in Costa Rica. *American Fern Journal* 57, no. 4: 145-61.
426. ———. 1992. New species of the fern genus Elaphoglossum from Mesoamerica. *Novon* 2, no. 4: 368-82.
427. Millman, J. A. 1987. Coffee, Cops and Chorizo. Why Coto Brus said, 'No'. *Inst. Current World Affairs*, no. JAM-5: 1-12.
428. Mintken, J., and B. Gunther. 1991. The Wilson Botanical Garden. *Principes* 35, no. 3: 124-26.
429. Miyamoto, M. M. 1983. Biochemical variation in the frog Eleutherodactylus bransfordii: geographic patterns and cryptic species. *Systematic Zoology* 32, no. 1: 43-51.
430. Miyamoto, M. M. 1982. Cladistic studies of Costa Rican frogs, genus Eleutherodactylus: phylogenetic relationships based on multiple character sets . Ph.D. Dissertation. University of Southern California.
431. Miyamoto, M. M. 1983. Frogs of the Eleutherodactylus rugulosus group: a cladistic study of allozyme, morphological, and karyological data. *Systematic Zoology* 32, no. 2: 109-24.
432. Mockford, E. L. 1996. Character analysis of the Western Hemisphere genera of family Manicapsocidae (Psocoptera): genus Epitroctes reinstated with descriptions of four new species . *Insecta Mundi* 10, no. 1/4 : 169-80.
433. Monserrat, V. J. 1996. Revisión del género Hemerobius de Latinoamérica (Neuroptera, Hemerobiidae). *Fragmenta Entomologica* 27, no. 2: 399-523.
434. Moore, H. E. 1971. The genus Synecanthus (Palmae). *Principes* 15: 10-19.
435. Mora-Benavides, J. M., and M. Merchán-Fornelino. 2002. La serpiente terciopelo en Costa Rica (parte I): descripción y distribución. *Reptilia (Barcelona)* 31: 57-61.
436. Morales, J. F. 2005. Studies in the neotropical Apocynaceae XIX: the family Apocynaceae (Rauvolfioideae, Apocynoideae) in Costa Rica. *Darwiniana* 43, no. 1/4: 90-191.
437. Morales Z., M. I. 1991. Las hepáticas comunicadas para Costa Rica. *Tropical Bryology* 4: 25-57.

438. Moran, R. C. 1987. Monograph of the neotropical fern genus Polybotrya (Dryopteridaceae). *Bulletin of Illinois Nat. Hist. Surv.* 34: 1-138.
439. Moran, R. C., S. Klimas, and M. Carlsen. 2003. Low-trunk epiphytic ferns on tree ferns versus angiosperms in Costa Rica. *Biotropica* 35, no. 1: 48-56.
440. Morris, E. F. 1972. Costa Rican Hyphomycetes. *Mycologia* 64, no. 4: 887-96.
441. Morrone, J. J., and P. I. Cuevas. 2002. Cladistics of the pantropical genus Rhinostomus (Coleoptera: Curculionoidea: Dryophthoridae), with nomenclatural notes. *Journal of the New York Entomological Society* 119, no. 3/4: 376-88.
442. Morrow, E. H. 2000. Giant sperm in a Neotropical moth Xenosoma geometrina (Lepidoptera: Arctiidae) . *European Journal of Entomology* 97, no. 2: 281-83.
443. Morón Ríos, M. A. 2003. Revision of the Phyllophaga s.s. schizorhina species group (Coleoptera: Melolonthidae: Melolonthinae). *The Canadian Entomologist* 135, no. 1: 213-302.
444. ———. 2001. Revision of the rugipennis group of Phyllophaga (sensu stricto) (Coleoptera: Melolonthidae) . *Annals of the Entomological Society of America* 94, no. 6: 771-808.
445. Morón-Ríos, M. A., and E. G. Riley. 2005. Four new species of Phyllophaga from Mexico and Central America (Coleoptera: Scarabaeidae: Melolonthinae). *The Coleopterists Bulletin* 59, no. 3: 391-99.
446. Mound, L. A. 1991. Secondary sexual character variation in male Actinothrips species (Insecta:Thysanoptera), and its probable significance in fighting behaviour . *Journal of Natural History* 25, no. 4: 933-43.
447. Mouré, J. S. 1969. The Central American species of Euglossa subgenus Glossura Cockerell, 1917 (Hymenoptera, Apidae). *Revista de Biología Tropical* 15, no. 2: 227-47.
448. Mourguiart, Philippe, and Marie-Pierre Ledru. 2003. Last Glacial Maximum in an Andean cloud forest environment (Eastern Cordillera, Bolivia). *Geology* 31, no. 3: 195-98.
449. Muñoz Quesada, F. 1999. El género Leptonema (Trichoptera: Hydropsychidae) en Costa Rica, con la descripción de una nueva especie. *Revista de Biología Tropical* 47, no. 4: 959-1006.
450. Nagorsen, D., and J. R. Tamsitt. 1981. Systematics of Anoura cultrata, A. brevirostrum, and A. werckleae. *Journal of Mammalogy* 62, no. 1: 82-100.

451. Naskrecki, P. 2000. *Katydids of Costa Rica. Volume 1: Systematics and bioacoustics of the cone-head katydids (Orthoptera: Tettigoniidae: Conocephalinae sensu lato)*. Philadelphia, PA: The Orthopterists' Society.
452. Nichols, J. D. 1994. Terminalia amazona (Gmel.) Exell: development of native species for reforestation and agroforestry. *Commonwealth Forestry Review* 73: 9-13.
453. Nilsson Laurito, V., and G. Umaña Doderó. 1995. Colección tipo del Herbario Nacional de Costa Rica (C.R.). I. Liliatae. *Brenesia*, no. 43-44: 71-89.
454. Norrbom, A. L. 2002. A revision of the Anastrepha serpentina species group (Diptera: Tephritidae). *Proceedings of the Entomological Society of Washington* 104, no. 2: 390-436.
455. Noyes, J. S., and P. E. Hanson. 1996. Encyrtidae (Hymenoptera: Chalcidoidea) of Costa Rica: the genera and species associated with jumping plant-lice (Homoptera: Psylloidea). *Bulletin of the British Museum* 65, no. 2: 105-64.
456. Núñez, M. 1994. First records of Henningsia brasiliensis outside Brazil. *Mycologist* 8, no. 4: 175-76.
457. Olmi, M. 1993. Dryinidae di Costa Rica: catalogo e considerazioni biogeografiche ed evolutive. *Bollettino Della Società Entomologica Italiana* 124, no. 3: 186-200.
458. Opitz, W. 2005. Classification, natural history, and evolution of the genus Aphelocerus Kirsch (Coleoptera: Cleridae: Clerinae). *Bulletin of the American Museum of Natural History*, no. 293: 1-128.
459. Ospina-Torres, R. 1998. Revisión de la morfología genital masculina de Eulaema (Hymenoptera: Apidae). *Revista de Biología Tropical* 46, no. 3: 749-62.
460. Pacheco, L. , and R. C. Moran. 1999. Monograph of the neotropical species of Callipteris with anastomosing veins (Woodsiaceae). *Brittonia* 51, no. 4: 343-88.
461. Pakaluk, J. 1988. Review of the new world species of Pharaxonotha Reitter (Coleoptera: Languridae). *Revista de Biología Tropical* 36(2B): 447-51.
462. Palmer, M. K. 1983. Anthrax gideon (Mosca Abeja, Bee Fly). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 683-84. Univ. Chicago Press.
463. ———. 1982. Biology and behavior of two species of Anthrax (Diptera: Bombyliidae), parasitoid of the larvae of tiger beetles (Coleoptera: Cicindalidae). *Annals of the Entomological Society of America* 75: 61-70.

464. ———. 1976. An incidence of cannibalism in Pseudoxychila tarsalis Bates. *Cicindella* 8, no. 1: 6.
465. ———. 1976. Natural history and behavior of Pseudoxychila tarsalis Bates. *Cicindella* 8, no. 4: 61-92.
466. Palmer, M. K. 1977. Natural history and population dynamics of Pseudoxychila tarsalis Bates (Coleoptera: Cicindelidae). Ph.D. Dissertation. University of Michigan .
467. Palmer, M. K. 1976. Notes on the biology of Pterombrus piceus Krombein (Hymenoptera: Tiphidae). *Washington Entomology Society Proceedings* 78, no. 3: 369-75.
468. ———. 1983. Pseudoxychila tarsalis (Abejón tigre, Tiger beetle). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 765-66. Univ. Chicago Press.
469. ———. 1983. Pterombrus piceus (Avispa Escarabajo, Tiphiid Wasp, Beetle Wasp). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 766. Univ. Chicago Press.
470. Palmer, M. W. 2005. Distance decay in an old-growth neotropical forest. *Journal of Vegetation Science* 16, no. 2: 161-66.
471. Paschke, M. W. 1993. Distribution and dispersal of Frankia. Ph.D. Dissertation. University of Illinois.
472. Paschke, M. W., and J. O. Dawson. 1992. The occurrence of Frankia in tropical forest soils of Costa Rica. *Plant and Soil* 142, no. 1: 63-67.
473. Peck, S. B. 2003. Four new species of Ptomaphagus from Costa Rica and Panama (Coleoptera: Leiodidae; Cholevinae; Ptomaphagini). *The Coleopterists Bulletin* 57, no. 4: 405-12.
474. Peck, S. B., and J. Cook. 2003. Neotropical species of Dietta (Coleoptera: Leiodidae: Leiodinae: Estadiiini). *The Canadian Entomologist* 135: 775-810.
475. Pedro, S. R. M., and J. M. F. Camargo. 2003. Meliponini neotropicales: o gênero Partamona Schwarz, 1939 (Hymenoptera, Apidae). *Revista Brasileira De Entomologia* 47, no. Supl 1: 1-117.
476. Pegler, D. N., and L. D. Gómez Pignataro. 1994. An unusual member of the cage fungus family. *Mycologist* 8, Part 2, no. May: 54-59.
477. Penz, C. M., and P. J. DeVries. 1999. Preliminary assessment of the tribe Lemoniini (Lepidoptera: Riodinidae) based on adult morphology. *American Museum Novitates*, no. 3284: 1-32.

478. Penz, C. M. , and P. L. DeVries. 2001. A phylogenetic reassessment of Thisbe and Uraneis butterflies (Riodinidae, Nymphidiini). *Contributions in Science (Los Angeles)* , no. 485: 1-27.
479. Percival Jr., J. E. 1987. Paradise revisited: a San Diegan volunteer in Costa Rica. *Journal of Bromeliad Soc.* 36, no. 6: 261-63.
480. Perkins, P. D. 1997. Momentum and Ghiselinus, new neotropical genera of humicolous beetles with remarkable and divergent mouthparts (Coleoptera:Dryopidae). *Studies on Neotropical Fauna and Environment* 32: 100-117.
481. Perrone, M. , and D. R. Paulson. 1979. Incidence of distress calls in mist-netted birds. *Condor* 81 , no. 4: 423-24.
482. Peterson, C. J., and B. L. Haines. 2000. Early successional patterns and potential facilitation of woody plant colonization by rotting logs in premontane Costa Rican pastures. *Restoration Ecology* 8, no. 4: 361-69.
483. Pipoly, J. J. III., and J. M. Ricketson. 1998. A revision of the genus Ardisia subgenus Graphardisia (Myrsinaceae) . *SIDA; Contributions to Botany* 18, no. 2: 433-72.
484. Pitkin, L. M. 2005. Moths of the Neotropical genera Ischnopteris, Stegotheca and Rucana (Lepidoptera: Geometridae: Ennominae). *Systematics and Biodiversity* 3, no. 1: 13-96.
485. ———. 1993. Neotropical emerald moths of the genera Nemoria, Lissochlora and Chavarriella, with particular reference to the species of Costa Rica (Lepidoptera: Geometridae, Geometrinae). *Bulletin of the British Museum Natural History. Entomology Series* 62, no. 2: 39-159.
486. Platnick, N. I., and M. U. Shadab. 1979. A review of the spider genera Anapisona and Pseudanapis (Araneae, Anapidae). *American Museum Novitates*, no. 2672: 1-20.
487. Platnick, N. I., and M. U. Shadab. 1976. A revision of the spider genera Lygromma and Neozimiris (Araneae: Gnaphosidae. *American Museum Novitates* 2598: 1-23.
488. Pohl, R. W. 1980. Flora costaricensis. Family #15, Gramineae. *Fieldiana. Botany* , no. 4: 1-608.
489. Pohl, R. W., and G. Davidse. 1971. Chromosome numbers of Costa Rican grasses. *Brittonia* 23: 293-324.

490. Powers, J. S., K. K. Treseder, and M. T. Lerdau. 2005. Fine roots, arbuscular mycorrhizal hyphae and soil nutrients in four neotropical rain forests: patterns across large geographic distances. *The New Phytologist* 165, no. 3: 913-21.
491. Prather, A. L. 2004. Revision of the Neotropical caddisfly genus Banyallarga (Trichoptera: Calamoceratidae). *Zootaxa*, no. 435: 1-76.
492. ———. 2003. Revision of the Neotropical caddisfly genus Phylloicus (Trichoptera: Calamoceratidae). *Zootaxa*, no. 275.
493. Prena, J. 2005. The Middle American species of Embates Chevrolat (Coleoptera: Curculionidae: Baridinae). *Zootaxa* 1100: 1-151.
494. Prena, J. 2003. The Pardisomus species from Costa Rica, with descriptions of four new species and one larva (Coleoptera: Curculionidae: Baridinae). *Beiträge Zur Entomologie / Contributions to Entomology* 53, no. 1: 199-216.
495. ———. 2001. A revision of the neotropical weevil genus Pantoteles Schönherr (Coleoptera, Curculionidae, Baridinae). *Transactions of the American Entomological Society* 127, no. 3: 305-58.
496. Preston, S. B. 1969. The Organization for Tropical Studies and its forestry related programs. *Forest Products Journal* 19: 18-20, 62.
497. Price, R. D., R. A. Hellenthal, and R. C. Dalgleish. 2002. A review of Machaerilaemus (Phthiraptera: Amblycera: Menoponidae) from the Passeriformes (Aves), with the description of five new species. *American Midland Naturalist* 148, no. 1: 61-74.
498. Pupulin, F. 1997. Il gruppo Trichocentrum pfavii. The Trichocentrum pfavii group. *Caesiana* 8: 1-14.
499. Pupulin, F. 1995. A revision of the genus Trichocentrum (Orchidaceae: Oncidiinae). *Lindleyana* 10: 183-210.
500. Pupulin, F., and D. E. Mora Retana. 1994. A revision of the Costa Rican species of Trichocentrum (Orchidaceae). *Selbyana* 15, no. 2: 87-103.
501. Puthz, V. 2001. Neotropische arten der gattung Octavius Fauvel, 1873 (Coleoptera, Staphylinidae). 81st contribution to the knowledge of the Euaesthetinae. *Zeitschrift Der Arbeitsgemeinschaft Oesterreichischer Entomologen* 53, no. 1/2: 11-30.
502. Puthz, V. 2000. New species of the Stenus hostilis group, mainly from Mexico (Coleoptera: Staphylinidae) (265th contribution to the knowledge of Steninae). *Dugesiana* 7, no. 2: 9-26.

503. Raja, H. A. , A. Ferrer, and C. A. Shearer. 2005. Aliquandostipite crystallinus, a new ascomycete species from wood submerged in freshwater habitats. *Mycotaxon* 91: 207-15.
504. Rand, A. S. 1983. Physalaemus pustulosus (Rana, Sapito Túngara, Foam Toad, Mud-puddle Frog). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 412-15. Univ. Chicago Press.
505. Razowski, J. 1986. Catalogue of Saphenista Walsm. (Lepidoptera, Tortricidae) with description of new species. *Acta Zoologica Cracoviensia* 29, no. 17: 397-408.
506. ———. 1999. Description of a new genus and six Neotropical species of Cochylini (Lepidoptera: Tortricidae), with some faunistic and variation data . *Polskie Pismo Entomologiczne / Polish Journal of Entomology* 68, no. 1: 57-67.
507. Ree, R. H. 1997. Pollen flow, fecundity, and the adaptative significance pf heterostyly in Palicourea padifolia (Rubiaceae). *Biotropica* 29, no. 3: 298-308.
508. Reese, W. D. 1993. *Calymperaceae*. Flora Neotropica. Monograph 58. New York: The New York Botanical Garden.
509. Rentz, D. C. F. 1983. Orophus conspersus (Esperanza, Bush katydid). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 749-50. Univ. Chicago Press.
510. Retana, A., and L. A. Mound. 1994. Thrips of the Frankliniella minuta group (Insecta: Thysanoptera) in Costa Rican Asteraceae flowers. *Revista de Biología Tropical* 42, no. 3: 639-48.
511. Rhee, S. 2003. Assessing effectiveness of a field-trip based course in professional education: the AMISCONDE Costa Rica case study . *Journal of Sustainable Forestry* 16, no. 1/2: 191-208.
512. Richling, I. 2001. New species of Helicinidae from Costa Rica (Mollusca: Neritopsina) . *Schriften Zur Malakozoologie* 17: 1-8.
513. Ricketts, T. H. 2000. Distribution and dispersal of species in natural and human-dominated landscapes (Lepidoptera). Ph. D.Dissertation. Stanford University.
514. Ricketts, T. H., G. C. Daily, P. R. Ehrlich, and J. P. Fay. 2001. Countryside biogeography of moths in a fragmented landscape: biodiversity in native and agricultural habitats. *Conservation Biology*, no. 2: 378-88.
515. Rider, D. A. 1992. Revision of Arocera Spinola, with the description of two new species (Heteroptera: Pentatomidae). *Journal of New York Entomological Society* 100, no. 1: 99-136.

516. Risch, S., M. McClure, J. H. Vandermeer, and S. Waltz. 1977. Mutualism between three species of tropical Piper (Piperaceae) and their ant inhabitants. *American Midland Naturalist* 98, no. 2: 433-44.
517. Robbins, R. K., and M. Duarte. 2005. Two phylogenetically significant new Calycopis species (Lycaenidae: Theclinae: Eumaeini). *Journal of Research on the Lepidoptera* 38: 27-34.
518. Rodda, G. H., and K. Dean-Bradley. 2002. Excess density compensation of island herpetofaunal assemblages. *Journal of Biogeography* 29, no. 5-6: 623-32.
519. Rodríguez Herrera, B., and D. E. Wilson. 1999. *Lista y distribución de las especies de murciélagos de Costa Rica*. Washington, D.C.: Conservation International.
520. Rodríguez, N. 1991. El Jardín Botánico Robert y Catherine Wilson. *Talamanca*, no. 2: 6-7.
521. ———. 1992. Fila Pinar: una comunidad en busca del desarrollo renovable. *Talamanca*, no. 4: 9.
522. ———. 1990. Reserva de la Biosfera La Amistad. *Biocenosis* 7: 30-32.
523. ———. 1992. Talamanca 10 años: Reserva de la Biosfera La Amistad. *Talamanca*, no. 4: 6-7.
524. Rohwer, J. G. 1993. *Lauradeae: Nectandra*. Flora Neotropica. Monograph 60. New York: The New York Botanical Garden.
525. Rojas Alvarado, A. F. 2005. El complejo de Campyloneurum angustifolium (Sw.) Fée (Polypodiaceae) en Costa Rica. *Lankesteriana* 5, no. 1: 41-48.
526. Rojas-Alvarado, A. F. 2003. New taxa, new records and redefined concepts in the Elaphoglossum sect. Elaphoglossum subsec. Pachyglossa (Lomariopsidaceae) from Mexico and Central America. *Revista de Biología Tropical* 51, no. 1: 1-32.
527. Rojas Alvarado, A. F. 2005. Nuevos taxa de helechos arborescentes (Filicales: Cyatheaceae) en Costa Rica. *Lankesteriana* 5, no. 3: 191-200.
528. Rojas-Alvarado, A. F. 2001. Ocho nuevas especies y nuevos ámbitos geográficos de helechos de la familia Tectariaceae (Filicales) en el Neotrópico. *Revista de Biología Tropical* 49, no. 2: 467-88.
529. Rojas, M. 1989. La organización de los productos agropecuarios en la zona fronteriza sur: algunos elementos de discusión. *Revista de Ciencias Sociales (UCR)* 45/46: 73-90.

530. Rosemeyer, M. E. 1990. The effect of different management strategies on the tripartite symbiosis of bean (Phaseolus vulgaris L.) with Rhizobium and vesicular-arbuscular mycorrhizal fungi in two agrosystems in Costa Rica. Ph.D. Dissertation. University of California.
531. Rosemeyer, M. E. 1999. The frijol tapado agroecosystem: the survival and contribution of a managed fallow system to modern Costa Rican agriculture. In: *Managed ecosystems: the Mesoamerican experience*. (eds) K. J. Schlather, J. S. Kettler, L. U. Hatch, and M. E. Swisher, 138-44. New York: Oxford University Press.
532. Rosemeyer, M. E., and S. R. Gliessman. 1992. Modifying traditional and high-input agroecosystems for optimization of microbial symbiosis: a case study of dry beans in Costa Rica. *Agriculture, Ecosystems & Environment* 40: 61-70.
533. Rowell, C. H. F. 1983. Checklist of acridoid grasshoppers. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 651-53. Univ. Chicago Press.
534. Rowell, C. H. F. 1983. Dryophilacris bimaculata. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 714-16. Univ. Chicago Press.
535. Rowell, C. H. F. 1985. The feeding biology of a species-rich genus of rainforest grasshoppers (Rhachicreagra: Orthoptera, Acrididae). I. Foodplant use and foodplant acceptance. *Oecologia* 68: 87-98.
536. ———. 1985. The feeding biology of a species-rich genus of rainforest grasshoppers (Rhachicreagra, Orthoptera, Acrididae). II. Foodplant preference and its relation to speciation. *Oecologia* 68: 99-104.
537. ———. 1978. Food plant specificity in neotropical rain-forest acridids. *Entomology Experimental Applications* 24: 451-62.
538. ———. 1998. The grasshoppers of Costa Rica: a survey of the parameters influencing their conservation and survival. *Journal of Insect Conservation* 2: 225-34.
539. ———. 1994. The grasshoppers of Las Cruces Biological Field Station. *Amigos Newsletter*, no. 40: 8-12.
540. ———. 1995. New and little known taxa of Rhytidochrotinae (Acrididae, Orthoptera) from Costa Rica. *Revue Suisse De Zoologie* 102, no. 3: 553-83.
541. ———. 1983. Osmilia flavolineata (Chapulín de Raya Amarilla, Yellow-lined Grasshopper). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 750-751. Univ. Chicago Press.

542. ———. 1983. A revision of Central American genus Leptomerinthoprora Rehn (Ommatolampinae, Acrididae: Orthoptera). *Transactions of the American Entomological Society* 109: 179-200.
543. Rowell, C. H. F. 2003. Revision of Microtylopteryx Rehn 1905 (Orthoptera, Acrididae, Ommatolampinae). *Journal of Orthoptera Research* 12, no. 1: 1-30.
544. Rowell, C. H. F., and A. Bentos Pereira. 2001. Review of the genus Homeomastax (Eumastacinae, Eumastacidae, Eumastacoidea, Orthoptera), with description of new species. *Journal of Orthoptera Research* 10, no. 2: 209-54.
545. Rowell, C. H. F., M. Rowell-Rahier, H. E. Braker, G. Cooper-Driver, and L. D. Gómez Pignataro. 1983. The palatability of ferns and the ecology of two tropical forest grasshoppers. *Biotropica* 15, no. 3: 207-16.
546. Russell, L. M. 1986. The whitefly genus Aleurocerus Bondar (Hemiptera, Homoptera, Aleyrodidae) . *Entomography* 4: 137-83.
547. Sanborn, A. F. 2005. Fidicina variegata, a new cicada species from Costa Rica (Hemiptera: Cicadomorpha: Cicadidae) . *Annals of the Entomological Society of America* 98, no. 2: 187-90.
548. Santander, C. 1979. *Inventario forestal de la Finca Las Cruces*. Heredia: Editorial Univ. Nacional.
549. Savage, J. M. 2002. *The amphibians and reptiles of Costa Rica: a herpetofauna between two continents, between two seas*. Chicago: The University of Chicago Press.
550. Savage, J. M. 1968. The dendrobatid frogs of Central America. *Copeia* 4: 745-76.
551. Savage, J. M. 1982. The enigma of the Central American herpetofauna: dispersals or vicariance? *Annals of the Missouri Botanical Garden* 69: 464-597.
552. Savage, J. M. 1981. A new species of the secretive colubrid snake genus Geophis from Costa Rica. *Copeia*, no. 3: 549-53.
553. ———. 1966. The origins and history of the Central American herpetofauna. *Copeia* 1966, no. 4: 719-66.
554. Savage, J. M. 1981. The systematic status of Central American frogs confused with Eleutherodactylus cruentus. *Proceedings of the Biological Society of Washington* 94: 413-20.

555. Savage, J. M. 1975. Systematics and distribution of the Mexican and Central American stream frogs related to Eleutherodactylus rugulosus. *Copeia* 1975, no. 2: 254-306.
556. Savage, J. M., and M. A. Donnelly. 1988. Variation and systematics in the colubrid snakes of the genus Hydromorphus. *Amphibia-Reptilia* 9: 289-300.
557. Savage, J. M., and S. B. Emerson. 1970. Central American frogs allied to Eleutherodactylus bransfordii (Cope): a problem of polymorphism. *Copeia*, no. 4: 623-44.
558. Savage, J. M., and W. R. Heyer. 1969. The tree-frogs (family Hylidae) of Costa Rica: diagnosis and distribution. *Revista de Biología Tropical* 16: 1-127.
559. Savage, J. M., and R. W. McDiarmid. 1992. Rediscovery of the Central American colubrid snake, Sibon argus, with comments on related species from the region. *Copeia*, no. 2: 421-32.
560. Savage, J. M., and C. W. Myers. 2002. Frogs of the Eleutherodactylus biporcatus group (Leptodactylidae) of Central America and northern South America, including rediscovered, resurrected, and new taxa. *American Museum Novitates* 3357: 1-48.
561. Savage, J. M., and N. J. Scott. 1985. The Imantodes (Serpentes: colubridae) of Costa Rica: two or three species? *Revista de Biología Tropical* 33, no. 2: 107-32.
562. Savage, J. M., and J. J. Talbot. 1978. The giant anoline lizards of Costa Rica and western Panama. *Copeia*, no. 3: 480-492.
563. Savage, J. M., and J. Villa R. 1986. Introduction to the herpetofauna of Costa Rica. *Contributions to Herpetology, No. 3. Society for the Study of Amphibians and Reptiles*.
564. Savage, J. M., and M. H. Wake. 1972. Geographic variation and systematics of the Middle American caecilians, genera Dermophis and Gymnopsis. *Copeia* 1972, no. 2: 680-695.
565. Scarbrough, A. G. 1993. Revision of the new world species of Ommatius Wiedemann (Diptera: Asilidae): the neotropical costatus species group. *Revista de Biología Tropical* 41, no. Fasc 3: 729-53.
566. ———. 2002. Synopsis of the Neotropical holosericeus complex of the genus Ommatius Wiedemann (Diptera: Asilidae): ampliatus and holosericeus species groups. *Transactions of the American Entomological Society* 128, no. 2-3: 133-222.

567. Schelhas, J. W. 1996. Land-use choice and forest patches in Costa Rica. In: *Forest Patches in Tropical Landscapes*. (eds) J. W. Schelhas, and R. Greenberg, 258-84. Washington, D.C.: Island Press.
568. Schlaepfer, M. A. 1998. Edge effects on lizards (Norops) and frogs (Eleutherodactylus) in neotropical forest fragments. M.Sc. Thesis. Cornell University.
569. ———. 2002. Population dynamics of a neotropical lizard (Norops polylepis) in its native forest and in adjacent pastures. Ph.D. Dissertation. Cornell University.
570. Schlaepfer, M. A. 1998. Use of a fluorescent marking technique on small terrestrial anurans. *Herpetological Review* 29, no. 1: 25-26.
571. Schlaepfer, M. A., and R. Figeroa Sandí. 1998. Female reciprocal calling in a Costa Rican leaf-litter frog Eleutherodactylus podiciferus. *Copeia*, no. 4: 1076-80.
572. Schlaepfer, M. A., and T. A. Gavin. 2001. Edge effects on lizards and frogs in tropical forest fragments. *Conservation Biology* 15, no. 4: 1079-90.
573. Schmid, E., F. Oberwinkler, and L. D. Gómez Pignataro. 1995. Light and electron microscopy of a host-fungus interaction in the roots of some epiphytic ferns from Costa Rica. *Canadian Journal of Botany* 73, no. 7: 991-96.
574. Schmid, R. 1969. On the pollination of Polycycnis barbata (Stanhopeinae) by the euglossine bee Eulaema speciosa. *The Orchid Digest* 33, no. 7: 220-223.
575. Schnell, C. E. 1996. The genus Conostegia (Melastomataceae). Ph.D. Dissertation. Harvard University.
576. Schuster, M., D. Baurecht, E. Mitter, and F. G. Barth. 1994. Field observations on the population structure of three ctenid spiders (Cuppiennius, Araneae, Ctenidae). *Journal of Arachnology* 22: 32-38.
577. Scoble, M. J. 1992. *Guía de las mariposas hedílicas de Costa Rica (Lepidoptera: Hedylidae)*. Santo Domingo de Heredia : INBio.
578. ———. 1995. A review of the moth tribe Palyadini with the description of a new genus (Geometridae: Ennominae). *Systematic Entomology* 20: 35-58.
579. Scott, N. J. 1976. The abundance and diversity of the herpetofauna of tropical forest litter. *Biotropica* 8, no. 1: 41-58.
580. Scott, N. J., and S. Limerick. 1983. Reptiles and Amphibians. Introduction. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 351-67. Univ. Chicago Press.

581. Scott, N. J., J. M. Savage, and D. C. Robinson. 1983. Checklist of reptiles and amphibians. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 651-53. Univ. Chicago Press.
582. Sekercioglu, C. H. 2003. Causes and consequences of bird extinctions. Ph.D. Dissertation. Stanford University.
583. Sekercioglu, C. H. 2002. Forest fragmentation hits insectivorous birds hard. *Directions in Science* 1: 62-64.
584. Sekercioglu, C. H. 2002. Where have all the rainforest flycatchers gone-and why? *American Scientist* 90, no. 4: 391.
585. Sekercioglu, C. H., P. R. Ehrlich, G. C. Daily, D. Aygen, D. Goehring, and R. F. Sandí. 2002. Disappearance of insectivorous birds from tropical forest fragments. *Proceedings of the National Academy of Sciences of the United States of America* 99, no. 1: 263-67.
586. Sezen, Uzay U., R. L. Chazdon, and K. E. Holsinger. 2005. Genetic consequences of tropical second-growth forest regeneration. *Science* 307, no. 11 Feb: 891.
587. Sharkov, A. , and J. B. Woolley. 1997. A revision of the genus Hambletonia Compere (Hymenoptera: Encyrtidae). *Journal of Hymenoptera Research* 6, no. 2: 191-218.
588. Shaw, S. R. 1997. The Costa Rican species of Wesmaelia Foerster with description of a new species (Hymenoptera: Braconidae, Euphorinae) . *The Pan-Pacific Entomologist* 73, no. 2: 103-9.
589. Shaw, S. R. 1996. Plynops, a peculiar new genus and ten new species in the tribe Euphorini (Hymenoptera: Braconidae: Euphorinae). *Journal of Hymenoptera Research* 5: 166-83.
590. Shelly, T. E., and E. M. Villalobos Solano. 2000. Buzzing bees (Hymenoptera: Apidae, Halictidae) on Solanum (Solanaceae): floral choice and handling time track pollen availability . *The Florida Entomologist* 83, no. 2: 180-187.
591. Short, A. E. Z. 2005. A review of the subtribe Acidocerina of Central America with special reference to Costa Rica (Coleoptera: Hydrophilidae) . *Koleopterologische Rundschau* 75: 191-226.
592. Short, A. E. Z., and P. D. Perkins. 2004. A revision of Oocyclus Sharp of Mexico and Central America (Coleoptera: Hydrophilidae) . *Zootaxa* 783: 1-45.
593. Singer, R., J. García, and L. D. Gómez Pignataro. 1990. The Boletineae of Mexico and Central America I & II. *Nova Hedwigia* 98: 1-70.

594. ———. 1992. The Boletineae of Mexico and Central America IV. *Nova Hedwigia* 105: 1-62.
595. Skutch, A. F. 1967. Cape May warbler in Costa Rica. *Wilson Bulletin* 79, no. 1: 118-19.
596. Skutch, A. F. 1967. *Life Histories of Central American Highland Birds*. Cambridge, MA: Nuttall Ornith. Club.
597. ———. 1965. Life history notes on two tropical American kites. *The Condor* 67, no. 3: 235-46.
598. Smetana, A. 1975. Revision of the New World genera of the tribe Omicrini trib. nov. of the hydrophilid subfamily Sphaeridiinae (Coleoptera). *Studies on the Neotropical Fauna* 10: 153-82.
599. Smith, A. B. T. 2003. A monographic revision of the genus Platycoelia Dejean (Coleoptera: Scarabaeidae: Rutelinae: Anoplognathini) . *Bulletin of the University of Nebraska State Museum* 15, no. 1-2202.
600. Smith, A. B. T., and M. A. Morón-Ríos. 2003. Revision and phylogenetic analysis of the Central American endemic genus Phalangogonia Bursmeister (Coleoptera: Scarabaeidae: Rutelinae: Anoplognathini). *Systematic Entomology* 28: 323-38.
601. Smith, C. M. 1978. The impact of the OTS course on the ecology of Costa Rica. *Texas Journal of Science* 30, no. 3: 283-89.
602. Solórzano, A. 1994. Una nueva especie de serpiente venenosa terrestre del género Porthidium (Serpentes: Viperidae), del Suroeste de Costa Rica. *Revista de Biología Tropical* 42: 695-701.
603. Solís, A., and B. Kohlmann. 2004. El género Canthidium (Coleoptera: Scarabaeidae) en Costa Rica. *Giornale Italiano di Entomologia* 11, no. Dec.: 1-73.
604. Solís, M. A., and L. Styer. 2003. Revision and phylogenetic analysis of Accinctapubes Solis (Pyralidae:Epipaschiinae) with a larval description of an avocado-feeding species. *Journal of the Lepidopterists Society* 57, no. 2: 121-36.
605. Solórzano, A. 2001. Una nueva especie de serpiente del género Sibon (Serpentes: Colubridae) de la vertiente del Caribe de Costa Rica. *Revista de Biología Tropical* 49, no. 3-4: 1111-20.
606. Solórzano A., L. D. Gómez Pignataro, J. Monge Nájera, and B. I. Crother. 1998. Redescription and validation of Bothriechis supraciliaris (Serpentes:Viperidae) . *Revista de Biología Tropical* 46, no. 2.

607. Sparrow, H. R. 1991. An investigation of methods for long-term monitoring of tropical butterflies. M.Sc. Thesis. Stanford University.
608. Sparrow, H. R., T. D. Sisk, P. R. Ehrlich, and D. Murphy. 1993. Techniques and guidelines for monitoring neotropical butterflies. *Conservation Biology* 8: 800-809.
609. Spencer, D. 1991. Tropical temptation in Costa Rica. *Cornell Plantations* 46, no. 3: 12-15.
610. Staines, C. L. 1996. The genus Cephaloleia (Coleoptera: Chrysomelidae) in Central America and the West Indies. *Revista de Biología Tropical*, no. Special Issue 3: 3-87.
611. Stark, B. P. 1998. The Anacroneuria of Costa Rica and Panama (Insecta : Plecoptera : Perlidae) . *Proceedings of the Biological Society of Washington* 111, no. 3: 551-603.
612. Starrett, P. H., and J. M. Savage. 1973. The systematic status and distribution of Costa Rican glass frogs, genus Centrolenella (family Centrolenidae), with description of a new species. *Bulletin of the Southern California Academy of Sciences* 72, no. 2: 57-78.
613. Stiles, F. G. 1985. Aspectos de la ecología, distribución y evolución del género Heliconia en Costa Rica. In: *The Botany and Natural History of Panama*. (eds) W. G. D'Arcy, and Correa M.D., 273-85. St. Louis: Missouri Bot. Gard.
614. ———. 1983. Birds. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 502-30. Univ. Chicago Press.
615. ———. 1983. Checklist of birds. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 530-544. Univ. Chicago Press.
616. ———. 1985. Conservation of forest birds in Costa Rica: problems and perspectives. In: *Conservation of Tropical Forest Birds*. (eds) A. W. Diamond, and T. E. Lovejoy, 141-68.
617. Stiles, F. G. 1980. Further data on the genus Heliconia (Musaceae) in northern Costa Rica. *Brenesia* 18: 147-54.
618. Stiles, F. G. 1985. On the role of birds in the dynamics of neotropical forests. In: *Conservation of Tropical Forest Birds*. (eds) A. W. Diamond, and T. E. Lovejoy, 49-59.
619. Stiles, F. G., and A. F. Skutch. 1995. *Guía de aves de Costa Rica*. Heredia: INBio.

620. Stiles, F. G., and A. F. Skutch. 1989. *A Guide to the Birds of Costa Rica*. Ithaca: Comstock/Cornell Univ. Press.
621. Stiles, F. G., and S. M. Smith. 1980. Notes on bird distribution in Costa Rica. *Brenesia* 17: 137-56.
622. Stone, D. E. 1988. The Organization for Tropical Studies: a success story in graduate training and research. In: *Tropical Rainforests: Diversity and Conservation*. (eds) F. Almeda, and C. M. Pringle, 143-87. San Francisco: California Acad. Science and Pacific Div. AAAS.
623. Stone, J. L., M. A. Sasuclark, and C. P. Blomberg. 2006. Variation in the self-incompatibility response within and among populations of the tropical shrub Witheringia solanacea (Solanaceae). *American Journal of Botany* 93, no. 4: 592-98.
624. Stout, J. 1983. Megaloprepus and Mecistogaster. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 734-35. Univ. Chicago Press.
625. Stout, J., and J. H. Vandermeer. 1975. Comparison of species richness for stream-inhabiting insects in tropical and mid-latitude streams. *American Naturalist* 109, no. 967: 263-80.
626. Tasker, G. 1986. 'Unkept beauty in the tropics'. *Miami Herald* June 1: H1-H10.
627. Taylor, C. M. 1989. A revision of the genus Palicourea (Rubiaceae) in Mexico and Central America. *Systematic Botany Monographs* 26: 1-102.
628. Taylor, C. M. 2003. Rubiacearum americanarum Magna Hama Pars XV. New species and two new combinations in Notopleura (Psychotrieae) from Central and South America. *Novon* 13, no. 2: 228-60.
629. Taylor Jr., O. R. 1973. A non-genetic 'polymorphism' in Anartia fatima (Lepidoptera: Nymphalidae). *Evolution* 27: 161-64.
630. Thacher, T. A. 1995. An analysis of farmer participation in government sponsored reforestation incentive programs in Costa Rica. M.Sc. Thesis. Cornell University.
631. Theobald, W. L. 1977. Las Cruces Tropical Botanical Garden. *Bulletin of the Pacific Tropical Botanical Garden* 7, no. 2: 40-41.
632. Thompson, F. C., and M. A. Zumbado-Arrieta. 2002. Mesoamerican Mallota flower flies (Diptera: Syrphidae) with the description of four new species. *Studia Dipterologica* 9: 89-107.

633. Thompson, V. 1997. Spittlebug nymphs (Homoptera:Cercopidae) in Heliconia flowers (Zingiberales: Heliconiaceae): preadaptation and evolution of the first aquatic Homoptera. *Revista de Biología Tropical* 45, no. 2: 905-12.
634. Timken, R. L. 1970. Food habits and feeding behavior of the Baltimore oriole in Costa Rica. *Wilson Bulletin* 82: 184-88.
635. Timm, R. M. 1987. Tent construction by bats of the genera Artibeus and Uroderma. *Fieldiana: Zoology* , no. 39: 187-212.
636. Tishechkin, A. K. 2003. New distribution records of Neotropical Hetaeriinae (Coleoptera: Histeridae). *Sociobiology* 41, no. 3: 673-83.
637. Todzia, C. A. 1983. Epidendrum radicans (Bandera Española, Gallito). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 243-44. Univ. Chicago Press.
638. Toledo, V. H. 1997. Revisión taxonómica del género Lagocheirus Dejean para México y Centroamérica (Coleoptera: Cerambycidae) . *Folia Entomológica Mexicana* 101: 1-58.
639. Trimble, S. T. 2002. Stable isotopes reveal variable host use in a neotropical ant-plant association. M.Sc. Thesis. University of Arkansas.
640. Trimble, S. T., and C. L. Sagers. 2004. Differential host use in two highly specialized ant-plant associations:evidence from stable isotopes. *Oecologia* 138, no. 1: 74-82.
641. Trivelato, M., L. Murillo, G. Barboza, and A. Cordero. 1997. *Diálogo ambiental en comunidades rurales: experiencias participativas de la OET*. San José: Organización para Estudios Tropicales.
642. Tucker, A. O., M. J. Maciarello, and L. M. Libbey. 2000. Essential oil of Satureja viminea L. (Lamiaceae). *Journal of Essential Oil Research* 12, no. 3: 283-2284.
643. Tucker, G. C. 1983. The taxonomy of Cyperus (Cyperaceae) in Costa Rica and Panama. *Systematic Botany Monographs* 2: 1-85.
644. Umaña Q., A. 1990. Costa Rica's fight for the tropics. In: *1990 Year Book of Science and Future*. (ed) D. Calhoun, 125-45. Chicago: Encyclopaedia Britannica.
645. Valerio, C. E. 1980. Arañas terafósidas de Costa Rica (Araneae: Theraphosidae) III. Sphaerobotria, Aphonopelma, Pterinopelma, Citharacanthus, Crypsidromus and Stichoplastus. *Revista de Biología Tropical* 28: 271-96.

646. ———. 1982. Arañas terafósidas de Costa Rica (Araneae: Theraphosidae) IV. Géneros Metriopelma y Cyclosternum incluyendo especies de Panamá. *Brenesia* 19/20: 407-23.
647. van der Ent, L. J. 1999. Diversity and ecology of parasitic wasps (Hymenoptera: Braconidae) in Costa Rica. Ph.D. Dissertation. University of Wyoming.
648. van der Ent, L. J., and S. R. Shaw. 1999. A new species of Capitonus (Hymenoptera: Braconidae) from Costa Rica with rearing records. *The Pan-Pacific Entomologist* 75, no. 2: 112-20.
649. van der Werff, H. 2001. New taxa and combinations in Ocotea (Lauraceae) from Central America. *Novon* 11, no. 4: 501-11.
650. Van Devender, R. W. 1983. Basiliscus basiliscus (Chisbala, Garrobo, Basilisk, Jesus Christ Lizard). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 378-80. Univ. Chicago Press.
651. Van Laake, P. E., and G. A. Sánchez-Azofeifa. 2005. Mapping PAR using MODIS atmosphere products. *Remote Sensing of Environment* 94: 554-63.
652. Voigt, C. H. C., G. Heckel, and F. Mayer. 2005. Sexual selection favours small and symmetric males in the polygynous greater sac-winged bat Saccopteryx bilineata (Emballonuridae, Chiroptera). *Behavioral Ecology and Sociobiology* 57, no. 5: 457-64.
653. Vonesh, J. R. 2001. Patterns of richness and abundance in a tropical African leaf-litter herpetofauna. *Biotropica* 33, no. 3: 502-10.
654. Costa Rican Network for Long Term Ecological Research. 1998. In: *The International Long Term Ecological Research Network: 1998*. comps R. Waide, C. French, P. Sprott, and L. Williams, 28-31. Albuquerque, NM: U.S. LTER Network Office.
655. Wallace, J. W. 1996. Chemotaxonomy of the Hymenophyllaceae. II. C-Glycosyflavones and flavone-O-Glycosides of Trichomanes S.L. *American Journal of Botany* 83, no. 10: 1304-8.
656. Ward, G. C. 2002. Tritrophic responses to shading of Passiflora biflora, an neotropical vine. Ph.D. Dissertation. University of Georgia.
657. Wendland, A. 1996. Tropical forestry: the Costa Rican experience in management of forest resources. *Journal of Sustainable Forestry* 3, no. 3/2.
658. Werman, S. D. 1984. The taxonomic status of Bothrops supraciliaris Taylor. *Journal of Herpetology* 18, no. 4: 484-86.

659. Wheatley, N., and D. Brewer. 2001. *Where to watch birds in Central America, Mexico, and the Caribbean*. Princeton, N.J.: Princeton University Press.
660. Whitaker, J. O., and J. S. Findley. 1980. Foods eaten by some bats from Costa Rica and Panama. *Journal of Mammalogy* 61, no. 3: 540-544.
661. Whitfield, S. M., and M. S. F. Pierce. 2005. Tree buttress microhabitat use by a neotropical leaf-litter herpetofauna. *Journal of Herpetology* 39, no. 2: 192-98.
662. Wilbur, R. L. 1976. A synopsis of the Costa Rican species of the genus Centropogon Presl. (Campanulaceae). *Brenesia* 8: 59-84.
663. Willson, M. F., and M. N. Melampy. 1983. Asclepias curassavica (Bailarina, Mata Caballo, Mal Casada, Milkweed). In: *Costa Rican Natural History*. (ed) D. H. Janzen, 191-93. Univ. Chicago Press.
664. Wilson, D. E. 1983. Checklist of mammals. In: *Costa Rican Natural History*. (ed) D. H. Janzen, 443-47. Univ. Chicago Press.
665. Wilson, E. O. 2003. *Pheidole in the New World: A dominant, hyperdiverse ant genus*. Cambridge, MA: Harvard University Press.
666. Wilson, L. D. 1971. Additional specimens of the colubrid snake Amastridium veliferum from Costa Rica with comments on a pseudohermaphrodite. *Bulletin of the Southern California Academy of Sciences* 70, no. 1: 53-54.
667. Windsor, D. M., J. Ness, L. D. Gómez-Pignataro, and P. H. Jolivet. 1999. Species of Aulacoscelis Duponchel and Chevrolat (Chrysomelidae) and Nomotus Gorham (Languriidae) feed on fronds of Central American cycads. *The Coleopterists Bulletin* 53, no. 3: 217-31.
668. Wolf, E. C. 1992. The ecological committee of Fila Pinar. *Tropicus* 6, no. 1: 8-9.
669. Wollenweber, E., M. Dörr, and L. D. Gómez Pignataro. 1996. Exudate flavonoids in Godmania aesculifolia (Bignoniaceae). *Biochemical Systematics and Ecology* 24, no. 5: 481-82.
670. Woodman, N., and R. M. Timm. 1993. Intraspecific and interspecific variation in the Cryptotis nigrescens species complex of small-eared shrews (Insectivora: Soricidae), with the description of a new species from Colombia. *Fieldiana: Zoology* 74: 1-30.
671. Wooldridge, D. P. 1987. Two new neotropical species of Limnichoderus Casey (Coleoptera: Dryopoidea: Limnichidae). *Journal of the Kansas Entomological Society* 60, no. 2: 330-331.

672. Wunderlin, R. P. 1976. Two new species and a new combination in Frantzia (Cucurbitaceae). *Brittonia* 28, no. 2: 239-44.
673. Young, A. M. 1983. On the evolution of egg placement and gregariousness of caterpillars in the Lepidoptera. *Acta Biotheoretica* 31: 43-60.
674. Zettel, H. 1990. Eine Revision der Gattungen der Cheloninae (Hymenoptera, Braconidae) mit Beschreibungen neuer Gattungen und Arten [Una revisión de los géneros de Cheloninae (Hymenoptera, Braconidae) con la descripción de nuevos géneros y especies] . *Annalen des Naturhistorischen Museums in Wien. Serie B. Botanik Und Zoologie* 91: 147-96.
675. Zhu, G., and T. B. Croat. 2004. Revision of Dracontium (Araceae). *Annals of the Missouri Botanical Garden* 91, no. 4: 593-667.
676. Zitani, N. M, S. R Shaw, and D. H Janzen. 1998. Systematics of Costa Rican Meteorus (Hymenoptera: Braconidae: Meteorinae) species lacking a dorsope . *Journal of Hymenoptera Research* 7, no. 2: 182-208.
677. Zúñiga-Ramírez, R. J. 2004. The taxonomy and biology of the Polycyrtus species (Hymenoptera: Ichneumonidae, Cryptinae) of Costa Rica. *Contributions of the American Entomological Institute* 33, no. 4: 1-159.

Edited by Ana B. Azofeifa
OTS Library
library@ots.ac.cr