

CATALOGO DE LOS DIPTERA DE NICARAGUA. 2.PSYCHODIDAE (NEMATOCERA).

Por Jean-Michel MAES *
& R. KILLICK-KENDRICK.**

Resumen.

Este catálogo presenta las 21 especies de Psychodidae (Diptera : Nematocera) reportadas de Nicaragua. Para cada especie se cita la sinonimia, la distribución geográfica, los hospederos y los enemigos naturales. La bibliografía conocida está agregada.

Abstract.

This catalogue presents the 21 species of Psychodidae (Diptera : Nematocera) reported from Nicaragua. The geographical distribution, synonyms, hosts and natural enemies are given for each species. A bibliography of the Nicaraguan species is included.

* Museo Entomológico, A.P. 527, León, Nicaragua.

** Department of Pure and Applied Biology, Imperial College at
Silwood Park, Ascot, Berks, SL5 7PY, Gran Bretaña.

Introducción.

Los Psychodidae son dípteros pequeños o muy pequeños, normalmente con el cuerpo cubierto de pelos. Los Psychodinae ponen las alas en techo sobre el cuerpo al reposo. Los adultos se encuentran en lugares húmedos y las larvas en material vegetal en decomposición, musgos o agua. La familia presenta en Nicaragua dos sub familias, los Psychodinae y los Phlebotominae. Los Psychodinae no pican. Los Phlebotominae pican y son vectores de enfermedades, principalmente leishmaniasis.

Especies de Nicaragua.

I. Sub familia PSYCHODINAE.

Psychoda savaiiensis EDWARDS 1928.

= *Psychoda lucia* QUATE 1954.

= *Psychoda rarotongensis* SATCHELL 1953.

Distribución : Asia, Hawaii, USA, Puerto Rico, Sta. Lucia, Trinidad,
(Zelaya), Costa Rica, Panamá.

Nicaragua

Psychoda sp.

Distribución : Nicaragua (Managua, Zelaya).

Telmatoscopus (Clogmia) albipunctatus (WILLISTON) 1893.

= *Psychoda albipunctatus* WILLISTON 1893.

= *Psychoda albipuncta* DYAR (lapsus).

= *Psychoda erecta* CURRAN 1926.

= *Psychoda albopunctata* CURRAN (lapsus).

= *Telmatoscopus albipennis* ENDERLEIN (lapsus).

= *Syntomalaba giesi* VARGAS 1953.

Distribución : Bahamas, Nassau, Cuba, Jamaica, Haití, Puerto Rico,

Trinidad,

Tobago, I.New Providence, México, Nicaragua (Zelaya),

Costa Rica, Panamá, Colombia, Guiana,

Brasil, Paraguay,

Argentina.

II. Sub familia PHLEBOTOMINAE.

Lutzomyia (Lutzomyia) gomezi (NITZULESCU) 1932.

= *Phlebotomus gomezi* NITZULESCU 1930.

Distribución : El Salvador, Nicaragua, Costa Rica, Panamá, Colombia,
Guiana francesa, Ecuador, Perú, Brasil.

Trinidad, Venezuela,

Ataca al hombre.

Vector de Protozoa : *Leishmania braziliensis panamensis* (leishmaniasis
muco-cutánea).

Leishmania braziliensis braziliensis (leishmaniasis
muco-cutánea).

Lutzomyia (Lutzomyia) longipalpis (LUTZ & NEIVA) 1912.

= *Phlebotomus longipalpis* LUTZ & NEIVA 1912.

Distribución : México, Guatemala, El Salvador, Nicaragua (Chinandega),
Panamá, Venezuela, Colombia, Bolivia, Brazil, Paraguay, Argentina.

Costa Rica,

Ataca Mammalia : Chiroptera.

Armadillo.

Roedores : *Croctetus*, *Cercomys*, *Mesocricetus*, *Rattus*.

Coyotes : *Cerdocyon*, *Lycalopex*, *Canis*. Ataca al hombre.

Vector de Protozoa : *Leishmania donovani chagasi* (leishmaniasis visceral).

Leishmania mexicana mexicana (leishmaniasis cutánea).

Leishmania mexicana amazonensis (leishmaniasis cutánea).

Leishmania braziliensis braziliensis (leishmaniasis muco-cutánea).

Leishmania braziliensis panamensis (leishmania muco-cutánea).

Leishmania braziliensis Perúviana (leishmaniasis muco-cutánea).

Enemigos naturales :

Bacteria : *Bacillus thuringiensis israelensis* (Ser. H-14).

Parásitos internos :

Protozoa : Eugregarina : *Monocystis chagasi* (parece no tener efecto negativo sobre *Lutzomyia longipalpis*).

Lutzomyia (Nyssomyia) ylephiletor (FAIRCHILD & HERTIG).

= *Phlebotomus ylephiletor* FAIRCHILD & HERTIG.

Distribución : México, Guatemala, Belize, Honduras, Nicaragua, Costa Rica,

Panamá, Colombia.

Ataca al hombre.

Vector de Protozoa : *Leishmania mexicana mexicana* (leishmaniasis cutánea).

Leishmania braziliensis panamensis (leishmaniasis muco-cutánea).

Lutzomyia (Psychodopygus) panamensis (SHANNON) 1926.

= *Phlebotomus panamensis* SHANNON 1926.

Distribución : México, Belize, Nicaragua, Costa Rica, Panamá, Colombia,

Venezuela, Surinam, Perú, Brasil.

Ataca al hombre.

Vector de Protozoa : *Leishmania braziliensis panamensis* (leishmaniasis muco-cutánea).

Leishmania braziliensis braziliensis (leishmaniasis muco-cutánea).

Leishmania mexicana mexicana (leishmaniasis cutánea).

Lutzomyia (Trichophoromyia) dasymera (FAIRCHILD & HERTIG).

= *Phlebotomus dasymera* FAIRCHILD & HERTIG.

Distribución : México, Nicaragua, Costa Rica, Panamá, Colombia,

Venezuela.

Lutzomyia (Trichophoromyia) evansi (NUNEZ-TOVAR) 1924.

= *Phlebotomus evansi* NUNEZ-TOVAR 1924.

Distribución : El Salvador, Nicaragua, Costa Rica, Colombia, Venezuela,

Perú.

Ataca al hombre.

Vector de Protozoa : *Leishmania donovani chagasi* (leishmaniasis visceral).

Lutzomyia (Trichophoromyia) ovallesi (ORTIZ) 1952.

= *Phlebotomus ovallesi* ORTIZ 1952.

Distribución : México, Belize, Honduras, Nicaragua, Costa Rica, Panamá,
Trinidad.

Venezuela,

Ataca al hombre.

Lutzomyia (Trichophoromyia) shannoni (DYAR) 1929.

= *Phlebotomus shannoni* DYAR 1929.

= *Lutzomyia pifanoi* ORTIZ 1972.

Distribución : USA, México, Belize, Honduras, Nicaragua, Costa Rica, Panamá, Colombia,
Trinidad, Venezuela, Guiana francesa, Ecuador, Bolivia, Brasil, Paraguay, Argentina.

Ataca al hombre.

Ataca peresozos : *Cholopeus*.

Vector de Protozoa : *Leishmania mexicana mexicana* (leishmaniasis

cutánea).

Lutzomyia (Trichophoromyia) trinidadensis (NEWSTEAD) 1922.

= *Phlebotomus trinidadensis* NEWSTEAD 1922.

Distribución : México, Belize, Honduras, Nicaragua, Costa Rica, Panamá, Colombia,
Trinidad, Venezuela, Guiana francesa, Perú, Bolivia, Brasil.

Ataca roedores y reptilos.

Lutzomyia aclydifera.

Distribución : México, Honduras, Nicaragua, Costa Rica, Panamá,

Colombia.

Lutzomyia barretoi (MANGABEIRA).

= *Phlebotomus barretoi* MANGABEIRA.

Distribución : El Salvador, Nicaragua, Costa Rica, Panamá, Colombia, Ecuador, Perú,
Guiana francesa, Brasil.

Lutzomyia bispinosa (FAIRCHILD & HERTIG).

= *Phlebotomus bispinosa* FAIRCHILD & HERTIG.

Distribución : Belize, Honduras, Nicaragua, Panamá, Brasil.

Lutzomyia cruciata (COQUILLET).

= *Phlebotomus cruciata* COQUILLET.

Distribución : USA, México, Guatemala, Belize, Honduras, El Salvador, Costa Rica, Panamá.

Nicaragua, Costa Rica.

Ataca al hombre.

Vector de Protozoa : *Leishmania mexicana mexicana* (leishmaniasis

cutánea).

Lutzomyia nicaraguensis (FAIRCHILD & HERTIG).

= *Phlebotomus nicaraguensis* FAIRCHILD & HERTIG.

Distribución : Nicaragua.

Lutzomyia odax (FAIRCHILD & HERTIG).

= *Phlebotomus odax* fairchild & HERTIG.

Distribución : Honduras, Nicaragua, Panamá, Brasil.

Lutzomyia serrana (DAMASCENO & AROUCK).

= *Phlebotomus serrana* DAMASCENO & AROUCK.

Distribución : México, Honduras, Nicaragua, Costa Rica, Panamá, Colombia, Ecuador, Perú, Bolivia, Brasil.

Lutzomyia vesicifera (FAIRCHILD & HERTIG).

= *Phlebotomus vesicifera* FAIRCHILD & HERTIG.

Distribución : Nicaragua, Costa Rica, Panamá.

Lutzomyia sp.

papalomoyos, chirizos.

Distribución : Nicaragua (Jinotega, Matagalpa, Zelaya, Nueva Segovia, Rivas, Carazo).

Ataca al hombre.

Vector de *Leishmania brasiliensis*.

Leishmania donovani.

Bibliografía.

- ADLER S. & MAYRINK W.** (1961) A gregarine, *Monocystis chagasi* in. sp. of *Phlebotomus longipalpis*. Remarks on the accessory glands of *P. longipalpis*. Rev. Inst. Med. Trop., Sao Paulo, 3:230-238.
- ADLER S.** (1964) *Leishmania*. En DAWES B. Advances in parasitology. Academic Press, London, 2:35-96.
- AGUILAR C.M., FERNANDEZ E., FERNANDEZ R. de & DEANE L.M.** (1984) Study of an outbreak of cutaneous leishmaniasis in Venezuela. The role of domestic animals. Mem. Inst. Oswaldo Cruz, 79:181-195.
- AMARAL A.D., TORREALBA J.W., HENRIQUEZ C.E., KOWALENKO W. & BARRIOS P.A.** (1961) *Phlebotomus longipalpis* Lutz & Neiva, probable transmisor de la leishmaniasis visceral en Venezuela. Gac. Med. Caracas, 70:389-408.
- Anónimo** (1981) Guía de laboratorio de parasitología humana. Fac.Cienc.Med., UNAN, León, Nicaragua, 70pp.
- BARJAC H. De, LARGET I. & KILLICK-KENDRICK R.** (1981) Toxicite de *Bacillus thuringiensis* var. *israelensis*, serotype H-14, pour les larves de Phlebotomes, vecteurs de Leishmaniases. Bull. Soc. Path. Exot., 74(5):485-489.
- BARRETTO M.P.** (1943) Observacoes sobre a biologia, em condicoes naturais, dos flebotomos do estado de Sao Paulo. Thesis, Fac. Med., Univ. Sao Paulo, Brazil.
- CHRISTENSEN H.A.** (1972) Colonization of *Lutzomia trinidadensis* and *L.vespertilionis* (Diptera: Psychodidae). Ann. Ent. Soc. Am., 65:683-686.
- CHRISTENSEN H.A., FAIRCHILD G.B., HERRER A., JOHNSON C.M., YOUNG D.G. & VASQUEZ A.M. de** (1983) The ecology of cutaneous leishmaniasis in the Republic of Panamá. J. Med. Entomol., 20:463-484.
- COELHO M. de V. & FALCAO A.R.** (1962) Transmissao experimental de *Leishmania braziliensis*. II. Transmissao de amostra mexicana por picada de *Phlebotomus longipalpis* e de *Phlebotomus renei*. Rev. Inst. Med. Trop. Sao Paulo, 4:220-224.
- COELHO M. de V., FALCAO A.R. & FALCAO A.M.** (1967) Desenvolvimento de especies do genero *Leishmania* em especies brasileiras de Phlebotomos do genero *Lutzomyia* Franca 1924. I. Evolucao de *L.braziliensis* em flebotomos. Rev. Inst. Med. Trop. Sao Paulo, 9:177-191.
- COELHO M. de V., FALCAO A.R. & FALCAO A.M.** (1967) Desenvolvimento de especies do genero *Leishmania* em especies brasileiras de Phlebotomos do genero *Lutzomyia* Franca 1924. II. Ciclo vital de *L.tropica* em *L. longipalpis* e *L. renei*. Rev. Inst. Med. Trop. Sao Paulo, 9:192-196.
- COELHO M. de V., FALCAO A.R. & FALCAO A.M.** (1967) Desenvolvimento de especies do genero *Leishmania* em especies brasileiras de Phlebotomos do genero *Lutzomyia* Franca 1924. V. Infectividade de leptomonas evoluindo no flebotomo e experiencias de transmissao de leishmaniases. Rev. Inst. Med. Trop. Sao Paulo, 9:367-373.
- CURRAN C.H.** (1926) New Diptera from Jamaica. Appendix. In GOWDAY C.C. Catalogus Insectorum Jamaicensis. Dept. Agr. Jamaica Ent. Bull., 4:102.
- CURRAN C.H.** (1934) The Diptera of Kartabo, Bartica District, British Guiana, with descriptions of new species from other British Guiana localities. Bull. Am. Mus. Nat. Hist., 66:287.
- DEANE M.P. & DEANE L.M.** (1955) Observacoes sobre a transmissao de leishmaniose visceral no Ceara. Hospital, Rio

de J., 48:95-118.

DEANE L.M. & DEANE M.P. (1962) Visceral leishmaniasis in Brazil: geographical distribution and transmission. Rev. Inst. Med. Trop. Sao Paulo, 4:198-212.

DUCKHOUSE D.A. (1973) A catalogue of the Diptera of the Américas south of the United States. 6A.Family Psychodidae. Subfamilies Bruchomyiinae, Trichomyiinae, Sycoracinae and Psychodinae. Mus. Zool., Univ. Sao Paulo, 29pp.

DYAR H.G. (1926) A note in Psychodidae. Insecutor Inscit. Menstr., 14:148-149.

EDWARDS F.W. (1928) Insects of Samoa, part 6, Diptera. Brit. Mus., London, p.74.

EFFLATOUN H.C. (1921) The life-history of *Telmatoscopus meridionalis* Eaton (Diptera). Bull. Soc. Ent. Egypte, 1920:22-34.

ENDERLEIN G. (1937) Klassifikation der Psychodiden (Dipt.). Deutsch. Ent. Zeitschr., 1936:81-112.

ENDRIS R.G., YOUNG D.G. & BUTLER J.F. (1984) The laboratory biology of the sand fly *Lutzomyia anthophora* (Diptera: Psychodidae). J. Med. Ent., 21(6):656-664.

ESPINOLA H.N. & DA SILVA J.E. (1965) Tagging sandflies with P32 (Diptera: Psychodidae). Rev. Bras. Biol., 28:295-304.

FALCAO A.R. (1963) Susceptibilidade do DDT e do Dieldrin de uma populacao normal de *Phlebotomus longipalpis* de Minas Gerais, Brasil. Rev. Bras. Malar., 15:411-415.

FELICIANGELI M.D. (1980) The phlebotomine sand flies (Diptera: Psychodidae) of Venezuela. J. Med. Entomol., 17(3):245-264.

FRANKE E.D., ROWTON E.O., MAC GREEVY P.B. & PERKINS P.V. (1984) Detection and enumeration of *Leishmania* amastigotes and promastigotes in sandflies using agar plates. Abstr. Annu. Meet. Am. Soc. Trop. Med. Hyg., 33rd, Baltimore, p.179.

GARDENER P.J. (1977) Taxonomy of the genus *Leishmania*: a review of nomenclature and classification. Trop. Diseases Bull., 74:1069-1088.

HERTIG M. & JOHNSON P.T. (1961) The rearing of *Phlebotomus* sandflies (Diptera: Psychodidae). I. Technique. Ann. Ent. Soc. Am., 54:753-764.

HERTIG M. & MAC CONNELL E. (1963) Experimental infection of Panamánian *Phlebotomus* sandflies with *Leishmania*. Exp. Parasit., 14:92-106.

JOHNSON P.T. (1961) Autogeny in Panamánian sandflies. Ann. Ent. Soc. Am., 54:116-118.

JOHNSON P.T. & HERTIG M. (1961) The rearing of *Phlebotomus* sandflies (Diptera: Psychodidae). II. Development and behavior of Panamánian sandflies in laboratory culture. Ann. Ent. Soc. Am., 54:764-776.

JOHNSON P.T. & HERTIG M. (1970) Behaviour of *Leishmania* in Panamánian phlebotomine sandflies fed on infected animals. Exper. Parasit., 27:281-300.

KILICK-KENDRICK R., LEANEY A.J. & READY P.D. (1973) A laboratory culture of *Lutzomyia longipalpis*. Trans. R. Soc. Trop. Med. Hyg., 67:434.

- KILLICK-KENDRICK R.** (1973) Colonisation of sandflies (abstract). Proc. 9th Int. Congr. Trop. Med. Malar. Athens, 1:144.
- KILLICK-KENDRICK R., MOLYNEUX D.H. & ASHFORD R.W.** (1974) Leishmania in phlebotomid sandflies. I. Modifications of the flagellum associated with attachment to the mid-gut and oesophageal valve of the sandfly. Proc. R. Soc., London, B187:409-419.
- KILLICK-KENDRICK R., MOLYNEUX D.H., LEANEY A.J. & RIOUX J.A.** (1975) Aspects of the life-cycle of *Leishmania* in the sandfly. Proc. Sec. Europ. Multicolloq. Parasit., Trogir, pp.89-95.
- KILLICK-KENDRICK R., LEANEY A.J., READY P.D. & MOLYNEUX D.H.** (1977) *Leishmania* in phlebotomid sandflies. IV. The transmission of *Leishmania mexicana amazonensis* to hamster by bite of experimentally infected *Lutzomyia longipalpis*. Proc. R. Soc., B196:105-115.
- KILLICK-KENDRICK R., MOLYNEUX D.H., HOMMEL M., LEANEY A.J. & ROBERTSON E.S.** (1977) *Leishmania* in phlebotomid sandflies. V. The nature and significance of infections of the pylorus and ileum of the sandfly by leishmaniae of the braziliense complex. Proc. R. Soc., London, B198:191-198.
- KILLICK-KENDRICK R., LEANEY A.J. & READY P.D.** (1977) The establishment, maintenance and productivity of a laboratory colony of *Lutzomyia longipalpis* (Diptera: Psychodidae). J. Med. Ent., 13(4):429-440.
- KILLICK-KENDRICK R.** (1978) Recent advances and outstanding problems in the biology of phlebotomine sandflies. Acta Tropica, 35:297-313.
- KILLICK-KENDRICK R.** (1979) 8. Biology of *Leishmania* in phlebotomine sandflies. In LUMSDEN W.H.R. & EVANS D.A. Biology of the kinetoplastida. Academic Press, London/N.Y., II:395-460.
- KILLICK-KENDRICK R., MOLYNEUX D.H., RIOUX J.A., LANOTTE G. & LEANEY A.J.** (1980) Possible origins of *Leishmania chagasi*. Ann. Trop. Med. Parasit., 74(5):563-565.
- KILLICK-KENDRICK R. & MOLYNEUX D.H.** (1981) Transmission of leishmaniasis by the bite of phlebotomine sandflies: possible mechanisms. Trans. R. Soc. Trop. Med. Hyg., 75(1):152-154.
- KILLICK-KENDRICK R. & WARD R.D.** (1981) Ecology of *Leishmania*. Parasitology, 82:143-152.
- KILLICK-KENDRICK R.** (1985) Some epidemiological consequences of the evolutionary fit between Leishmaniae and their phlebotomine vectors. Bull. Soc. Path. Ex., 78:747-755.
- LAINSON R., WARD R.D. & SHAW J.J.** (1977) Experimental transmission of *Leishmania chagasi*, causative agent of neotropical visceral leishmaniasis, by the sandfly, *Lutzomyia longipalpis*. Nature, London, 266:628-630.
- LAINSON R. & SHAW J.J.** (1979) En LUMSDEN W.H.R. & EVANS D.A. Biology of the kinetoplastida. Academic Press, II:116pp.
- LAINSON R., READY P.D. & SHAW J.J.** (1979) *Leishmania* in phlebotomid sandflies. VII. On the taxonomic status of *Leishmania Perúviana*, causative agent of Peruvian "uta", as indicated by its development in the sandfly, *Lutzomyia longipalpis*. Proc. R. Soc. Lond., B 206:307-318.

- LAINSON R., SHAW J.J., WARD R.D., READY P.D. & NAIFF R.D.** (1979) Leishmaniasis in Brasil. XIII. Isolation of *Leishmania* from armadillos (*Dasyurus novemcinctus*) and observations on the epidemiology of cutaneous leishmaniasis in North Pará State. *Trans. R. Soc. Trop. Med. Hyg.*, 73:239-242.
- LAINSON R., SHAW J.J., RYAN L., RIBEIRO R.S.M. & SILVEIRA F.T.** (1985) Leishmaniasis in Brasil. XXI. Visceral leishmaniasis in the Amazon region and further observations on the role of *Lutzomyia longipalpis* (Lutz and Neiva, 1912) as the vector. *Trans. R. Soc. Trop. Med. Hyg.*, 79:223-226.
- LANE R., PHILLIPS A., MOLYNEUX D.H., PROCTER G. & WARD R.D.** (1985) Chemical analysis of the abdominal gland of two form of *Lutzomyia longipalpis*: site of a possible sex pheromone? *Ann. Trop. Med. Parasitol.*, 79:225-229.
- LEANEY A.J.** (1977) The effect of temperature on *Leishmania* in sandflies. *Parasitology*, 75(2):28-29.
- LEPONT F. & DESJEUX P.** (1985) Leishmaniasis in Bolivia. I. *Lutzomyia longipalpis* (Lutz and Neiva, 1912) as the vector of visceral leishmaniasis in Los Yungas. *Trans. R. Soc. Trop. Med. Hyg.*, 79:227-231.
- LEWIS D.J.** (1965) Internal structural features of some Central American phlebotomine sandflies. *Ann. Trop. Med. Parasitol.*, 59:375-385.
- MAC MAHON-PRATT D., MODI G.B. & TESH R.B.** (1983) Detection of promastigote stage-specific antigens on *Leishmania mexicana amazonensis* developing in the midgut of *Lutzomyia longipalpis*. *Am. J. Trop. Med. Hyg.*, 32:1268-1271.
- MARTINS A.V., WILLIAMS P. & FALCAO A.L.** (1978) American sandflies (Diptera: Psychodidae, Phlebotominae). Acad. Bras. Ciencias, Rio de Janeiro, 195pp.
- MODI G.B. & TESH R.B.** (1983) A simple technique for mass rearing *Lutzomyia longipalpis* and *Phlebotomus papatasi* (Diptera: Psychodidae) in the laboratory. *J. Med. Entomol.*, 20:568-569.
- MOLYNEUX D.H., KILLOCK-KENDRICK R. & ASHFORD R.W.** (1975) *Leishmania* in phlebotomid sandflies. III: The ultrastructure of *Leishmania mexicana amazonensis* in *Lutzomyia longipalpis*. *Proc. R. Soc.*, B190:341-357.
- MOLYNEUX D.H., LEWIS D.H. & KILLOCK-KENDRICK R.** (1977) Aspects of the microecology of *Leishmania*. Coll. Int. C.N.R.S., 239 (Ecologie des leishmaniasis):31-40.
- NAVIN T.R., SIERRA M., CUSTODIO R., STEURER F., PORTER C.H. & RUEBUSH T.K.** (1985) Epidemiologic study of visceral leishmaniasis in Honduras, 1975-1983. *Am. J. Trop. Med. Hyg.*, 34:1069-1075.
- ORTIZ I.** (1972) *Phlebotomus pifanoi* nov. sp. nueva especie de *Phlebotomus* (Diptera: Psychodidae) de la region sur-este amazonica venezolana. *Rev. Inst. Nac. Hig.*, 5:21-28.
- PERKINS P.V.** (1982) The identification and distribution of phlebotomine sand flies in the United States with notes on the biology of two species from Florida (Diptera: Psychodidae). Ph.D. Thesis, Univ. Florida, Gainesville, 196pp.
- PIFANO F., ALVAREZ A., ORTIZ I., DAGER C. & SCORZA J.V.** (1959) *Phlebotomus panamensis* Shannon 1926; transmisor de la leishmaniasis tegumentaria en Venezuela. *Gac. Med. Caracas*, 47:229-235.

- PIFANO F.C., ORTIZ I. & ALVAREZ A.** (1960) La ecología, en condiciones naturales y de laboratorio, de algunas especies de *Phlebotomus* de la región de Guatopo, Estado Miranda, Venezuela. Arch. Venez. Med. Trop. Parasitol. Med., 3:63-71.
- QUATE L.W.** (1954) A revision of the Psychodidae of the Hawaiian Islands (Diptera). Proc. Ent. Soc. Hawaii, 15:335-356.
- QUATE L.W.** (1955) A revision of the Psychodidae (Diptera) in America North of México. Univ. Calif. Publ. Ent., 10:103-273.
- READY P.D.** (1978) The feeding habits of laboratory-bred *Lutzomyia longipalpis* (Diptera: Psychodidae). J. Med. Ent., 14:545-552.
- READY P.D.** (1979) Factors affecting egg production of laboratory-bred *Lutzomyia longipalpis* (Diptera: Psychodidae). J. Med. Ent., 16:413-423.
- RYAN L., SILVEIRA F.T., LAINSON R. & SHAW J.J.** (1984) Leishmanial infections in *Lutzomyia longipalpis* and *Lu. antunesi* (Diptera: Psychodidae) on the island of Marajó, Pará State, Brasil. Trans. R. Soc. Trop. Med. Hyg., 78:547-548.
- SATCHELL G.H.** (1953) New and little known Samoan Psychodidae and a new species from rarotonga. Proc. R. Ent. Soc. Lond., (B)22:181-188.
- SCHRECK C.E., KLINE D.L., CHANIOTIS B.N., WILKINSON N., MAC GOVERN T.P. & WEIDHAAS D.E.** (1982) Evaluation of personal protection methods against phlebotominae sand flies including vectors of leishmaniasis in Panamá. Am. J. Trop. Med. Hyg., 31(5):1046-1053.
- SHERLOCK I.A. & SHERLOCK V.A.** (1959) Criacao e biologia em laboratorio de *Phlebotomus longipalpis* LUTZ & NEIVA, 1912 (Diptera, Psychodidae). Rev. Bras. Biol., 19:229-250.
- SHERLOCK I.A. & SHERLOCK V.A.** (1961) Sobre a infecção experimental de *Phlebotomus longipalpis* pela *Leishmania donovani*. Rev. Brasil. Biol., 21:409-418.
- STRANGWAYS-DIXON J. & LAINSON R.** (1962) Dermal leishmaniasis in British Honduras: transmission of *L. brasiliensis* by *Phlebotomus* species. British Medical Journal, I:297-299.
- STRANGWAYS-DIXON J. & LAINSON R.** (1966) The epidemiology of dermal leishmaniasis in British Honduras. Part III. The transmission of *Leishmania mexicana* to man by *Phlebotomus pessoanus*, with observations on the development of the parasite in different species of *Phlebotomus*. Trans. R. Soc. Trop. Med. Hyg., 60:192-207.
- VARGAS L.** (1953) Sobre algunos Psychodidae de México. *Eubonetia maldonadoi* n. sp. y *Syntomolaba giesi* n. sp. Rev. Inst. Salubr. Enferm. Trop., Mex., 13:127-132.
- WARD R.D.** (1974) Granule formation in the accessory glands of a laboratory strain of *Lu. longipalpis* (Diptera: Phlebotominae) from Ceara State, Brazil. Trans. R. Soc. Trop. Med. Hyg., 68:171.
- WARD R.D., RIBEIRO A.L., READY P.D. & MURTAGH A.** (1983) Reproductive isolation between different forms of *Lutzomyia longipalpis* (Lutz & Neiva) (Diptera: Psychodidae), the vector of *Leishmania donovani chagasi* CUNHA &

CHAGAS and its significance to kala-azar distribution in South America. Mem. Inst. Oswaldo Cruz, Rio de Janeiro, 78:269-280.

WHITE G.B. & KILLICK-KENDRICK R. (1975) Polytene chromosomes of the sandfly *Lutzomyia longipalpis* and the cytogenetics of Psychodidae in relation to other Diptera. J. Ent., A50:187-197.

WILLIAMS P. (1966) Experimental transmission of *Leishmania mexicana* by *Lutzomyia cruciata*. Ann. Trop. Med. Parasit., 60:365-372.

WILLIAMS P. (1970) Phlebotomine sandflies and leishmaniasis in British Honduras (Belize). Trans. R. Soc. Trop. Med. Hyg., 64:317-364.

WILLIAMS P. (1983) The identity of the sandfly that first experimentally transmitted a neotropical *Leishmania*. Trans. R. Soc. Trop. Med. Hyg., 77:489-491.

WILLISTON S.W. (1893) The North American Psychodidae. Ent. News, 5:113-114.

WOKE P.A. (1947) Arthropods of sanitary importance in the republic of Nicaragua, Central America. Am. J. Trop. Med., 27:357-375.

YOUNG D.G. & PERKINS P.V. (1984) Phlebotomine sand flies of North America (Diptera: Psychodidae). Mosqu. News, 44:263-304.

YOUNG D.G., MORALES A., KREUTZER R.D., ALEXANDER J.B., CORREDOR A. & TESH R.B. (1987) Isolations of *Leishmania braziliensis* from cryopreserved Colombian sand flies (Diptera: Psychodidae). J. Med. Entomol.

ZELEDON R. & ALFARO M. (1973) Isolation of *Leishmania braziliensis* from a Costa Rican sandfly and its possible use as a human vaccine. Trans. R. Soc. Trop. Med. Hyg., 67:416-417.

ZELEDON R., PONCE C. & MURILLO J. (1979) *Leishmania herreri* sp. n. from sloths and sandflies of Costa Rica. J. Parasitol., 65:275-279.

ZELEDON R., MURILLO J. & GUTIERREZ H. (1984) Observaciones sobre la ecología de *Lutzomyia longipalpis* (Lutz and Neiva, 1912) y posibilidades de existencia de leishmaniasis visceral en Costa Rica. Mem. Inst. Oswaldo Cruz, 79:455-459.