Climate and Atmosphere-- Nicaragua

		Central	ſ		
		America &		CO2 Emissions by Source, Nicaragua,	1998
Carbon Dioxide (CO2) Emissions {a}	Nicaragua	Caribbean	World		
(in thousand metric tons of CO2)				0% 5%0%	Solid Fuels
Total Emissions, 1998	3,425	536,583	24,215,376		
Percent change since 1990	32%	27%	8%		Liquid Fuels
Emissions as a percent of global CO2 production	0.0%	2.2%			
Emissions in 1998 from:					Gaseous Fuels
solid fuels	0	20,837	8,654,368	•	
liquid fuels	3,257	410,463	10,160,272		Gas Flaring
gaseous fuels	0	79,128	4,470,080		5
gas flaring	0	5,689	172,208		Cement
cement manufacturing	167	20,466	758,448	95%	Manufacturing
Per capita CO2 emissions, 1998			l		
(thousand metric tons of CO2)	0.7	3.2	4.1	Per Capita CO2 Emissions: 1950, 1975	and 1998
Percent change since 1990	0%	11%	-2%	·	
CO2 emissions (in metric tons) per million				<u> 9</u> 5	■ Nicaragua
dollars Gross Domestic Product {b}, 1998	1,581	Х	773	^t o 4	
Percent change since 1990	7%	Х	-10%		Central
Cumulative CO2 emissions, 1900-1999					America & Caribbean
(in billion metric tons)	79	13,938	933,686	thousand metric tons of CO2	World
		·			
CO2 Emissions by Sector, 1999 {c} (in million i	metric tons	of CO2)			
Public electricity, heat production,		-		f 1950 1975 1998	
and autoproducers	1	143	8,693	1330 1373 1330	
Other Energy Industries	0	50	1,205	CO2 Emissions hu Coston Niconsmus 1	000
Manufacturing Industries and Construction	0	91	4,337	CO2 Emissions by Sector, Nicaragua, 1	
Transportation	1	126	5,505	50/ 6%	Electricity and Heat
Residential	0	26	1,802	3% 0%	Production
Other Sectors {d}	0	41	5,640		Other Energy Industries
Total Emissions All Sectors:	3	477	27,180	37%	Manufacturing and
	5	1, ,	27,100		Construction
CO2 Intensity, 1999					
Emissions per total energy consumption				40%	
(metric tons CO2 per terajoule energy)	30	54	56		Residences
Emissions per Gross Domestic Product {e}	50	54	50		
(metric tons of CO2/million \$PPP)	282	463	582	2%	Other Sectors
	202	201	502	12%	

View more Country Profiles on-line at http://earthtrends.wri.org



	Nicaragua	Central America & Caribbean	World		CO2 emissions: Relative Trends, Nicaragua, 1960-1998
Non-CO2 Air Pollution, thousand metric t	tons				
Sulfur dioxide emissions, 1995	36	3,021	141,875	700	
Nitrogen oxide emissions, 1995	91	2,588	99,271		
Carbon monoxide emissions, 1995	1,973	24,106	852,415	600	
Non-methane VOC emissions {f}, 1995	134	4,679	159,634		
Multilateral Agreements Status as of Sep Data show the year each country ratified the agree Kyoto Protocol United Nations Framework Convention on Climate Change (UNFCCC) Vienna Convention		l as "signed only'		000 000 000 000 000 000 000 000 000 00	
Other Resources: Sustainable Development Country Profile of t Food and Agriculture Organization of the http://www.fao.org/countryprofiles/index.a	United Nations:			0	totalper capitaper dollar of GDP 2

Footnotes:

Some footnotes are not incorporated here. Please refer to the Data Tables section of EarthTrends for a full listing.

a. Source: Carbon Dioxide Information Analysis Center (CDIAC). b. Constant US dollars. c. Source: International Energy Agency (IEA).

d. Includes the commercial sector, agriculture, the public service sector, and international bunkers

e. GDP is in 1995 international dollars, adjusted for Purchasing Power Parity. f. VOC: Volatile Organic Compounds.

View more Country Profiles on-line at http://earthtrends.wri.org

Carbon Dioxide (CO2) Emissions

Total CO2 emissions represent the mass of CO2 produced during the combustion of solid, liquid, and gaseous fuels, from gas flaring and the manufacture of cement. These estimates do not include bunker fuels used in international transportation due to the difficulty of apportioning these fuels among the countries benefiting from that transport. Carbon dioxide emissions are often calculated and reported in terms of their content of elemental carbon. For these data, their values were converted to the actual mass of CO2 by multiplying the carbon mass by 3.664 (the ratio of the mass of CO2 to that of carbon). The primary difference between Carbon Dioxide Information Analysis Center (CDIAC, reported here) and International Energy Agency (IEA) CO2 emission estimates (also available from EarthTrends) is that the CDIAC data include emissions from sources other than fossil fuel combustion, primarily cement manufacture. Further differences in methodology are outlined on Web pages listed below..

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=460&themeid=3

CO2 emissions from solid fuels represent the mass of carbon dioxide emitted primarily, but not exclusively, from burning coal. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=461&themeid=3

Carbon dioxide emissions from liquid fuels are primarily, but not exclusively, from burning of petroleum products. These estimates do not include bunker fuels used in international transportation due to the difficulty of apportioning these fuels among the countries benefiting from that transport. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=462&themeid=3

Carbon dioxide emissions from gaseous fuels are primarily, but not exclusively, from burning of natural gas. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=463&themeid=3

Carbon dioxide emissions from gas flaring result from the burning of gas released in the process of petroleum extraction. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=464&themeid=3

CO2 emissions from cement manufacturing are produced as cement is calcined to produce calcium oxide. Approximately 0.5 metric tons of carbon is released for each metric ton of cement production. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=465&themeid=3

Per capita CO2 emissions figures are obtained by dividing total emissions of carbon dioxide by the population for a particular country and year. Total CO2 emissions represent the mass of CO2 produced during the combustion of solid, liquid, and gaseous fuels, from gas flaring and the manufacture of cement. These estimates do not include bunker fuels used in international transportation due to the difficulty of apportioning these fuels among the countries benefiting from that transport.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=466&themeid=3

CO2 emissions per unit of GDP were calculated by WRI using CO2 emissions data compiled by CDIAC and GDP data provided by the World Bank. Total CO2 emissions represent the mass of CO2 produced during the combustion of solid, liquid, and gaseous fuels, from gas flaring and the manufacture of cement. These estimates do not include bunker fuels used in international transportation due to the difficulty of apportioning these fuels among the countries benefiting from that transport. Gross Domestic Product (GDP) measures the total output of goods and services for final use occurring within the domestic territory of a given country, regardless of the allocation to domestic and foreign claims. To obtain comparable series of constant price data, the World Bank rescales GDP and value added by industrial origin to a common reference year, currently 1995.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=468&themeid=3

Cumulative CO2 emissions levels are calculated by WRI based on CDIAC's CO2 emissions data through 1998, supplementing this data with the 1999 estimates from the Energy Information Administration. Total CO2 emissions figures consist of the sum of CO2 produced during the consumption of solid, liquid, and gaseous fuels, and from gas flaring and the manufacture of cement. These estimates do not include bunker fuels used in international transportation due to the difficulty of apportioning these fuels among the countries benefiting from that transport. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=779&themeid=3

Sources

Carbon Dioxide Information Analysis Center (CDIAC), Environmental Sciences Division, Oak Ridge National Laboratory: 2001. *Global, Regional, and National CO2 Emission Estimates from Fossil Fuel Burning, Cement Production, and Gas Flaring: 1751-1998*, NDP-030 (Available online at http://cdiac.esd.ornl.gov/ftp/ndp030/). CDIAC, Oak Ridge, Tennessee.

Energy Information Administration of the U.S. Department of Energy: 2001. *Carbon Dioxide Emissions from Use of Fossil Fuels*, International Energy Annual 1999. (Available on-line at http://www.eia.doe.gov/iea/carbon.html) Washington, DC: EIA.

CO2 Emissions by Sector

Carbon dioxide emissions from public electricity, heat production, and autoproducers include the sum of emissions from combustion of all fossil fuel types used for public electricity generation, public combined heat and power generation, and public heat plants. Public utilities are defined as those undertakings whose primary activity is to supply the public. Carbon dioxide emissions from unallocated autoproducers include the sum of emissions from combustion of all fossil fuel types used for generation of electricity and/or heat by autoproducers. Autoproducers generate electricity and/or heat wholly or partly for their own use to support their primary activity. Most of these emissions are attributed to the sector that the autoproducer falls within, but some autorproduction cannot be attributed to the end user and is represented here.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=478&themeid=3

Carbon dioxide emissions from other energy industries include the sum of emissions from combustion of all fossil fuel types used by energy industries. This includes fuel combusted in petroleum refineries, for the manufacture of solid fuels, coal mining, oil and gas exploration, and other energy-producing industries.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=480&themeid=3

Carbon dioxide emissions from manufacturing industries and construction include emissions from combustion of fossil fuels in all industries and construction.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=476&themeid=3

Carbon Dioxide emissions from all transportation include emissions from combustion of fossil fuels for road, rail, air, and other forms of transportation, and agricultural vehicles while they are on highways. The emissions include all sectors of the economy, but do not include international aviation or ship emissions, which are accounted for under bunker fuels. Emissions associated with international transport of people and goods are accounted for in the global total emissions and under bunker fuels.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=471&themeid=3

Carbon dioxide emissions from residential sources include emissions from combustion of all fossil fuel types in households. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=477&themeid=3

Carbon dioxide emissions from "other" sectors include the sum of emissions from combustion of all fossil fuel types used by Includes the commercial, agricultural, and public service sectors, as well as international bunkers.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=481&themeid=3

Sources

International Energy Agency (IEA), 2001. *CO2 Emissions from Fossil Fuel Combustion (2001 Edition)*. Eletronic database available online at http://data.iea.org/ieastore/default.asp. Paris: Organization for Economic Cooperation and Development (OECD).

CO2 Intensity, 1999

CO2 emissions per total energy consumption provides an indicator of how much carbon dioxide is emitted per amount of energy used in a country. This relationship is expressed in metric tons of CO2 per terajoule, and was calculated using the Reference Approach CO2 emissions and total primary energy supply (including biomass and other non-fossil forms of energy). A higher ratio indicates the use of more carbon-intensive fuels such as coal and oil and relative smaller usage of low-carbon fuels such as gas, and renewable energy.

Energy consumption is defined as the total amount of primary energy consumed as opposed to total final consumption. Primary energy includes losses through transportation, friction, heat loss and other inefficiencies. Specifically, consumption equals indigenous production plus imports minus exports plus stock changes minus international marine bunkers. IEA calls this category Total Primary Energy Supply (TPES).

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=605&themeid=3

CO2 emissions per GDP, PPP in 1995 \$ Intl indicates the amount of carbon dioxide emitted per amount of income generated by the country's economy. Carbon dioxide emissions represent total emissions for each country and are based on the reference approach, which include emissions from combustion of all fossil fuels.

Gross Domestic Product (GDP), PPP in constant 1995 international dollars is gross domestic product converted to international dollars using Purchasing Power Parity (PPP) rates, and rescaled to 1995 to give a common reference year. An international dollar has the same purchasing power in a given country as a United States Dollar in the United States. In other words, an international dollar buys an equivalent amount of goods or services in all countries. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=606&themeid=3

Sources

International Energy Agency (IEA), 2001. *CO2 Emissions from Fossil Fuel Combustion (2001 Edition)*. Eletronic database available online at http://data.iea.org/ieastore/default.asp. Paris: Organization for Economic Cooperation and Development (OECD).

Non-CO2 Air Pollution

Sulfur Dioxide, or SO2, is a primary contributor to acid deposition, or acid rain. High concentrations of sulfur dioxide affect breathing and may aggravate existing respiratory and cardiovascular disease. Sulfur dioxide forms when fuel containing sulfur, such as coal and oil, is burned, when gasoline is extracted from oil, or metals are extracted from ore. Petroleum refineries, cement manufacturing, and metal processing facilities, as well as locomotives, large ships, and some nonroad diesel equipment burn high sulfur fuel and release SO2 emissions to the air in large quantities. View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=812&themeid=3

Nitrogen oxides, or NOx, is the generic term for a group of highly reactive, acidifying gases, all of which contain nitrogen and oxygen in varying amounts. Nitrogen oxides are a precursor to ground-level ozone, which can trigger serious respiratory problems. NOx also contributes to acid rain and global warming. It forms when fuel is burned at high temperatures, as in a combustion process. The primary sources of Nox are motor vehicles, electric utilities, and other industrial, commercial, and residential sources that burn fuels.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=813&themeid=3

Carbon monoxide, or CO, is a precursor gas of ground-level ozone, which can trigger serious respiratory problems. When CO enters the bloodstream, it reduces the delivery of oxygen to the body's organs and tissues. Exposure to elevated CO levels can cause impairment of visual perception, manual dexterity,

learning ability and performance of complex tasks. CO is formed when carbon in fuel is not burned completely, and is a component of motor vehicle exhaust. Other sources of CO emissions include industrial processes (such as metals processing and chemical manufacturing), residential wood burning, stoves, and natural sources such as forest fires.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=814&themeid=3

Non-methane VOCs (Volatile Organic Compounds) are chemicals that vaporize at room temperature, like benzene, toluene, methylene chloride and methyl chloroform. Common sources that emit VOCs include housekeeping and maintenance products, and building and furnishing materials, such as solvents, paints, and glues. In sufficient quantities, VOCs can have adverse health effects on humans; some are suspected of causing, or are known to cause, cancer. VOCs are also precursors to ground-level ozone, which can trigger respiratory problems.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=815&themeid=3

Sources

National Institute for Public Health (RIVM) and Netherlands Organization for Applied Scientific Research (TNO). 2001. The Emission Database for Global Atmospheric Research (EDGAR) 3.2. Precursors:CO (Carbon Monoxide): Aggregated Emissions 1990/1995. Electronic database available online at: http://arch.rivm.nl/env/int/coredata/edgar/. The Netherlands: RIVM.

Multilateral Agreements, Status as of September 2002

The Kyoto Protocol to the United Nations Framework Convention on Climate Change strengthens the international response to climate change, and promotes the Convention's ultimate objective of preventing "dangerous anthropogenic [human-made] interference with the climate system". The Kyoto Protocol, which was adopted by consensus at the third session of the Conference of the Parties (COP-3) in December 1997, contains emission targets for Annex I (developed) countries for the post-2000 period.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=428&themeid=3

The United Nations Framework Convention on Climate Change (UNFCCC) refers to the international agreement that targets industrial and other emissions of greenhouse gases such as carbon dioxide. The UNFCC is the centerpiece of global efforts to combat global warming. Initially adopted in 1992 at the Rio de Janeiro "Earth Summit" (http://www.un.org/geninfo/bp/enviro.html), the Convention entered into force on March 21, 1994. The ultimate objective of the UNFCC is the "stabilization of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic (human-made) interference with the climate system. Such a level should be achieved within a time-frame sufficient to allow ecosystems to adapt naturally to climate change, to ensure that food production is not threatened and to enable economic development to proceed in a sustainable manner." View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=620&themeid=3

The Vienna Convention refers to the United Nations Environment Program's (UNEP) Convention on the Protection of the Ozone Layer, adopted by the governments of the world in 1985. Through the Vienna Convention on the Protection of the Ozone Layer, governments committed themselves to protect the ozone layer, to cooperate in scientific research, and to improve the understanding of atmospheric processes

Under the Convention, nations agree to take "appropriate measures...to protect human health and the environment against adverse effects resulting or likely to result from human activities which modify or are likely to modify the Ozone Layer." The measures are unspecified. There is no mention of any substances that might harm the ozone; CFCs appear towards the end of the annex to the treaty, where they are mentioned as chemicals that should be monitored.

View full technical notes on-line at http://earthtrends.wri.org/searchable_db/variablenotes_static.cfm?varid=622&themeid=3

Sources

United Nations Framework Convention on Climate Change (UNFCCC). 2002. *Kyoto Protocol Status of Ratification.* Bonn: UNFCCC. Available on-line at http://www.unfccc.int/resource/kpstats.pdf.

© EarthTrends 2003. All rights reserved. Fair use is permitted on a limited scale and for educational purposes.

United Nations Framework Convention on Climate Change (UNFCCC). 2001. UNFCCC Status of Ratification. Bonn: UNFCCC. Available on-line at http://unfccc.int/resource/conv/ratlist.pdf.

Secretariat for the Vienna Convention and the Montreal Protocol . 2002. *Status of Ratification/Accession/Acceptance/Approval of the agreements on the protection of the stratospheric ozone layer*. Nairobi: United Nations Environment Program. Available online at: <u>http://www.unep.ch/ozone/ratif.shtml</u>.