

OCCASIONAL PAPERS

THE MUSEUM

TEXAS TECH UNIVERSITY

NUMBER 106

28 OCTOBER 1986

CHECKLIST AND BIBLIOGRAPHY OF NICARAGUAN CHIROPTERA

J. KNOX JONES, JR., AND ROBERT D. OWEN

More than a decade has elapsed since publication of a checklist and bibliography for the bats of Nicaragua (Baker and Jones, 1975). In that period, the number of species reported from the country has increased from 77 to 85, and several important research works have appeared, some dealing with karyologic, electrophoretic, and related studies. The present compilation is a survey of the relevant literature through 1985.

Following is a list of the taxa of bats currently known to occur in Nicaragua. For each taxon, citations are given to publications that are primary sources of information on Nicaraguan material; included are some that might otherwise be overlooked for primary information, such as Hall (1981), in which there are figures of crania and rami of specimens from the country, and Swanepoel and Genoways (1979), in which selected cranial measurements of Nicaraguan specimens are recorded. There also are a few citations to papers on ectoparasites. Normally, passing references simply to "Nicaragua," even when museum catalog numbers were listed (see, for example, Forman, 1968, 1972, and Phillips, 1971), are not included. In some instances, bats have been reported in the literature under a scientific name different from the one used here and we have noted such names where it seemed appropriate to do so.

Arrangement of genera generally follows Hall (1981). Species and subspecies are listed alphabetically. Geographical and ecological considerations suggest to us that, with the advent of

additional field exploration, more than 100 species of bats ultimately will be found to occur in Nicaragua.

Family EMBALLONURIDAE

- Rhynchonycteris naso* (Wied-Neuwied, 1820).—J. A. Allen (1908:669, 1910:110), Sanborn (1937:327), Davis *et al.* (1964:375, 379).
- Saccopteryx bilineata* (Temminck, 1838).—J. A. Allen (1910:110), Sanborn (1937:331), Jones (1964:506).
- Saccopteryx leptura* (Schreber, 1774).—Davis *et al.* (1964:375), Jones (1964:506), Jones *et al.* (1971:3).
- Cormura brevirostris* (Wagner, 1843).—J. A. Allen (1910:110—specimens listed as *Peropteryx canina* from Peña Blanca; see Sanborn, 1937:348), Miller (1924:38), Sanborn (1937:349), Goodwin (1942c:119).
- Peropteryx kappleri kappleri* Peters, 1867.—J. A. Allen (1908:669, 1910:110—as *P. canina*), Sanborn (1937:344).
- Peropteryx macrotis macrotis* (Wagner, 1843).—Jones *et al.* (1971:3).
- Centronycteris maximiliani centralis* Thomas, 1912.—Baker and Jones (1975:1), Greenbaum and Jones (1978:2).
- Balantiopteryx plicata plicata* Peters, 1867.—Jones *et al.* (1962:152), Davis *et al.* (1964:375), Jones (1964:506).
- Cyttarops alecto* Thomas, 1913.—Baker and Jones (1975:2).
- Didelidurus albus virgo* Thomas, 1903.—Alston (1879-82:30), Ojasti and Linares (1971:426).

Family NOCTILIONIDAE

- Noctilio albiventris minor* Osgood, 1910.—Goodwin (1942c:121, 1946:297), Davis *et al.* (1964:376), Kohls *et al.* (1965:344), Wenzel *et al.* (1966:578), McDaniel (1970:818), Jones *et al.* (1971:3), Davis (1976:700), Dolan and Carter (1979:646).
- Noctilio leporinus mastivus* (Vahl, 1797).—Davis *et al.* (1964:376), Jones *et al.* (1971:4), Davis (1973:871).

Family MORMOOPIDAE

- Pteronotus davyi davyi* Gray, 1838.—Jones *et al.* (1971:4), Smith (1972:100).
- Pteronotus gymnotus* (Wagner, 1843).—Goodwin (1942a:88, 1946:299, 1953:246), Jones *et al.* (1971:5), Gerber and Leone (1971:161), Smith (1972:106), Hall (1981:95), Sites *et al.*

(1981:466). The species name *suapurensis* was used in earlier references to this bat.

Pteronotus parnellii mesoamericanus Smith 1972.—Jones *et al.* (1971:5—as *P. p. fuscus* in part), Smith (1972:74).

Pteronotus parnellii rubiginosus (Wagner, 1843).—Miller (1902:402), Rehn (1904:203), Jones *et al.* (1971:5—as *P. p. fuscus* in part), Smith (1972:76).

Pteronotus personatus personatus (Wagner, 1843).—Baker and Jones (1975:2).

Family PHYLLOSTOMIDAE

Micronycteris brachyotis (Dobson, 1879).—Goodwin (1946:302—as *M. sylvestris*), Sanborn (1949:224—as *M. platyceps*), Goodwin and Greenhall (1961:231).

Micronycteris hirsuta (Peters, 1869).—Valdez and LaVal (1971:247), Baker *et al.* (1973b:9), Baker and Jones (1975:3), Swanepoel and Genoways (1979:87), Arnold *et al.* (1983:302).

Micronycteris megalotis mexicana Miller, 1898.—G. M. Allen (1929:130), Jones *et al.* (1971:5), Baker and Jones (1975:4), Swanepoel and Genoways (1979:87).

Micronycteris megalotis microtis Miller, 1898.—Miller (1898:328, 1900:154), Lyon (1906:371), Lyon and Osgood (1909:263), J. A. Allen (1910:110), Poole and Schantz (1942:133), Jones *et al.* (1971:6), Baker and Jones (1975:2).

Micronycteris minuta (Gervais, 1856).—Valdez and LaVal (1971:248).

Micronycteris nicefori Sanborn, 1949.—Baker and Jones (1975:3).

Micronycteris schmidtorum Sanborn, 1935.—Davis *et al.* (1964:378), Baker and Jones (1975:3), Arnold *et al.* (1983:302).

Micronycteris sylvestris (Thomas, 1896).—Arnold *et al.* (1983:302).

Macrophyllum macrophyllum (Schinz, 1821).—Davis *et al.* (1964:378), Jones (1964:506), Swanepoel and Genoways (1979:86).

Tonatia bidens bidens (Spix, 1823).—Greenbaum and Jones (1978:2), Swanepoel and Genoways (1979:86).

Tonatia minuta Goodwin, 1942.—Goodwin (1942b:205, 1946:305, 1953:246), Davis and Carter (1962:67), Valdez and LaVal (1971:248), Jones *et al.* (1971:7), Baker and Jones (1975:4), Koopman (1976:45), Greenbaum and Jones (1978:2), Hall (1981:109), Arnold *et al.* (1983:302). Most records listed as *T. nicaraguae* (but see Koopman, *loc cit.*).

- Tonatia silvicola centralis* Davis and Carter, 1978.—Davis and Carter (1978:7), Hall (1981:110), Schmidly and Jones (1984:6).
- Mimon crenulatum keenani* Handley, 1960.—Greenbaum and Jones (1978:4).
- Phyllostomus discolor verrucosus* Elliot, 1905.—Jones (1964:507), Wenzel *et al.* (1966:598), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:89), Hall (1981:114).
- Phyllostomus hastatus panamensis* J. A. Allen, 1904.—Goodwin (1942c:126), Wenzel *et al.* (1966:597), Jones *et al.* (1971:8), Swanepoel and Genoways (1979:89).
- Trachops cirrhosus coffini* Goldman, 1925.—Carter *et al.* (1966:491), Jones *et al.* (1971:8), Swanepoel and Genoways (1979:90).
- Chrotopterus auritus auritus* (Peters, 1856).—Jones *et al.* (1971:9), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:86).
- Vampyrum spectrum nelsoni* (Goldman, 1917).—Gray (1844:18), Dobson (1878:471), Alston (1879-82:39), J. A. Allen (1910:111), Goldman (1917:116), Goodwin (1946:310), Swanepoel and Genoways (1979:90).
- Glossophaga commissarisi* Gardner, 1962.—Miller (1913b:419—at least the specimens from Zelaya), Davis *et al.* (1964:380), Jones (1964:507), Swanepoel and Genoways (1979:92), Hall (1981:121).
- Glossophaga leachii* (Gray, 1844).—Gray (1844:18), Dobson (1878:501), Alston (1879-82:44), Carter and Dolan, (1978:38), Swanepoel and Genoways (1979:92), Webster and Jones (1980:2-4), Hall (1981:121). See Webster and Jones (1980) for taxonomic and nomenclatorial notes on this and the following species.
- Glossophaga soricina handleyi* Webster and Jones, 1980.—J. A. Allen (1910:111), Alvarez (1963:400), Davis *et al.* (1964:380), Starrett and de la Torre (1964:57), McDaniel (1970:805), Jones *et al.* (1971:3, 13, 28), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:92), Webster and Jones (1980:4), Hall (1981:120).
- Lonchophylla robusta* Miller, 1912.—Baker and Jones (1975:4), Swanepoel and Genoways (1979:94).
- Anoura geoffroyi lasiopyga* (Peters, 1868).—McDaniel (1970:805), Jones *et al.* (1971:9).
- Choeroniscus godmani* (Thomas, 1903).—Handley (1966:86), Jones *et al.* (1971:9), Swanepoel and Genoways (1979:91).

- Lichonycteris obscura* Thomas, 1895.—Thomas (1895:57), Davis *et al.* (1964:380), Jones *et al.* (1971:10), Baker and Jones (1975:2), Carter and Dolan (1978:42), Swanepoel and Genoways (1979:93), Hall (1981:134).
- Carollia brevicauda* (Schinz, 1821).—Davis and Carter (1962:71—as *C. subrufa*), Davis *et al.* (1964:379—as *C. subrufa*), Pine (1972:43), Swanepoel and Genoways (1979:95).
- Carollia castanea* H. Allen, 1890.—Davis *et al.* (1964:379), Jones *et al.* (1971:10), Pine (1972:21), Swanepoel and Genoways (1979:95), Hall (1981:135).
- Carollia perspicillata azteca* Saussure, 1860.—Hahn (1907:112), J. A. Allen (1908:669, 1910:111), Davis *et al.* (1964:379), Starrett and de la Torre (1964:58), Gerber and Leone (1971:161), Pine (1972:71), Swanepoel and Genoways (1979:95).
- Carollia subrufa* (Hahn, 1905).—Jones *et al.* (1971:21), Gerber and Leone (1971:161), Pine (1972:29), Swanepoel and Genoways (1979:95).
- Sturnira lilium parvidens* Goldman, 1917.—Davis *et al.* (1964:379), Starrett and de la Torre (1964:59), Jones (1964:507), McDaniel (1970:819), Jones *et al.* (1971:13, 21), Gerber and Leone (1971:161).
- Sturnira ludovici ludovici* Anthony, 1924.—Jones *et al.* (1971:11), Swanepoel and Genoways (1979:101).
- Uroderma bilobatum convexum* Lyon, 1902.—Davis *et al.* (1964:382), Jones (1964:507), Davis (1968:695), Gerber and Leone (1971:161), Baker and McDaniel (1972:4), Baker *et al.* (1973a:428), Baker *et al.* (1975:141), Swanepoel and Genoways (1979:101—part), Baker (1981:297).
- Uroderma bilobatum molaris* Davis, 1968.—Davis *et al.* (1964:382), Davis (1968:697), McDaniel (1970:813), Jones *et al.* (1971:13), Baker and McDaniel (1972:4), Baker *et al.* (1973a:428), Swanepoel and Genoways (1979:101—part).
- Uroderma magnirostrum* Davis, 1968.—Davis (1968:680), Jones *et al.* (1971:11), Swanepoel and Genoways (1979:102), Hall (1981:142).
- Vampyrops helleri* Peters, 1866.—Davis *et al.* (1964:383), Jones (1964:507), McDaniel (1970:809), Valdez and LaVal (1971:248), Jones *et al.* (1971:11), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:103).
- Vampyrodes caraccioli major* G. M. Allen, 1908.—J. A. Allen (1910:112), Goodwin (1946:320), Jones *et al.* (1971:12), Swanepoel and Genoways (1979:102).

- Vampyressa nymphaea* Thomas, 1909.—Jones *et al.* (1971:13), Baker *et al.* (1973b:9), Swanepoel and Genoways (1979:102).
- Vampyressa pusilla thyone* Thomas, 1909.—Starrett and de la Torre (1964:60), Jones *et al.* (1971:13), Baker *et al.* (1973b:9), Baker and Jones (1975:2), Swanepoel and Genoways (1979:102), Hall (1981:148).
- Chiroderma villosum jesupi* J. A. Allen, 1900.—Jones *et al.* (1971:14), Gerber and Leone (1971:161), Greenbaum and Jones (1978:4).
- Ectophylla alba* H. Allen, 1892.—H. Allen (1892:441, 1898:267), Lyon and Osgood (1909:266), Poole and Schantz (1942:129), Goodwin (1942c:134, 1946:323), Goodwin and Greenhall (1962:4), Greenbaum and Jones (1978:5). Type locality (Río Segovia) placed in Comarca de El Cabo, Nicaragua, by Miller and Kellogg (1955:77).
- Artibeus inopinatus* Davis and Carter, 1964.—Davis and Carter (1964:120), Baker and Jones (1975:4), Swanepoel and Genoways (1979:97).
- Artibeus intermedius* J. A. Allen, 1897.—Starrett and de la Torre (1964:61), Jones *et al.* (1971:20), Gerber and Leone (1971:161), Davis (1984:12-13).
- Artibeus jamaicensis paulus* Davis, 1970.—Andersen (1908:266), Davis (1970b:121), Jones *et al.* (1971:20).
- Artibeus jamaicensis richardsoni* J. A. Allen, 1908.—Andersen (1908:267), J. A. Allen (1908:669), Elliot (1917:168), Goodwin (1953:249), Davis and Carter (1964:120), Davis *et al.* (1964:379), Starrett and de la Torre (1964:60), Davis (1970b:116), Jones *et al.* (1971:13), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:97).
- Artibeus lituratus palmarum* J. A. Allen and Chapman, 1897.—Andersen (1908:279), Davis and Carter (1964:120), Davis *et al.* (1964:379), Swanepoel and Genoways (1979:97), Davis (1984:14).
- Artibeus phaeotis palatinus* Davis, 1970.—Davis (1970a:401), Jones *et al.* (1971:13), Gerber and Leone (1971:161), Swanepoel and Genoways (1979:97-98), Hall (1981:162), Koop and Baker (1983:3).
- Artibeus phaeotis phaeotis* (Miller, 1902).—Davis *et al.* (1964:379), Davis, (1970a:399).
- Artibeus toltecus hesperus* Davis, 1969.—Jones *et al.* (1971:14).
- Artibeus toltecus toltecus* (Saussure, 1860).—Andersen (1908:300), Davis (1969:28), Jones *et al.* (1971:15), Gerber and Leone (1971:161).

- Artibeus watsoni* Thomas, 1901.—Andersen (1908:290), Davis and Carter (1962:71), Davis (1970a:393), Jones *et al.* (1971:15), Swanepoel and Genoways (1979:98), Hall (1981:162), Koop and Baker (1983:3).
- Centurio senex senex* Gray, 1842.—Goodwin (1946:327—restricted type locality to El Realejo, Nicaragua), Jones *et al.* (1971:16), Watkins *et al.* (1972:22), Swanepoel and Genoways (1979:98).
- Desmodus rotundus murinus* Wagner, 1840.—J. A. Allen (1908:670, 1910:113), Jones *et al.* (1971:3), Gerber and Leone (1971:161), Greenbaum and Jones (1978:5), Swanepoel and Genoways (1979:105), Honeycutt *et al.* (1981:805).
- Diaemus youngii* Jentink, 1893.—Baker and Jones (1975:4), Cadena and Baker (1976:162), Greenbaum and Jones (1978:5), Honeycutt *et al.* (1981:805), McBee *et al.* (1985:404, 406).
- Diphylla ecaudata centralis* Thomas, 1903.—Jones *et al.* (1971:17), Swanepoel and Genoways (1979:106).

Family NATALIDAE

- Natalus stramineus saturatus* Dalquest and Hall, 1949.—Jones *et al.* (1971:17).

Family THYROPTERIDAE

- Thyroptera discifera abdita* Wilson, 1976.—Miller (1896:111, 1931:411), Goodwin (1946:330), Wilson (1976:307).

Family VESPERTILIONIDAE

- Myotis albescens* (É. Geoffroy St.-Hilaire, 1806).—Miller and G. M. Allen (1928:203), Jones *et al.* (1971:18), LaVal (1973a:29).
- Myotis elegans* Hall, 1962.—Jones *et al.* (1971:18-19—as *M. nigricans* in part), LaVal (1973a:15).
- Myotis keaysi pilosatibialis* LaVal, 1973.—Jones *et al.* (1971:19—as *M. nigricans* in part), LaVal (1973a:25).
- Myotis nigricans nigricans* (Schinz, 1821).—Davis *et al.* (1964:379), McDaniel and Coffman (1970:223), Jones *et al.* (1971:19—in part), LaVal (1973a:10), Dolan and Carter (1979:646).
- Myotis riparius* Handley, 1960.—McDaniel (1970:804—as *M. nigricans*), Jones *et al.* (1971:19—also as *M. nigricans* in part, same page), LaVal (1973a:34).
- Eptesicus furinalis carteri* Davis, 1965.—Dolan and Carter (1979:645).

- Eptesicus furinalis gaumeri* (J. A. Allen, 1897).—Miller (1897:100), Davis (1965:234), Jones *et al.* (1971:20).
- Lasiurus borealis frantzii* (Peters, 1871).—Davis and Carter (1962:73), Baker and Jones (1975:4).
- Rhogeessa tumida* H. Allen, 1866.—J. A. Allen (1910:113), Goodwin (1958:3), Jones *et al.* (1971:20), LaVal (1973b:44), Bickham and Baker (1977:449, 453), Dolan and Carter (1979:646), Baker (1984:181), Baker *et al.* (1985:236).

Family MOLOSSIDAE

- Tadarida laticaudata yucatanica* (Miller, 1902).—Jones *et al.* (1971:21).
- Eumops auripendulus auripendulus* (Shaw, 1800).—Jones *et al.* (1971:22), Eger (1974:7, 1977:28), Greenbaum and Jones (1978:5).
- Eumops glaucinus glaucinus* (Wagner, 1843).—Eger (1977:42).
- Eumops underwoodi underwoodi* Goodwin, 1940.—Dolan and Carter (1979:646).
- Promops centralis centralis* Thomas, 1915.—Baker and Jones (1975:4).
- Molossus ater nigricans* Miller, 1902.—J. A. Allen (1908:670), Jones *et al.* (1971:22), Gerber and Leone (1971:161).
- Molossus bondae* J. A. Allen, 1904.—Miller (1913a:89), Dolan and Carter (1979:646).
- Molossus molossus aztecus* Saussure, 1860.—Felten (1957:14), Vaughan (1959:7—as *M. coibensis*), McDaniel (1970:818), Jones *et al.* (1971:23).
- Molossus pretiosus* Miller, 1902.—McDaniel (1970:814, 818-819), Jones *et al.* (1971:25), Hall (1981:253).
- Molossus sinaloae sinaloae* J. A. Allen, 1906.—Miller (1913a:89), Vaughan (1959:7—as *M. nigricans*), Goodwin and Greenhall (1964:13), Jones *et al.* (1971:27), Dolan and Carter (1979:646), Freeman (1981:10), Hall (1981:254).

LITERATURE CITED

- ALLEN, G. M. 1929. Mammals. Pp. 129-130, in *Vertebrates from the Corn Islands*. Bull. Mus. Comp. Zool., 69:127-146.
- ALLEN, H. 1892. Description of a new genus of phyllostome bats. Proc. U.S. Nat. Mus., 15:441-442.
- . 1898. The skull and teeth of *Ectopylla alba*. Trans. Amer. Philos. Soc., 19:267-272.
- ALLEN, J. A. 1908. Mammals from Nicaragua. Bull. Amer. Mus. Nat. Hist., 24:647-670.

- . 1910. Additional mammals from Nicaragua. *Bull. Amer. Mus. Nat. Hist.*, 28:87-115.
- ALSTON, E. R. 1879-1882. *Biologia Centrali-Americana, Mammalia*. London, xx+220 pp. (introduction by P. L. Sclater).
- ALVAREZ, T. 1963. The Recent mammals of Tamaulipas, México. *Univ. Kansas Publ., Mus. Nat. Hist.*, 14:363-473.
- ANDERSEN, K. 1908. A monograph of the chiropteran genera *Uroderma*, *Enchisthenes*, and *Artibeus*. *Proc. Zool. Soc. London*, pp. 204-319.
- ARNOLD, M. L., R. J. BAKER, AND R. L. HONEYCUTT. 1983. Genic differentiation and phylogenetic relationships within two New World bat genera. *Biochem. Syst. Ecol.*, 11:295-303.
- BAKER, R. J. 1981. Chromosome flow between chromosomally characterized taxa of a volant mammal, *Uroderma bilobatum* (Chiroptera: Phyllostomatidae). *Evolution*, 35:296-305.
- . 1984. A sympatric cryptic species of mammal: a new species of *Rhogeessa* (Chiroptera: Vespertilionidae). *Syst. Zool.*, 33:178-183.
- BAKER, R. J., AND J. K. JONES, JR. 1975. Additional records of bats from Nicaragua, with a revised checklist of Chiroptera. *Occas. Papers Mus., Texas Tech Univ.*, 32:1-13.
- BAKER, R. J., AND V. R. MCDANIEL. 1972. A new subspecies of *Uroderma bilobatum* (Chiroptera: Phyllostomatidae) from Middle America. *Occas. Papers Mus., Texas Tech Univ.*, 7:1-4.
- BAKER, R. J., W. R. ATCHLEY, AND V. R. MCDANIEL. 1973a. Karyology and morphometrics of Peters' tent-making bat, *Uroderma bilobatum* Peters (Chiroptera, Phyllostomatidae). *Syst. Zool.*, 21:414-429.
- BAKER, R. J., H. H. GENOWAYS, W. J. BLEIER, AND J. W. WARNER. 1973b. Cytotypes and morphometrics of two phyllostomatid bats, *Micronycteris hirsuta* and *Vampyressa pusilla*. *Occas. Papers Mus., Texas Tech Univ.*, 17:1-10.
- BAKER, R. J., W. J. BLEIER, AND W. R. ATCHLEY. 1975. A contact zone between karyotypically characterized taxa of *Uroderma bilobatum* (Mammalia: Chiroptera). *Syst. Zool.*, 24:133-142.
- BAKER, R. J., J. W. BICKHAM, AND M. L. ARNOLD. 1985. Chromosomal evolution in *Rhogeessa* (Chiroptera: Vespertilionidae): possible speciation by centric fusions. *Evolution*, 39:233-243.
- BICKHAM, J. W., AND R. J. BAKER. 1977. Implications of chromosomal variation in *Rhogeessa* (Chiroptera: Vespertilionidae). *J. Mamm.*, 58:448-453.
- CADENA, A., AND R. J. BAKER. 1976. Cariotipos de los murciélagos vampiros (Chiroptera: Desmodinae). *Caldasia*, 11:159-163.
- CARTER, D. C., AND P. G. DOLAN. 1978. Catalogue of type specimens of Neotropical bats in selected European museums. *Spec. Publ. Mus., Texas Tech Univ.*, 15:1-136.
- CARTER, D. C., R. H. PINE, AND W. B. DAVIS. 1966. Notes on Middle American bats. *Southwestern Nat.*, 11:488-499.
- DAVIS, W. B. 1965. Review of the *Eptesicus brasiliensis* complex in Middle America with description of a new subspecies from Costa Rica. *J. Mamm.*, 46:229-240.
- . 1968. Review of the genus *Uroderma* (Chiroptera). *J. Mamm.*, 49:676-698.
- . 1969. A review of the small fruit bats (genus *Artibeus*) of Middle America. *Southwestern Nat.*, 14:15-29.

- . 1970a. A review of the small fruit bats (genus *Artibeus*) of Middle America. Part II. Southwestern Nat., 14:389-402.
- . 1970b. The large fruit bats (genus *Artibeus*) of Middle America, with a review of the *Artibeus jamaicensis* complex. J. Mamm., 51:105-122.
- . 1973. Geographic variation in the fishing bat, *Noctilio leporinus*. J. Mamm., 54:862-874.
- . 1976. Geographic variation in the lesser noctilio, *Noctilio albiventris* (Chiroptera). J. Mamm., 57:687-707.
- . 1984. Review of the large fruit-eating bats of the *Artibeus* "lituratus" complex (Chiroptera: Phyllostomidae) in Middle America. Occas. Papers Mus., Texas Tech Univ., 93:1-16.
- DAVIS, W. B., AND D. C. CARTER. 1962. Notes on Central American bats with description of a new subspecies of *Mormoops*. Southwestern Nat., 7:64-74.
- . 1964. A new species of fruit-eating bat (genus *Artibeus*) from Central America. Proc. Biol. Soc. Washington, 77:119-121.
- . 1978. A review of the round-eared bats of the *Tonatia silvicola* complex, with descriptions of three new taxa. Occas. Papers Mus., Texas Tech Univ., 53:1-12.
- DAVIS, W. B., D. C. CARTER, AND R. H. PINE. 1964. Noteworthy records of Mexican and Central American bats. J. Mamm., 45:375-387.
- DOBSON, G. E. 1878. Catalogue of the Chiroptera in the collection of the British Museum. British Museum, London, xlii+567 pp.
- DOLAN, P. G., AND D. C. CARTER. 1979. Distributional notes and records for Middle American Chiroptera. J. Mamm., 60:644-649.
- EGER, J. L. 1974. A new subspecies of the bat *Eumops auripendulus* (Chiroptera: Molossidae), from Argentina and eastern Brazil. Life Sci. Occas. Papers, Royal Ontario Mus., 25:1-8.
- . 1977. Systematics of the genus *Eumops* (Chiroptera: Molossidae). Life Sci. Contrib., Royal Ontario Mus., 110:1-69.
- ELLIOT, D. G. 1917. A check-list of mammals of the North American continent Suppl., edited by J. A. Allen. Amer. Mus. Nat. Hist., iv+192 pp.
- FELTEN, H. 1957. Fledermäuse (Mammalia, Chiroptera) aus El Salvador. Tiel 5. Senckenbergiana Biol., 38:1-22.
- FORMAN, G. L. 1968. Comparative gross morphology of spermatozoa of two families of North American bats. Univ. Kansas Sci. Bull., 47:901-923.
- . 1972. Comparative morphological and histochemical studies of stomachs of selected American bats. Univ. Kansas Sci. Bull., 49:591-729.
- FREEMAN, P. W. 1981. A multivariate study of the family Molossidae (Mammalia, Chiroptera): morphology, ecology, evolution. Fieldiana Zool., n.s. 7:vii+1-173.
- GERBER, J. D., AND C. A. LEONE. 1971. Immunological comparisons of sera of certain phyllostomatid bats. Syst. Zool., 20:160-166.
- GOLDMAN, E. A. 1917. New mammals from North and Middle America. Proc. Biol. Soc. Washington, 30:107-116.
- GOODWIN, G. G. 1942a. New *Pteronotus* from Nicaragua. J. Mamm., 23:88.
- . 1942b. A summary of recognizable species of *Tonatia*, with description of two new species. J. Mamm., 23:204-209.
- . 1942c. Mammals of Honduras. Bull. Amer. Mus. Nat. Hist., 79:107-195.

- . 1946. Mammals of Costa Rica. *Bull. Amer. Mus. Nat. Hist.*, 87:271-473.
- . 1953. Catalogue of type specimens of Recent mammals in the American Museum of Natural History. *Bull. Amer. Mus. Nat. Hist.*, 102:211-411.
- . 1958. Bats of the genus *Rhogeessa*. *Amer. Mus. Novit.*, 1923:1-17.
- GOODWIN, G. G., AND A. M. GREENHALL. 1961. A review of the bats of Trinidad and Tobago. . . . *Bull. Amer. Mus. Nat. Hist.*, 122:189-301.
- . 1962. Two new bats from Trinidad with comments on the status of the genus *Mesophylla*. *Amer. Mus. Novit.*, 2080:1-18.
- . 1964. New records of bats from Trinidad and comments on the status of *Molossus trinitatus* Goodwin. *Amer. Mus. Novit.*, 2195:1-23.
- GRAY, J. E. 1844. *Zoology of the voyage of the H.M.S. Sulphur*. . . . Mammalia (parts 1, 2), London [not seen].
- GREENBAUM, I. F., AND J. K. JONES, JR. 1978. Noteworthy records of bats from El Salvador, Honduras, and Nicaragua. *Occas. Papers Mus., Texas Tech Univ.*, 55:1-7.
- HAHN, W. L. 1907. A review of the bats of the genus *Hemiderma*. *Proc. U.S. Nat. Mus.*, 32:103-118.
- HALL, E. R. 1981. *The mammals of North America*. John Wiley and Sons, New York, 1:xv+1-600+90.
- HANDLEY, C. O., JR. 1966. Description of new bats (*Choeroniscus* and *Rhinophylla*) from Colombia. *Proc. Biol. Soc. Washington*, 79:83-88.
- HONEYCUTT, R. L., I. F. GREENBAUM, R. J. BAKER, AND V. M. SARICH. 1981. Molecular evolution in vampire bats. *J. Mamm.*, 62:805-811.
- JONES, J. K., JR. 1964. Bats new to the fauna of Nicaragua. *Trans. Kansas Acad. Sci.*, 67:506-508.
- JONES, J. K., JR., T. ALVAREZ, AND M. R. LEE. 1962. Noteworthy mammals from Sinoloa, Mexico. *Univ. Kansas Publ., Mus. Nat. Hist.*, 14:145-159.
- JONES, J. K., JR., J. D. SMITH, AND R. W. TURNER. 1971. Noteworthy records of bats from Nicaragua, with a checklist of the chiropteran fauna of the country. *Occas. Papers Mus. Nat. Hist., Univ. Kansas*, 2:1-35.
- KOHL, G. M., D. E. SONENSHINE, AND C. M. CLIFFORD. 1965. The systematics of the subfamily Ornithodorinae (Acarina: Argasidae). II. Identification of the larvae of the Western Hemisphere and description of three new species. *Ann. Ent. Soc. Amer.*, 58:331-364.
- KOOP, B. F., AND R. J. BAKER. 1983. Electrophoretic studies of relationships of six species of Artibeus (Chiroptera: Phyllostomidae). *Occas. Papers Mus., Texas Tech Univ.*, 83:1-12.
- KOOPMAN, K. F. 1976. Zoogeography. Pp. 39-47, in *Biology of bats of the New World family Phyllostomatidae*. Part I (R. J. Baker, J. K. Jones, Jr., and D. C. Carter, eds.), *Spec. Publ. Mus., Texas Tech Univ.*, 10:1-218.
- LAVAL, R. K. 1973a. A revision of the Neotropical bats of the genus *Myotis*. *Sci. Bull. Nat. Hist. Mus., Los Angeles Co.*, 15:1-54.
- . 1973b. Systematics of the genus *Rhogeessa* (Chiroptera: Vespertilionidae). *Occas. Papers Mus. Nat. Hist., Univ. Kansas*, 19:1-47.
- LYON, M. W., JR. 1906. Note on the type specimen of the bat *Micronycteris microtis* Miller. *Ann. Mag. Nat. Hist., ser. 7*, 18:371-373.
- LYON, M. W., JR., AND W. H. OSGOOD. 1909. Catalogue of the type-specimens of mammals in the United States National Museum, including the Biological Survey collection. *Bull. U.S. Nat. Mus.*, 62:ix+1-325.

- McBEE, K., R. J. BAKER, AND S. L. PIMM. 1985. Utility of morphological distance measures and clustering algorithms: a test using phyllostomid bats. *Ann. Carnegie Mus.*, 54:393-412.
- McDANIEL, B. 1970. The labidocarpid batmites of Nicaragua (Listrophoroidea: Labidocarpidae). *Acarologia*, 12:803-823.
- McDANIEL, B., AND C. C. COFFMAN. 1970. The labidocarpid bat-mites of the United States (Acarina: Listrophoroidea). *Proc. Helminthological Soc. Washington*, 37:223-229.
- MILLER, G. S., JR. 1896. The Central American *Thyroptera*. *Proc. Biol., Soc. Washington*, 10:109-112.
- . 1897. Revision of the North American bats of the family Vespertilionidae. *N. Amer. Fauna*, 13:1-135.
- . 1898. Description of five new phyllostome bats. *Proc. Acad. Nat. Sci. Philadelphia*, 50:326-337.
- . 1900. Note on *Micronycteris brachyotis* (Dobson) and *M. microtis* Miller. *Proc. Biol. Soc. Washington*, 13:154-155.
- . 1902. Twenty new American bats. *Proc. Acad. Nat. Sci. Philadelphia*, 54:389-412.
- . 1913a. Notes on the bats of the genus *Molossus*. *Proc. U.S. Nat. Mus.*, 46:85-92.
- . 1913b. Revision of the bats of the genus *Glossophaga*. *Proc. U.S. Nat. Mus.*, 46:413-429.
- . 1924. List of North American Recent mammals 1923. *Bull. U.S. Nat. Mus.*, 128:xvi+1-673.
- . 1931. Two new South American bats. *J. Mamm.*, 12:411-412.
- MILLER, G. S., JR., AND G. M. ALLEN. 1928. The American bats of the genera *Myotis* and *Pizonyx*. *Bull. U.S. Nat. Mus.*, 144:viii+1-218.
- MILLER, G. S., JR., AND R. KELLOGG. 1955. List of North American Recent mammals. *Bull. U.S. Nat. Mus.*, 205:xii+1-954.
- OJASTI, J., AND O. J. LINARES. 1971. Adiciones a la fauna de murciélagos de Venezuela con notas sobre las especies del género *Diclidurus* (Chiroptera). *Acta Biol. Venez.*, 7:421-441.
- PHILLIPS, C. J. 1971. The dentition of glossophagine bats: development, morphological characters, variation, pathology, evolution. *Misc. Publ. Mus. Nat. Hist., Univ. Kansas*, 54:1-138.
- PINE, R. H. 1972. The bats of the genus *Carollia*. *Tech. Monogr., Texas Agric. Exp. Sta.*, 8:1-125.
- POOLE, A. J., AND V. S. SCHANTZ. 1942. Catalog of the type specimens of mammals in the United States National Museum, including Biological Surveys collection. *Bull. U.S. Nat. Mus.*, 178:xiii+1-705.
- REHN, J. A. G. 1904. A study of the mammalian genus *Chilonycteris*. *Proc. Acad. Nat. Sci. Philadelphia*, 56:181-207.
- SANBORN, C. C. 1937. American bats of the subfamily Emballonurinae. *Field Mus. Nat. Hist., Zool. Ser.*, 20:321-354.
- . 1949. Bats of the genus *Micronycteris* and its subgenera. *Fieldiana-Zool.*, 31:215-233.
- SCHMIDLY, D. J., AND J. K. JONES, JR. 1984. Holotypes of Recent mammals in Texas natural history collections. *Occas. Papers Mus., Texas Tech Univ.*, 92:1-13.

- SITES, J. W., JR., J. W. BICKHAM, AND M. W. HAIDUK. 1981. Conservative chromosomal change in the bat family Mormoopidae. *Canadian J. Genet. Cytol.*, 23:459-467.
- SMITH, J. D. 1972. Systematics of the chiropteran family Mormoopidae. *Misc. Publ. Mus. Nat. Hist., Univ. Kansas*, 56:1-132.
- STARRETT, A., AND L. DE LA TORRE. 1964. Notes on a collection of bats from Central America, with the third record of *Cyttarops alecto* Thomas. *Zoologica*, 49:53-63.
- SWANEPOEL, P., AND H. H. GENOWAYS. 1979. Morphometrics. Pp. 13-106, in *Biology of bats of the New World family Phyllostomatidae. Part III* (R. J. Baker, J. K. Jones, Jr., and D. C. Carter, eds.), *Spec. Publ., Mus., Texas Tech Univ.*, 16:1-441.
- THOMAS, O. 1895. On small mammals from Nicaragua and Bogota. *Ann. Mag. Nat. Hist.*, ser. 6, 16:55-60.
- VALDEZ, R., AND R. K. LAVAL. 1971. Records of bats from Honduras and Nicaragua. *J. Mamm.*, 52:247-250.
- VAUGHAN, T. A. 1959. Functional morphology of three bats: *Eumops*, *Myotis*, *Macrotus*. *Univ. Kansas Publ., Mus. Nat. Hist.*, 12:1-153.
- WATKINS, L. C., J. K. JONES, JR., AND H. H. GENOWAYS. 1972. Bats of Jalisco, México. *Spec. Publ. Mus., Texas Tech Univ.*, 1:1-44.
- WEBSTER, W. D., AND J. K. JONES, JR. 1980. Taxonomic and nomenclatorial notes on bats of the genus *Glossophaga* in North America, with description of a new species. *Occas. Papers Mus., Texas Tech Univ.*, 71:1-12.
- WENZEL, R. L., V. J. TIPTON, AND A. KIEWLICZ. 1966. The streblid batflies of Panama. Pp. 405-675, in *Ectoparasites of Panama* (R. L. Wenzel and V. J. Tipton, eds.), *Field Mus. Nat. Hist., Chicago*, xii+861 pp.
- WILSON, D. E. 1976. The subspecies of *Thyroptera discifera* (Lichtenstein and Peters). *Proc. Biol. Soc. Washington*, 89:305-311.

Addresses of authors: JONES, *The Museum and Department of Biological Sciences, Texas Tech University, Lubbock, Texas 79409*; OWEN, *The Museum, Texas Tech University, Lubbock, Texas 79409*. Received 20 December 1985, accepted 17 February 1986.