

\*21

A

# Catalogue

OF

## INSECTS

OF

### PENNSYLVANIA.

510846  
Melsheimer, Friedrich Valentin, 1749-1814.  
A Catalogue of Insects of Pennsylvania.  
Hanover, Lepper, 1806. vi, 60 pp.  
MWA copy.

By FRED. VAL. MELSHEIMER,  
Minister of the Gospel.

*PART FIRST.*

HANOVER, YORK COUNTY:

*Printed for the Author, by W. D. Lepper.*

1806.



## Introduction.

I hereby offer to the Friends of Natural History a Catalogue of Insects, in the Collection of which I have spent my Hours of Recreation for some Years past. To the best of my Knowledge I have but few Predecessors in the United States in this Undertaking. For this Reason I may calculate on the Indulgence of the experienced Naturalist; in case some slight Errors should be found in it.—It is an undeniable Fact, that Entomology has been considerably extended by American Insects; but yet there are many non-descript Genera and Species, to be met with by an observ-

serv-

servant Naturalist, which fully repay the Trouble of his Exertions. Hence arise the urgent Requests, and Invitations of European Naturalists; hence the ardent Desire to possess American Insects: and this is likewise the strongest Excitement for American Entomologists to make themselves more intimately acquainted with the Productions of their Country. Should the present Undertaking meet the Approbation of the Friends of Natural History in the United States, then this Catalogue will be continued from Time to Time.

THE Subscriber at the same Time is willing, if approved of, to exchange such Insects, as he possesses in duplo, for others which are wanting in his Collection. Such

as he has but one Subject of, are marked thus — all others not so marked may be had in Exchange. Should there be any Friends of Natural History, who would wish for a Collection of Insects, I am <sup>in</sup>~~pro-~~  
~~posed~~ <sup>clined</sup> to supply them with *one Subject* of each Species at the Rate of *Five Dollars* per Hundred.

IN the Classification of my Collection I have followed the System of Fabricius; although I wish it to be known, that I am much indebted for the Arrangement relative to Classification to the Instructions of Professor KNOCH in Brunswick, in Germany, with whom I have corresponded for many years past. In the Catalogue his Suggestions will be found marked with the

Letter K. With Pleasure I should have made some Observations on, and given a short Description of some of the most important Subjects, if Time and other Occupations had permitted. Probably it may yet be done in a Supplement to the Catalogue now contemplated to be published.

*Hanover, York County & State of Pennsylvania, August 1806.*

FRED. VAL. MELSHEIMER,  
*Minister of the Gospel.*



## Eleutrata.

—•••—  
I. LUCANUS.

- E**laphus, Fabr.  
 2 Capreolus, Fabr.  
 3 Parallelus, K.  
 4 Quercicola.  
 5 Frontosus, K.  
 6 Platycerus.

II. PASSALUS.

- 7 Interruptus, Fabr.  
 8 Barbatus, K: —

III. SCARABAEUS.

A SCUTELLATI.

a *Thorace cornuto.*

- 9 Tityus, Fabr. —  
 10 Quadridens\*  
 Tricornis, K.

b *Thorace inermi capite cornuto.*

- 11 Jamaicensis, Fabr.

---

\* *Differt a quadridente Indico.*

c *Thorace, capiteque inermi.*

- 12 Scaber, Fabr. —  
 13 Herculeanus. —  
 14 Splendidus, Fabr.  
 15 Excrementi, K.  
 16 Miarophagus, K.  
 17 Juvencus, Fabr.  
     Gibbosus, Panzer.  
 18 Microcephalus.  
     Juvenca, K.  
 19 Pensvallensis. —  
 20 Oblongus, K.  
 21 Bicolor, K.  
 22 Stercoreus. —  
 23 Dimidiatus. —  
 24 Lutulentus, K.  
 25 Femoratus. —  
 26 Fimosus, K.  
 27 Truncatus.  
     Cœnosus, K.  
 28 Opacus. —  
 29 Tuberculatus.  
     Morio, Helwig.  
 30 Inquinatus, Kugelan.  
 31 Tessellatus, K.\*  
 32 Vittatus.  
 33 Ruricola. —  
 34 Fimetarius. —

\* *Veris praenuntius sed fallax.*

- 35 Copronymus, K. —  
     Rubicundus.  
 36 Strigatus, K. —  
 37 Erythropterus. —  
 38 Bubulus. —  
 39 Koprinus. —  
 40 Bovinus. —  
 41 Fulvus.  
     Stercorosus, K.  
 42 Striatulus.  
 43 Imbricatus, K.

B EXSCUTELLATI.

a *Thorace cornuto.*

- 44 Anaglypticus, K.  
 45 Ammon, Fabr.  
 46 Hecate, Panzer.  
 47 Furcatus.

b *Thorace inermi, capite cornuto.*

- 48 Carolinus, Fabr.  
 49 Carnifex, Fabr.  
 50 Nuchicornis, Fabr. —  
 51 Janus, Panzer.

c *Mutici.*

- 52 Volvens, K.\*  
 53 Niger. —

\* *Lactus mitioris coeli nuntius.*

- 54 Smaragdulus, Fabr.  
 55 Ovatus, Fabr.  
 56 Histeroides, K.

IV. TROX.

- 57 Monachus, Herbst.  
 58 Porcatus, K.  
 59 Variolatus. —  
 60 Terrestris, K.  
 61 Striatus. —  
 62 Globosus, K.  
 63 Splendidus.

V. MELOLONTHA.

- 64 Punctata, Fabr.  
 65 Pubescens.  
 66 Quercicola, K.  
     variat colore et magnitudine.  
 67 Hirsuta, K.  
 68 Pilosicollis, K.  
 69 Picea.  
 70 Vitis, Fabr. —  
 71 Rustica. —  
     Mæsta, K.  
 72 Marginalis —  
 73 Sordida. —  
 74 Sericea, K.  
     variat colore.  
 75 Vespertina.  
 76 Frondicola, K.  
     variat colore.

- 77 Subspinosa, Fabr.\*  
     Elongata, Herbst.  
     Polyphaga. Rose-Bug.  
 78 Fulva.  
 79 Melanophthalma.  
 80 Innuba, Fabr.  
     variat colore.  
 81 Castaneæ pumilæ.  
 82 Quercina.  
 83 Micans, K.  
 84 Monticola. —  
 85 Lateralis. —  
 86 Strigata. —

VI. CETONIA.

- 87 Nitida, Fabr.  
     Goldsmith. Anglice.  
 88 Fulgida, Fabr.  
 89 Lanus, Fabr.  
     Tonkæa, Herbst.  
 90 Marilandica. —  
 91 Pubera, Helwig.

VII. TRICHIUS.

- 92 Capucinus. —  
 93 Eremicola, K.  
 94 Coriarius, K.  
     Olens.

---

\* Habitat præcipue in rosarum floribus,  
 quos misere destruit.

- 95 Bibens, Fabr.  
 96 Piger, Fabr.  
 97 Maculosus, K. —  
 Punctatus.  
 98 Canaliculatus, Olivier.  
 variat colore.

VIII. HISTER.

- 99 Unicolor, Fabr.  
 100 Planus, K.  
 Depressus.  
 101 Brunneus, Fabr.  
 102 12 lineatus, K.  
 103 Punctulatus.  
 104 Punctato-Striatus. —  
 105 14 striatus, K.  
 106 Sulcatus.  
 107 Glabratus.  
 Depressus, K. —  
 108 Aequalis, K.  
 109 Semistriatus, Herbst.  
 110 Subrotundus, K.  
 111 Flavicornis, K.  
 112 Minutus.

IX. DERMESTES.

- 113 Lardarius, Fabr.  
 114 Marmoratus, K. —  
 115 Murinus, Fabr.  
 116 Violaceus, Fabr.  
 117 Rufipes, Fabr.

- 118 Fumatus, Fabr.  
 119 Cilindricornis, K.  
 120 Obscurus. —  
 121 Floricola.  
 122 Spadiceus. —  
 123 Ater. —  
 124 Nebulosus.  
 125 Undulatus.  
 126 Adstrictor, Fabr.  
 127 Niger.  
 128 Viridanus.

X. APATE.

- 129 Humeralis, K.  
 130 Punctatus, K. —  
 Niger.  
 131 Cornutus.  
 132 Bicornis.  
 133 Barbatus. —  
 134 Vittatus. —  
 135 Polius.  
 136 Minutus. —  
 137 Striatus. —

XI. BOSTRICHUS.

- 138 Ligniperda, Fabr.  
 139 Scolitus, Fabr. —  
 140 Fuscus. —  
 141 Punctatus. —  
 142 Typographus, K.

- 143 Pini.  
 144 Exesus. —  
 145 Crassicornis. —  
 146 Fasciatus, K.  
     Suturalis.  
 147 Ater.  
 148 Xylographus, K.  
 149 Minutus. —  
 150 Striatus. —  
 151 Chalcographus, Fabr. —  
 152 Fuscipes.  
 153 Pusillus.  
 154 Niger. —  
 155 Xanthographus, K.

## XII. BYRRHUS.

- 156 Murinus, Fabr.  
 157 Ater.  
     Impressus, K.  
 158 Globosus, K.  
     Globulus.

## XIII. ANTHRENUS.

- 159 Museorum, Fabr.\*  
 160 Castaneæ pumilæ.  
 161 Thoracicus, —  
 162 Niger.  
 163 Obscurus.

\* Larva flavida, setacea, fasciis nigris.

## XIV. ANOBIUM.

- 164 Pertinax, Fabr.  
 165 Tomentosum, K.  
 166 Sericeum, K. —  
 167 Fasciatum, K.  
 168 Gibbosum.  
 169 Thoracicum. —  
 170 Pubescens.  
 171 Minutum. —  
 172 Nigrum.  
 173 Maculatum.  
 174 Posillum.  
 175 Villosum.  
 176 Cervicornu, K.

## XV. LICTUS.

- 177 Impressus.  
 178 Striatus, K.  
     Canaliculatus.  
 179 Axillaris, K.  
 180 Punctatus, K.  
 181 Marginalis.  
 182 Fuscus, K. —  
 183 Americanus, K.  
 184 Politus, Kugelan.  
 185 Sulcatus.  
     Porcatus, K.  
 186 Histeroides, K.  
 187 Fuliginosus. —  
 188 Glaber. —



- 189 Minutus. —  
 190 Parallellipipedus, K.  
 191 Unicolor. —

XVI. LATRIDIIUS.

192. Dentatus, K.  
 193 Depressus.  
 194 Maculatus. —  
 195 Pubescens, K.  
 196 4 dentatus.  
 197 Bidentatus, K.  
 198 Niger. —  
 199 Rufus. —  
 200 Sulcatus.  
 201 Rufipes. —  
 202 Pusillus. —  
 203 Pulicarius. —

XVII. CRYPTOPHAGUS.

- 204 Pubescens.  
 205 4 maculatus. —  
 206 Lycoperdi, K.

XVIII. COLYDIUM.

- 207 Undulatum. —  
 208 Longiusculum, K.  
 209 Parallellipipedum, K.  
 201 Lineola.  
 211 Glabratum. —

- 212 Substriatum.

XIX. HYPOPHLOEUS.

- 213 Castaneus.  
 214 Thoracicus, K. —  
 215 Nitidus. —

XX. HALLOMENUS.

- 216 Castaneus.  
 217 Undatus, K.  
 4 maculatus.  
 218 Umbrinus. —  
 219 Gracilis. —  
 220 Bifasciatus, K.  
 Bivittatus.  
 221 Humeralis, K.  
 222 Minutus.  
 223 Niger.  
 224 Melanocephalus. —

XXI. PTOMAPHAGUS.

- 225 Opacus, K.

XXII. PTINUS.

- 226 Humeralis, K.  
 227 Niger. —  
 228 Bidens. —  
 229 Bimaculatus.  
 230 4 maculatus.

XXIII. BRUCHUS.

- 231 Pisi, Fabr.  
Pea-Fly, Angl:  
232 Nebulosus. —  
233 Niger.  
234 Pictus, K.  
Punctatus.  
235 4 maculatus.  
236 Verrucosus. —

XXIV. ELOPHORUS.

- 237 Griseus, Herbst.  
238 Tuberculatus.  
Gibbosus, K.  
239 Rufipes. —

XXV. SPHAERIDIUM.

- 240 Prætextatum, K.  
241 Glabratum.  
242 Melanocephalum.  
243 Minutum.

XXVI. STRONGILUS.

- 244 Adustus, K.  
245 Silaceus, K.

XXVII. ANISTOMA.

- 246 Piceum, K.  
247 Americanum, K.  
248 Lividum. —

- 249 Brunneum. —  
250 Thoracicum. —  
251 Nitidum.  
252 Atrum.

XXVIII. SCAPHIDIUM.

- 253 4 pustulatum, K.  
254 4 guttatum, K. —  
255 Piceum, K.  
256 Convexum.  
257 Terminatum, K.

XXIX. AGATIDIUM.

- 258 Piceum, K.

XXX. TRITOMA.

- 259 Striatum.  
Unicolor, K.  
260 Punctatum.  
Nigrum, K.  
261 Biguttatum, K.  
262 Bicolor.  
263 Piceum, K.  
264 Glabratum. —  
265 Pulchrum. —  
266 Rufum.  
267 Thoracicum. —  
268 Rufipes, Fabr.  
269 Minutum. —

XXXI. MYCETOPHAGUS.

- 270 Castaneus, K.  
 271 4 maculatus. —  
 272 Bimaculatus, K.  
 273 Undulatus.  
     Nodosus, K.  
 274 Maculatus, K.  
     Tesselatus.  
 275 Maculosus, K. —  
 276 10 guttatus. —  
 277 Flexuosus, K.  
     Boleti.  
 278 Atomarius, Helw.  
     Multipunctatus.  
 279 Niger. —  
 280 Pubescens. —  
 281 Substriatus.  
 282 Tomentosus.  
 283 6 punctatus.  
     Dispar, K.  
 284 Bimaculosus, K. —

XXXII. IPS.

- 285 Fasciata, Fabr.  
 286 4 notata. —  
 287 Undata.  
 288 5 maculata, K.  
 289 Atripennis, K.  
 290 Transversalis, K.

- 291 Bicolor.  
 292 Rufipes.  
 293 Villosa, K.  
 294 4 maculata. —  
 295 Bipunctata. —  
 296 4 maculosa, K.  
 297 Nigra, K.  
     Subterranea.  
 298 4 signata, K.  
 299 Unicolor.  
 300 Sexpunctata.  
 301 Dispar, K.  
 302 Pubescens.  
 303 10 guttata. —

XXXIII. HISPA.

- 304 Vittata, K.  
 305 Arundinis.  
 306 Marginata.  
 307 Castanea pumila.  
 308 Saturalis, K.  
 309 Thoracica. —  
 310 Bicolor. —  
 311 Humeralis. —  
 312 Nigra.  
     Porcata, K.  
 313 Pulchra. —  
 314 Scabra. —  
 315 Minuta. —  
 316 Dubia.

XXXIV. PARNUS.

- 317 Lithophilus.  
 Villosus, K.  
 318 Fastigiatus, K.  
 319 Sulcatus.  
 Crenatus, K.  
 320 Longimanus.  
 Cinctus, K.  
 321 Minutus.  
 322 Vittatus.

XXXV. DIAPERIS.

- 323 Maculata, Olivier.  
 324 Bicornis.  
 Hispa bicornis, Fabr.  
 325 Cornigera.  
 Hispa cornigera, Fabr.  
 326 Bicolor, K.  
 327 Nigra.  
 328 Cornuta.

XXXVI. BOLITOPHAGVS.

- 329 Cornutus, K.  
 Femina mutica.

XXXVII. NICROPHORUS.

- 330 Thoracicus.  
 Grandis, K.  
 331 Americanus, K.  
 332 Velutinus, Fabr.  
 Cadaverum, K.  
 333 6 maculatus. —

XXXVIII. SILPHA.

- 334 Littoralis, Fabr.  
 335 Surinamensis, Fabr.  
 336 Americana, Fabr.  
 337 Inæqualis, Fabr.  
 338 Marginata, Fabr.  
 339 Brunnea, K. —  
 340 Rufipes.  
 341 Hæmiptera. —  
 342 Minuta. —  
 343 Pusilla. —  
 344 Testacea.  
 345 Violacea. —

XXXIX NITIDULA.

- 346 Bipustulata, Fabr.  
 347 Maculata, K.  
 Grandis.  
 348 6 maculata, K.  
 Polita.  
 349 Undulata, K.  
 350 Tessellata. —  
 351 Hæmiptera, K.  
 Marginalis.  
 352 Undata, K.  
 353 Aestiva, K.  
 354 Nigra.  
 355 4 guttata, K.  
 356 Bimaculata. —  
 357 8 maculata, K.  
 Abbreviata.

- 358 Rufa. —  
 359 Brachyptera, K.  
 360 Ochracea, K. —  
 361 Colon, Fabr.  
 362 Pulicaria. —  
 363 Villosa. —  
 364 Biguttata.  
 365 Minuta.  
 366 Fasciata.  
 367 Castanea.  
 368 Nitida.  
 369 Pusilla.  
 370 Pudibunda. —  
 371 Trifasciata.  
 372 Glabrata.  
     Antiqua, K.  
 373 Melanophthalma. —  
 374 Unicolor. —  
 375 Rufida. —

**XL. OPATRUM.**

- 376 Clathratum, K.  
 377 Striatum. —

**XLI. COCCINELLA.**

**A ELYTRIS FLAVIS, PUNCTIS NIGRIS.**

- 378 Oculata Americana.  
 379 Trilineata, Fabr.  
     Venusta, K.  
 380 9 notata, Herbst.

- 381 5 notata, K.  
     Parenthesis.  
 382 Abbreviata, Fabr.  
 383 10 maculata, Fabr.  
 384 Munda, K.  
 385 20 maculata, K.  
 386 Suturealis. —  
 387 Mali.  
     an varietas ocellata.

**B ELYTRIS NIGRIS PUNCTIS FLAVIS  
 VEL RUBRIS.**

- 388 4 punctata.  
 389 Stigma, K.  
     Caeti, Fabr.  
 390 Ursina, Fabr.  
 391 6 maculata. —  
 392 Binotata, K.  
     Albifrons.  
 393 Bipustulata.  
 394 6 notata, K.  
 395 Praefextata, K.  
     Marginalis.  
 396 Lateralis.  
 397 Fimbriolata, K.  
     Limbata.  
 398 8 pustulata.  
 399 Analis, K.  
 400 10 guttata.  
 401 Leperina, K.

- 402 Thoracica. —  
 403 Terminata, K.  
 404 10 pustulata. —  
 405 Aurita. —  
 406 Trimaculata.

XLII. CASSIDA.

- 407 Signifer, Herbst.  
 408 Horticola, K.  
 409 Aurata, K.  
     Mutabilis.  
 410 Bivittata. —  
 411 6 punctata, Olivier.  
 412 Clavata, Fabr.  
 413 Limbata, Geoffr.  
 414 Fasciata. —  
 415 Minuta. —

XLIII. CHRYSOMELA.

- 416 Philadelphica, Fabr.  
 417 Pulchra, Fabr.  
 418 Maculata.  
 419 Purpurea, K.  
 420 Virgata, K.  
     Limbata.  
 421 Raphani, Herbst.  
 422 Alni.  
 423 14 notata.  
 424 Polita, Fabr.  
 425 Violacea. —  
 426 Ranunculi, Herbst.

- 427 Vulgatissima, Fabr.  
 428 Cyanea. —  
 429 Rhois, Forster.  
     Lineata, K.  
 430 Flavida. —

XLIV. ALTICA.

- 431 Thoracica.  
 432 Purpurea.  
     Vians, K.  
 433 Merdivora, K.  
     Vulgaris.  
 434 Horticola.  
 435 Vittata, K. —  
 436 Nitidula. —  
 437 Atrata, K.  
 438 Cuprea, K.  
 439 Helxines, Fabr.  
 440 Segetum.\*  
     Earth-Flea, Teuton:  
 441 Cærulea. —  
 442 Rufipes.  
 443 Aerea, K.  
 444 Raphani, Fabr.  
 445 Analis.  
 446 6 maculata.  
 447 Metallica.  
     Violacea, K.  
 448 Rufipes, Linc.

\* *Destruit segetes tempore autumnali.*

- 449 Nitida.  
 450 Pusilla. —  
 451 Flexuosa, Panzer.  
 452 Sanguinei-collis.  
 453 Urticæ, Kugelan.  
     Solani tuberosi.  
 454 Bimaculata.  
 455 Caroliniana, Fabr.  
 456 Pilosa, K.  
 457 Forticornis, K. —  
     Longicornis.  
 458 Bivittata. —  
 459 Rhois.  
 460 Rufa, K.  
 461 Du Chou, Geoffr.  
 462 Pulicaria. —  
 463 Rubicunda. —  
 464 Melanura.  
 465 Oleracea, Fabr.  
 466 Smaragdula.  
 467 Lupuli, Helwig.  
 468 Prasina. —

**XLV. EUMOLPUS.**

- 469 Auratus.  
     Chrysomela aurata, Line.  
 470 Cupreus, K.  
     Longicornis.  
 471 Flavus, K.  
 472 Metallicus, K.

- 473 Ovatus, K.  
     Smaragdulus.  
 474 Viridis.  
 475 Maculatus, K.  
 476 Aeneus, K.  
     Castaneæ pumilæ.  
 477 Pubescens, K.  
 478 4 maculatus, K.  
 479 Rufipes.  
     Quercus, K.  
 480 Pilosus.  
     Barbatus, K.  
 481 Villosus, K.  
     Altica villosa, Kugelan.  
 482 Thoracicus. —  
 483 Limbatus. —  
 484 Flavipes.  
 485 Versicolor. —  
 486 Fuscipes.  
 487 Unicolor.

**XLVI. CRYPTOCEPHALUS.**

- 488 Pubescens.  
 489 Histrio, Rossi.  
 490 Trinotatus, K.  
 491 Taniatus, K.  
     Lineatus.  
 492 Sanguinei-collis. —  
 493 Hepaticus, K.  
 494 4 maculatus.  
     6 notatus, K.



- 495 Pictus, K. —  
 496 Indicus, K.  
 Ater.  
 497 Pulcher. —  
 498 Venustus, Fabr.  
 499 16 guttatus, K.  
 500 Clathratus, K.  
 501 4 guttatus, Olivier.  
 502 4 maculatus, K.  
 503 Nobilis. —  
 504 Bivittatus.  
 505 Conspersus.  
 506 Rugosus.  
 507 Aesculi, K.  
 508 Cæruleus. —  
 509 Tridens, K.  
 510 Minutus. —  
 511 Fasciatus.  
 Binotatus, K.

**XLVII. CLYTRA.**

- 512 Obsita.  
 Cryptocephalus obsitus, Fabr.

**XLVIII. CISTELA.**

- 513 Scutellata.  
 Quercus, K.  
 514 Erythroptera.  
 515 Fuliginosa, K.  
 516 Pubescens.  
 Pilosa, K.

- 517 Marginalis.  
 518 Rufipes.  
 519 Sericea, K.  
 520 Humeralis. —  
 521 Axillaris.  
 522 Bipustulata, K.  
 523 Minuta.  
 524 Obscura.  
 525 Atra, K.  
 526 Nigra.  
 527 Fuscipes.  
 528 Unicolor.  
 529 Picipes.

**XLIX. CRIOCERIS.**

- 530 Trivittata, K.  
 531 Arundinis.  
 Lineata, K.  
 532 Flavida.  
 533 Asparagi, Fabr.  
 534 Rubricollis.  
 535 Armeniacæ.  
 536 Pruni.  
 537 Marginalis.  
 Fimbriolata, K.  
 538 Thoracica.  
 Flavipes, K.  
 539 Rufipes. —  
 540 Cærulea. —  
 541 Paleacea.  
 Pallida, K.  
 542 Melanophthalma.



## L. GALERUCA.

- 543 12 punctata, Fabr.  
 544 Viminalis, K.  
 545 Cucumeris.  
 Cucumber-Fly, Angl: #  
 546 Sanguinea, Fabr.  
 547 10 maculata.  
 548 Limbata.  
 549 Salicis, K.  
 550 Thoracica. —  
 551 Cincta.  
 552 Lineata. —  
 553 Quercata, Fabr.  
 554 6 lineata.

## LI. LAGRIA.

- 555 Aenea, Fabr.  
 556 Viridis, K.  
 557 Resplendens.  
 558 Fusca. —

## LII. ENDOMICHTUS.

- 559 Distinctus, K.  
 560 Limbatus, K.  
 Niger.  
 561 Villosus.  
 562 4 punctatus.

\* *Pestis hortorum: pellitur oleo resinoso  
 (Tar) et sulphure.*

- 563 4 guttatus, K.  
 564 Pilosus. —  
 565 Fuscus.  
 566 Luteus, K.  
 Flavidus.  
 567 Fasciatus, K.  
 Crassicornis.

## LIII. BRENTUS.

- 568 Dispar, Fabr.  
 569 Albo-maculatus.

## LIV. CURCULIO.

- 570 Rostratus.  
 Caryatipes, K.  
 571 Tessellatus. —  
 572 Castaneæ pumilæ.  
 573 Proboscideus, Fabr.  
 574 Cinereus.  
 575 Atomarius. —  
 576 Nucum, Fabr.  
 577 Abietis, Fabr.  
 Pales, Herbst.  
 578 Barbitus, K.  
 Dentatus.  
 579 Erythropterus.  
 580 Olyra, Herbst.  
 581 Pandura, K.  
 Juvencus.  
 582 Myrmex, Herbst.

- 583 Anaglypticus, K.  
Granulatus.  
584 Elegans.  
585 Clathratus, K.  
586 Zonatus.  
587 Nivens. —  
588 Fuliginosus. —  
589 Nenuphar, Herbst.  
Persicæ.\*  
590 Verrucosus.  
591 Cylindricus.  
592 Tuberosus. —  
593 Crenatus.  
594 Lineola.  
595 Quadrigibbus. —  
596 Pinastris, Fabr.  
597 13 punctatus, Fabr.  
598 Trilineatus.  
599 Foveolatus, K.  
Albo-maculatus.  
600 Pubescens. —  
601 Trinctatus.  
Pennsylvanicus, K.  
602 Bisignatus, K.  
603 Hypsigaster, K. —  
604 Signatus.  
605 Smaragdulus. —  
Hebetatus, K.  
606 Scutellum album, K.

*Habitat in malo Persica, larva sub cortice.*

- 607 Striatus.  
608 Sordidus. —  
609 Limosus.  
610 Corticalis, Paik.  
Lymexylon, Fabr.  
611 Albolineatus.  
612 Tabecula, K.  
Punctum album.  
613 Pectoralis. —  
614 4 dentatus.  
Denticollis, K.  
615 Rufipes.  
616 Quercus.  
617 Obscurus.  
618 Bidentatus.  
619 Collaris.  
620 Quadricuspis, K.  
621 Fuscipes.  
622 Ehippium.  
623 Nigricans. —  
624 Gagathes. —  
625 Fasciatus.  
626 Villosus.  
627 Humilis, K.  
Atrirostratus.  
628 Exoticus.\*  
629 Varians, Fabr.  
630 Picipes.  
631 Nigrinus.

\* *Habitat — — allatus in oryza.*

- 632 Conspersus.  
 633 Penecillus, Herbst.  
 634 Maculosus.  
 635 Sanguinolentus. —  
 636 Aeneus.  
 637 Interlineatus.  
 638 Pilosus.  
 639 Pietus. —  
 640 Punctatulus, Fabr.  
 Noveboracensis, Forster.  
 641 Transversalis, K.  
 642 Corticicola.  
 643 Griseus.  
 644 Ruficornis.  
 645 Abbreviatus.  
 646 Echinus, K.  
 647 Nephele, Herbst.  
 648 Acuminatus.  
 Vagans, K.  
 649 Lineatus.  
 650 Incultus. —  
 651 Nota, K.  
 652 Pilosellus, K.  
 653 Undulatus.  
 654 Chrysorrhæus. —  
 655 Variegatus.  
 656 Hamorrhæus.  
 657 Ater.  
 658 Aeratus, K.  
 Cupreus.  
 659 Maculatus.

- 660 Incanus.  
 661 Niger.  
 662 Picumnus, Herbst.  
 663 Sparsus, K.  
 664 Biguttatus.  
 665 Minutus.  
 666 Perscitus, Herbst.  
 667 Unicolor.  
 668 Myrmecodes, K.

#### LV. RHYNCHOPHORUS.

- 669 Carinatus, K.  
 670 Granarius, Fabr.  
 Weevil, Angl.\*  
 671 Erythropterus.  
 672 Oryzæ, Fabr.  
 673 Bicolor. —

#### LVI. ATTELAEUS.

- 674 Curculionoides, Fabr.  
 675 Bipustulatus, Fabr.  
 676 Pubescens.

#### LVII. RHYNCHITES.

- 677 Aeneus, K.  
 678 Bicolor.  
 679 Nigripes.  
 Quercus, K.

---

\* *Pellitur calce viva.*

- 680 Americanus, K.  
 681 Niger.  
     Scaber, K.  
 682 Cæruleus.  
 683 Rostrum, K.  
 684 Florilegus.  
 685 Atratus.  
 686 Pigmaeus.  
 687 Anans.  
 688 Fuscipes.  
 689 Nasutus.  
 690 Punctum.  
 691 Globulus.  
 692 Rubricollis.

**LVIII. ORCHESTES.**

- 693 Salicola, K.

**LIX. ANTHRIBUS.**

- 694 Senilis.  
 695 Agarici quercini.  
 696 Notatus, K.  
 697 Longicornis.  
     Capillicornis, K.  
 698 4 notatus.  
 699 Limbatus. —  
 700 Pubescens.  
 701 Varius.  
 702 Albidus. —  
     Variegatus, K.  
 703 Tomentosus. —

**LX. CLERUS.**

- 704 Dubius, Fabr. —  
 705 Ichneumonius, Fabr.  
 706 Rufipes, K.  
     Cyanus.  
 707 Monilis.  
     Thoracicus.  
 708 Sanguineus.  
 709 Rosarum, K.  
 710 Fasciatus.  
 711 Distrophus, K. —  
 712 Bifasciatus.

**LXI. TILLUS.**

- 713 Pilosus.  
     Lampyris pilosa, Forster.  
 714 Marginatus, K.  
 715 Thoracicus.  
 716 Bipunctatus, K.  
 717 4 punctatus.  
 718 Sanguineicollis.  
 719 Fasciatus. —

**LXII. NOTOXUS.**

- 720 Unicornu, K.  
 721 Thoracicus. —  
 722 Pubescens.  
 723 Undulatus.  
 724 Axillaris.  
 725 Unicolor, K.  
     Pusillus.

- 726 4 maculatus, K.  
727 Melanocephalus.  
728 Floralis, Fabr.

LXVIII. PSELAPHUS.

- 729 Brunneus, K.  
730 Rufipes.

LXIV. PRIONUS.

- 731 Imbricornis, Fabr.  
Cylindricus, Fabr.

LXV. CERAMBYX.

- 732 Undatus, K.  
733 Fasciatus. —  
734 Punctatus.  
Maculatus, K.  
735 Macula, K.  
736 Symetrus, K.  
737 Variegatus.  
738 Griseus.  
Analis, K.  
739 Insignis, K.  
X album.  
740 Rufipes.  
741 4 notatus.  
742 Interruptus.  
743 Pygmæus. —

LXVI. STENOCORUS.

- 744 Garganicus, Fabr.

- 745 Cyaneus, Fabr.  
Sambuci.  
745 Bidens, K.  
747 Discoideus, K.  
748 Undatus, Fabr.  
749 4 maculatus, Fabr.  
750 Marilandicus, Fabr.  
751 Pubescens. —

LXVII. LAMIA.

- 752 Pini.  
Carambyx pini, Drury.  
753 Pulchra. —  
754 Marmorata, K. —  
Elegans.  
755 Titillator, Fabr.  
756 Coquus, Fabr.  
757 Axillaris, K.  
758 Bimaculata.  
759 Tornator, Fabr.  
760 Pictor, Helwig.  
761 M nigrum.  
Obliqua, K.  
762 Scabra.  
763 Lunulata.  
764 6 guttata.

LXVIII. SAPERDA.

- 765 Pulchra.  
Picta, K.

- 766 Lateralis, Fabr.  
 767 Lineata.  
 768 Tripunctata, Fabr.  
 769 Juglandis, K.  
 770 Spinosa, K.  
 771 Cinerea, K.  
     Trilineata.  
 772 Ocellata, K.  
 773 Undata, K.  
 774 Marginata.  
 775 Cingulata, K.  
     Juglandis albæ.  
 776 Nigricornis.  
 777 Nigra.  
 778 Maculata. —  
 779 Scutellata.  
 780 Fuscipes.  
 781 Unicolor.  
 782 Bipunctata.  
 783 Bifasciata. —

LXIX. RHAGIUM.

- 784 Inquisitor, Fabr.  
 785 Pictum, K.  
 786 Rufipes.  
 787 Sericeum, K.  
 788 Thoracicum.  
 789 4 maculatum.  
 790 Nitidum. —

LXX. CALLIDIUM.

- 791 Pulverulentum, Fabr.  
 792 Variegatum.  
 793 Nigrum.  
 794 Dentatum.  
 795 Erythrocephalum, Fabr.  
 796 Picipes, Fabr.  
 797 Varium, Fabr.  
 798 Colonum, Fabr.  
 799 Indicum, Fabr.  
 800 Cucuiiforme, K.  
 801 Angulatum, Fabr.  
 802 Fennicum, Fabr.  
 803 OO  
     Caprea, K.  
 804 Pensylvanicum, K.  
 805 Fulminans, Fabr.  
 806 Bicolor.  
 807 Luridum.  
 808 Deustum.  
 809 Juglandis, K.  
 810 Bajulum, Fabr.  
 811 Thoracicum.  
 812 Elegans.  
 813 4 maculatum.  
 814 Obliquum, K.  
 815 Canaliculatum.  
 816 Ornatum.  
 817 Femoratum.  
 818 Arietinum.  
 819 Gazellula.

- 820 Fuscum.  
821 Pygmæum.

LXXI. LEPTURA.

- 822 Luteicornis, Fabr.  
823 Cincta, K.  
    Lateralis.  
824 Pubera.  
825 Nigra.  
826 Castaneæ pumilæ.  
    Rubrica, K.  
827 Deusta.  
828 Nitens, Forster.  
829 Limbata, Line.  
830 4 punctata.  
831 Vittata, Helwig.  
832 Lineola, K.  
    Marginata.  
833 Scutellum album, K.  
834 4 maculata.  
    Disjuncta, K.  
835 Thoracica.  
836 Americana.  
837 Bicolor.  
838 Necydaloides, K.  
839 4 fasciata.  
840 Chalibæa, K.  
    Rufipes.  
841 Lateralis.  
    Cruentata, K.  
842 Collaris.

LXXII. DONACIA.

- 843 Aenea, K.  
844 Arundinis.  
    Metallica, K.  
845 4 notata.  
846 Indica.  
847 Cuprea.—  
848 Obscura.  
    Atra, K.  
849 Fusca, K.  
850 Testacea.  
851 Bilineata.  
852 Nitida.

LXXIII. MOLORCHUS.

- 853 Pensylvanicus.  
854 Bimaculatus, K.

LXXIV. NECYDALIS.

- 855 Abbreviata.  
856 Fraxini.  
857 Thoracica.  
    Ruficollis, K.  
858 Macula.

LXXV. LAMPYRIS.

- 859 Versicolor, Fabr.  
    Marginata, Panzer.  
860 Corusca, Fabr.  
861 Pyralis, Fabr.

- 862 Lucifera.  
 863 Cincta.  
     Marginella, Helwig.  
 864 Limbata.  
 865 Marginata, Helwig.  
 866 Atra, Fabr.  
 867 Arcuata, K.  
     Autumnalis.  
 868 4 maculata, K.  
 869 Thoracica.  
 870 Nigricans.  
 871 Nigra, K.  
 872 Pubescens.  
     Limbalis, K.  
 873 Ruficollis, K.

XXVI. PYROCHROA.

- 874 Thoracica.  
 875 Flabellata, Fabr.  
 876 Ruficollis, K.  
 877 Monilis, K.

LXXVII. LYCUS.

- 878 Reticulatus.  
     Pirochroa reticulata, Fabr.  
 879 Coccinatus, K.  
 880 Ruber.  
 881 Pectinicornis, K.  
 882 Humeralis.  
 883 Lateralis, K.

- 884 Pleurites, K.  
 885 Elevatus.

LXXVIII. LYMEXYLON.

- 886 Cylindricum, K.  
 887 Rufipes.  
     Aeneum, K.

LXXIX. DRYOPS.

- 888 Præusta, Olivier.

LXXX. CUCUIUS.

- 889 Depressus, Fabr.  
 890 Fuscus, K.  
 891 Testaceus.  
 892 Biguttatus, K.  
 893 Fasciatus. —  
 894 Cæruleus, Paik.  
     Pytho, Fabr.  
 895 Nigrinus.

LXXXI. CANTHARIS.

- 896 Bimaculata, Fabr.  
 897 Limbata.  
 898 Marginalis, K.  
 899 Cincta, K.  
 900 Abbreviata.  
     Hemiptera, Helwig.  
 901 Serraticornis, K.  
 902 Obscura, Fabr.  
 903 Angusticollis, Helwig.



- 904 Rufipes.  
 905 Fraxini.  
 906 Marginata.  
 907 Pensylvanica, K.  
 908 Ruficollis.  
     Tomentosa, K.  
 909 Bilineata.  
 910 Rubricollis.

LXXXII. MALACHIUS.

- 911 Serraticornis, K.  
 912 4 maculatus.  
 913 Thoracicus.  
 914 Nigricollis, K.  
 915 Minutus.  
 916 Labiatus.

LXXXIII. ELATER.

- 917 Oculatus, Fabr.  
 918 Aterrimus.  
 919 Laccatus, K.  
 920 Lævigatus, K.  
 921 Attenuatus, K.  
 922 Memnonius, K.  
 923 Procerus.  
 924 Tesselatus.  
 925 Meianophthalmus.  
 926 Bicolor.  
 927 Nigricans.  
 928 Testaceus.  
 929 Longicornis, K.

- 930 Bellus, K. —  
 931 Nimbatus, K.  
 932 Pilosellus.  
 933 Serraticornis, K.  
 934 Tenellus, K.  
 935 Pimaculatus.  
 936 Cruciatu. —  
 937 Nitidus.  
 938 Rufipes.  
 939 Quercicola.  
 940 Glabratus.  
 941 Unicolor.  
 942 Angulatus, K.  
 943 Canus.  
     Mucidus, K.  
 944 Lepturus, K.  
 945 Strigatus.  
 946 Tomentosus.  
 947 Americanus, K.  
 948 Viridis.  
 949 Piceus.  
 950 Aethiops, K.  
 951 Ater.  
 952 Rubricollis.  
 953 Collaris, K.  
 954 Vulgaris.  
     Pilosus, K.  
 955 Lateralis.  
 956 Limbalis, Helwig.  
 957 Procericollis, K.

- 958 Nigricollis.  
 959 Rufifrons.  
 960 Nigricornis.  
 961 Deustus.  
 962 Sanguineus.  
 963 Viridanus.  
 964 Terminatus, K.  
 965 Humeralis. —  
 966 Villosus.  
     Corticinus, K.  
 967 Microcephalus.  
 968 Silaceus, K.  
 969 Umbraticus, K.  
 970 Truncatus  
 971 Plebejus.  
 972 Fumatus, K.  
 973 Ruficollis, K.  
 974 Metallicus, K.  
 975 Crassicollis.  
 976 Fuscus.  
 977 Quercinus.  
 978 Trilineatus, K.  
 979 Instabilis, K.  
 980 Rubricus.  
 981 Cruciger, K.  
 982 Cylindriciformis, K.  
 983 Fuscipes, Fabr.  
 984 Oblongicollis, K.  
 985 Fristis.  
     Badius, K.  
 986 Trivittatus.

- 987 Maculatus.  
 988 Aereus.  
 989 Hirticollis, K.  
 990 Erytropus.  
 991 Melanurus.  
 992 Sericeus.  
 993 Dentatus.  
     Ochraceus, K.  
 994 Longicollis.  
 995 Striatulus. —  
 996 Latifasciatus.  
 997 Undatus.

LXXXIV. BUPRESTIS.

- 998 Lurida, Fabr.  
 999 Maculata.  
 1000 Lineata, Fabr. —  
 1001 Aenea.  
 1002 Chrysea.  
 1003 Impressa.  
     Insculpta, Helwig.  
 1004 Cuprea.  
 1005 Characteristica.  
 1006 Aurata, K.  
 1007 Ornata, Fabr.  
 1008 Thoracica.  
     Cogitans, Helwig.  
 1009 Bilineata, Helwig.  
 1010 Maculata, K.  
 1011 4 maculata.

- 1012 Aurita, K.  
 1013 Punctata.  
 1014 Stigmata.  
 1015 Bifasciata.  
 1016 Viridis.  
 1017 Undata. —  
 1018 Nitida.  
 1019 Tenella, K.  
 1020 Pedicularis, Fabr.  
 1021 Aerosa, K.  
 1022 Vulgaris.  
     Aeraria.  
 1023 Minuta.  
 1024 Cærulea. —  
 1025 Aerea, K.  
 1026 Ruficollis, K.  
 1027 Obscura.  
 1028 Striata.  
 1029 Notata.  
     Uniguttata, K.

LXXXV. CICINDELA.

- 1030 Virginica, Fabr.  
 1031 6 guttata, Fabr.  
 1032 Trifasciata, Fabr.  
 1033 Unipunctata, Fabr.  
 1034 Ramosa, K.  
 1035 Obscura.  
 1036 Interpunctata.  
 1037 Marginata.

LXXXVI. ELAPHRUS.

- 1038 Riparius, Fabr.  
 1039 Semistriatus, Fabr.

LXXXVII. HYDROPHILUS.

- 1040 Ater, Fabr?  
 1041 Carabæoides, Fabr.  
 1042 Opacus.  
 1043 Limbatus.  
     Dydiscoides, K.  
 1044 Natator, K.  
 1045 Globosus, K.  
 1046 Marginalis. —  
 1047 Cinctus, K.  
 1048 Fuscus.  
 1049 Nebulosus.  
     Labiatus, K.  
 1050 Minutus.  
 1051 Marginatus.  
 1052 Striatus.  
 1053 Luridus, K.  
 1054 Auritus.  
 1055 Fimbriatus.  
     Lateralis, K.  
 1056 Gagathes. —  
 1057 Politus. —  
 1058 Pusillus.

LXXXVIII. DYTISCUS.

- 1059 Limbatus, Fabr.  
     Fimbriolatus, K.

- 1060 Undatus.
- 1061 Stagninus, K.
- 1062 Fenestralis, K.
- 1063 Erythropterus. —
- 1064 Gagathes, K.
- 1065 Nimbatus, K.
- 1066 Ater.
- 1067 Nitidus.
- 1068 Pictus. —
- 1069 Cinctus, K.  
Rufipes.
- 1070 Irroratus, K.
- 1071 Maculosus, K.
- 1072 Striatus.  
Glyphicus, K.
- 1073 Pulchellus.
- 1074 Undulatus.
- 1075 Niger.
- 1076 Ruficornis.
- 1077 Lacustris, K.
- 1078 Fusculus, K. —
- 1079 Maculatus, Fabr.
- 1080 Nigricans.
- 1081 Rufus.

LXXXI. GYRINUS.

- 1082 Suave olens.  
Neptunus, K.
- 1083 Bicolor.  
Americanus, K.
- 1084 Borealis, K.

- 1085 Dichrus, K.
- 1086 Longimanus.

XC. CARABUS.

a *Majores.*

- 1087 Scrutator, Fabr.
- 1088 Calidus, Fabr.
- 1089 Politus, Fabr.
- 1090 Granulatus, Fabr.
- 1091 Purpuratus, K.
- 1092 Silvosus, K.  
Lateralis.
- 1093 Catenatus.
- 1094 Depressus.
- 1095 Dilatatus.

b *Minores.*

- 1096 Americanus, Fabr.
- 1097 Pensylvanicus, K.
- 1098 Amethystinus, Fabr.
- 1099 Sericeus, Olivier.
- 1100 Auricularius.  
Octraceicornis, K.
- 1101 Furvus, K.
- 1102 Stygicus, K.
- 1103 Coraeinus, K.
- 1104 Tomentosus, Helwig.
- 1105 Fumans, Fabr.
- 1106 Gagathes.
- 1107 Capito, K.
- 1108 Lucublandus, K.

- 1109 Chalcites, Helwig.  
 1110 Latithoracicus.  
 1111 Fuscicornis, K.  
 1112 Punctatulus.  
 1113 Adoxus, K.  
 1114 Carbonarius.  
 1115 Assimilis, Paik.  
 1116 Fulvus, K. —  
 1117 Longicornis.  
 1118 Humeralis.  
     Scapularis, K.  
 1119 Pilosus.  
 1120 Baltimoriensis.  
 1121 Erythrocephalus, K.  
 1122 Obscurus.  
 1123 Terminatus, K.  
 1124 Peltatus, K.  
 1125 Smaragdulus.  
 1126 Vittatus, Fabr.  
 1127 Undulatus.  
 1128 Fasciatus. —  
 1129 4 notatus, K.  
 1130 Prasinocéphalus, K.  
     Sanguineicollis.  
 1131 Thoracicus.  
 1132 Cyaneus, K.  
 1133 Viridicollis.  
 1134 Flavidus.  
 1135 Ligatus, Helwig.  
 1136 Cyanites, K.  
 1137 Melanocephalus. —

- 1138 Metallicus.  
 1139 Trifasciatus, K.  
 1140 Furcatus, Fabr.  
     Lineola, Olivier.  
 1141 Parmatus, K.  
 1142 Prasinus.  
 1143 Cincticollis, K.  
 1144 Costalis.  
     Limbatus, K.  
 1145 Ovatus.  
 1146 Ochropezus, Helwig.  
 1147 Aeneolus, K.  
 1148 Aereus, K.  
 1149 Atratus, K.  
 1150 Extensicollis.  
 1151 Tibialis.  
 1152 Ruricola.  
 1153 Autumnalis, K.  
 1154 Cœnus, K.  
 1155 Fimbriolatus, K.  
 1156 Cursor.  
 1157 Herbivagus, K.  
 1158 Proditus.  
 1159 Brevicornis.  
 1160 Proletarius, K.  
 1161 Nigrocapillaris.  
 1162 Opæus.  
 1163 Tripunctatus, K.  
 1164 Rusticus.  
 1165 Ruralis, K.

- 1166 Terricola.—  
 1167 Nasutus.—  
 1168 Brentoides, Helw.  
 1169 Faunus, K.  
 1170 Silenus, K.  
 1171 Marginatus.  
 1172 Vulgarius, K.  
 1173 Truncatus.  
     Agrestis, K.  
 1174 Bicoloratus.  
 1175 Contaminatus.  
 1176 Corticola.  
     Pressus, K.  
 1177 Gregarius, K.  
 1178 4 vittatus.  
 1179 Striatulus.  
 1180 8 guttatus.  
 1181 Trivialis.  
 1182 Puber.  
 1183 Brevicollis.  
 1184 Notatus.—  
 1185 Celer.  
 1186 Nigricans.  
 1187 4 maculatus.  
 1188 Vulgaris.  
 1189 Niger.  
 1190 Limbatus.—

XCI. CICHRUS.

- 1191 Unicolor, Fabr.  
 1192 Stenostomus, K.

XCII. TACHYS.

- 1193 Aereus, K.  
 1194 Niger.  
 1195 Arenarius.  
 1196 4 guttatus, K.  
 1197 Rufipes.  
 1198 Fervus.—  
 1199 Terminatus.  
 1200 Pallidus, K.  
 1201 4 notatus.  
 1202 Bifasciatus.  
 1203 Flavipes.  
 1204 Analis, K.  
 1205 Binotatus, K.  
 1206 Brunneus, K.  
 1207 Fasciatus.

XCIII. SCARITES.

- 1208 Subterraneus, Fabr.  
 1209 4 maculatus.  
 1210 Bipustulatus, K.  
 1211 Viridis.  
     Pilosus, K.  
 1212 Brunneus, K.  
 1213 Trilineatus.  
 1214 Globulus, K.

XCIV. TENEBRIO.

- 1215 Molitor, Fabr.  
 1216 Aeruginosus, K.

- 1217 Chrysops.  
 Upis chrysops, Herbst.  
 1218 Brunneus, K.  
 1219 Coracinus, K.  
 1220 Ochraceus.  
 1221 Badius, K.  
 1222 Rufipes.  
 1223 Depressus.  
 1224 Piccus.  
 1225 Nigricans, K.  
 1226 Fulvipes.  
 Upis fulvipes, Herbst.  
 1227 Foveolatus, K.  
 1228 Impressus.  
 1229 Aereus.

XCV. SERROPALPUS.

- 1230 Coriarius.  
 1231 Canaliculatus.  
 Helops canaliculatus, Fab.  
 1232 Thoracicus.  
 1233 Umbrinus, K.  
 1234 Fuscus, K.  
 1235 Impressus, K.

XCVI. HELOPS.

- 1236 Metallicus.  
 1237 Ovatus.  
 1238 Aereus;  
 1239 Convexus, K.  
 1240 Pullus, K.

XCVII. TRYGOSITA.

- 1241 Virescens, Fabr.  
 1242 Castanea, K.  
 1243 Corticalis.  
 1244 Cinnamomea, K.  
 1245 Bimaculata.  
 Fasciata, K.

XCVIII. MELOE.

- 1246 Proscarabæus, Fabr.

XCIX. LYTTA.\*

- 1247 Marginata, Fabr.  
 1248 Vittata, Fabr.  
 1249 Cinerea, Fabr.  
 1250 Atrata, Fabr.

C. MORDELLA.

- 1251 8 punctata, Fabr.  
 1252 Nigra.  
 1253 Fasciata, Fabr.  
 1254 Axillaris, K.  
 1255 Thoracica.  
 Collaris, K.  
 1256 Trifasciata, K.  
 1257 Undulata, K.  
 1258 Marginata.

\* Species hujus generis tres priores promittunt vires vesicatorias.



- 1259 Limbata.  
 1260 Liturata, K. —  
 1261 Marginalis, K.  
     Erythrocephala.  
 1262 Bifasciata.  
 1263 Nigricans.  
 1264 Atrata.  
 1265 Humeralis.  
 1266 Lineata.  
 1267 Sericea.—  
 1268 Rufa.  
 1269 Bimaculata.  
 1270 Fusca.

CI. KIPPHORUS.

- 1271 Limbatus.  
     Mordella limbata, Fabr.  
 1272 Fasciatus.  
 1273 Plumatus, K.  
 1274 Bicolor.  
 1275 Pectinatus, K.  
 1276 Thoracicus.  
 1277 Niger.  
 1278 Maxillosus.  
 1279 Bifasciatus.

CII. STAPHYLINUS.

- 1280 Maxillosus, Fabr.  
     Villosus, K.  
 1281 Maculosus, K.  
 1282 Cingulatus, K.

- 1283 Bimaculatus.  
 1284 Rufus.  
 1285 Cyanopterus, K.  
 1286 Cinnamopterus, K.  
 1287 Purpurascens.  
     Violaceus, K.  
 1288 Tomentosus, K.  
 1289 Ater.  
 1290 Metallicus.  
 1291 Nigrinus.  
 1292 Elegans, K.  
 1293 Ruficollis.  
 1294 Tricolor.  
 1295 Sanguineicollis,  
     Nitens, K.  
 1296 Melanocephalus.  
 1297 Politus, Fabr.  
 1298 Dimidiatus.  
 1299 Emmesus, K.  
 1300 Thoracicus.  
 1301 Pallipes.  
 1302 Hæmorrhoidalis.  
 1303 Extensus.  
 1304 Marginalis.  
 1305 Palliatus, K.  
 1306 Cinctus.  
 1307 Fulvipes, K.  
 1308 Fuscicornis.  
 1309 Brunneus.  
 1310 Sanguinolentus.  
 1311 Aeneicollis.



- 1312 Bicolor, K.  
 1313 Angusticollis, K.  
 1314 Pulchellus.  
 1315 Hæmorrhæus.

CIII. OXYPORUS.

- 1316 Maxillosus.  
 Major, K.  
 1317 Marginalis.  
 1318 Bipustulatus.  
 1319 Cinctus, K.  
 1320 Fasciatus.

CIV. TACHYPORUS.

- 1321 Niger.  
 1322 Boleti.  
 1323 Crassus, K.  
 1324 Memnonius, K.  
 1325 Humeralis.  
 1326 Vittatus.  
 1327 Cinctus, K.  
 1328 Striatus.  
 1329 Marginalis.  
 1330 Lateralis.  
 1331 Cingulatus.  
 1332 Ruficornis.  
 1333 Corticinus.  
 1334 Atratus.

CV. PAEDERUS.

- 1335 Bicolor, K.

- 1336 Pallipes.  
 1337 Badius, K.  
 1338 Melanocephalus.  
 1339 Riparius, Fabr.  
 Littorarius, K.  
 1340 Brevicornis.  
 1341 Filiformis.  
 1342 Limbatus.  
 1343 Latipes, K.

CVI. LAESTRIS.

- 1344 Rugosus.  
 1345 Fuscipes, K.  
 1346 Opacus.

CVII. ALEOCHARA.

- 1347 Lata, K.  
 1348 Bimaculata, K.  
 1349 Sculpta.  
 1350 Insignita, K.  
 1351 Erythroptera.  
 1352 Fasciata.  
 1353 Boleti.  
 1354 Globosa.  
 1355 Rufa.  
 1356 Pedicularis.  
 1357 Rufipes.

CVIII. ANTHOPHAGUS.

- 1358 Canalicularis.

K

CIX. CREMASTOCHEILUS, K.

1359 Castaneæ.

CX. SANDALUS, K.

1360 Coriarius.

1361 Fuscus.

CXI. CHLAMYS, K.

1362 Tuberosa.

1363 Foveolata.

ERRATA.

378 ~~entrata~~, lege Eleuterata.

378 Oculata, lege Ocellata.

841 ~~dele~~ lateralis.